

Table(s) of "adsub service codes" Picture Object	
Name	adsub service codes
Comment	Contains codes, descriptions, and rates for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.

Column(s) of "adsub service codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_code	VARCHAR2(4)	NOT NULL	Contains codes for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.	Yes	No
effective_date	DATE	NOT NULL	The start date for the rate for the SERVICE_CODE.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SERVICE_CODE.	No	No
monthly_rate	NUMBER(6,2)	NULL	The monthly payment amount for the SERVICE_CODE.	No	No
daily_rate	NUMBER(6,2)	NULL	The daily payment amount for the identified service code.	No	No
end_date	DATE	NULL	The expiration date for the rate for the SERVICE_CODE.	No	No
support_type_ind	VARCHAR2(1)	NULL	Indicates that (S) the service code is used for Support Subsidy payments; or (M) for Medical Subsidy payments; or (N) non-recurring payments.	No	No
max_amount	NUMBER(6,2)	NULL	The maximum amount that can be paid for this service code.	No	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK_adsub service codes	Yes

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective date" Column	
Name	Unique
PK_adsub service codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "monthly rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "daily rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "support type ind" Column			
Constraint Name	Min	Max	Rule
ck_asbsrvccds_supptypind			support_type_ind IN ('S', 'M', 'N')

Valid Value(s) of "ck asbsrvccds supptypind" Validation		
Data Value	Display Value	Definition
S		Support Subsidy
M		Medical Subsidy
N		NRE

Validation(s) of "max amount" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub_medcase_denial_codes" Picture Object	
Name	adsub_medcase_denial_codes
Comment	<p>Contains codes and descriptions for reasons that the application for medical subsidy was denied; i.e. (Code: Description)</p> <p>01: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child was not in Michigan foster care at the time the petition for adoption was filed.</p> <p>02: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child's adoption finalization was prior to June 28, 1992, but was not completed by a Michigan court.</p> <p>03: There is not conclusive evidence that the condition or the cause of the condition existed prior to the adoption. (CFA 770)</p> <p>Etc.</p>

Column(s) of "adsub_medcase_denial_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
medcase_denial_code	VARCHAR2(2)	NOT NULL	<p>Contains codes for reasons that the application for medical subsidy was denied; i.e. (Code: Description)</p> <p>01: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child was not in Michigan foster care at the time the petition for adoption was filed.</p> <p>02: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child's adoption finalization was prior to June 28, 1992, but was not completed by a Michigan court.</p> <p>03: There is not conclusive evidence that the condition or the cause of the condition existed prior to the adoption. (CFA 770)</p> <p>Etc.</p>	Yes	No

description	VARCHAR2(200)	NULL	Explanation of MEDCASE_DENI- AL_CODE.	No	No
-------------	---------------	------	---	----	----

Validation(s) of "medcase denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medcase denial code" Column	
Name	Unique
PK adsub medcase denial codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

adop_sub_payments / Display1

adsub_rate_determination_codes

rate_determination_code: VARCHAR2(1) NOT NULL
description: VARCHAR2(30) NULL
short_description: VARCHAR2(3) NULL

adsub_payment_amounts

county_no: NUMBER(2) NOT NULL (FK)
adsub_info_id: NUMBER NOT NULL (FK)
payment_amount_seq: NUMBER(3) NOT NULL
begin_date: DATE NULL
rate_determination_code: VARCHAR2(1) NULL (FK)
no_clothing_ind: VARCHAR2(1) NULL
rsdi_amount: NUMBER(6,2) NULL
va_amount: NUMBER(6,2) NULL
recoupment_amount: NUMBER(6,2) NULL
rsdi_claim_no: VARCHAR2(12) NULL
recoupment_log_no: VARCHAR2(30) NULL
elig_determ_ind: VARCHAR2(1) NULL
end_date: DATE NULL
retro_ind: VARCHAR2(1) NULL
action_reason: VARCHAR2(2000) NULL
funding_source_code: VARCHAR2(1) NULL (FK)
mps_transaction_no: VARCHAR2(15) NULL
mps_next_trans_no: VARCHAR2(15) NULL
mps_transaction_date: DATE NULL
mps_action_ind: VARCHAR2(1) NULL
other_amount: NUMBER(6,2) NULL
mps_load_no: NUMBER(10) NULL

adsub_pmtamt_servcd

county_no: NUMBER(2) NOT NULL (FK)
adsub_info_id: NUMBER NOT NULL (FK)
payment_amount_seq: NUMBER(3) NOT NULL (FK)
service_code: VARCHAR2(4) NOT NULL (FK)
effective_date: DATE NOT NULL (FK)
rate: NUMBER(6,2) NULL

adsub_service_codes

service_code: VARCHAR2(4) NOT NULL
effective_date: DATE NOT NULL
description: VARCHAR2(30) NULL
monthly_rate: NUMBER(6,2) NULL
daily_rate: NUMBER(6,2) NULL
end_date: DATE NULL
support_type_ind: VARCHAR2(1) NULL
max_amount: NUMBER(6,2) NULL

adsub_info

county_no: NUMBER(2) NOT NULL (FK)
adsub_info_id: NUMBER NOT NULL
log_id: NUMBER NULL (FK)
eligibility_code: VARCHAR2(2) NULL (FK)
legal_status_cd: NUMBER(2) NULL (FK)
ad_info_id: NUMBER NULL (FK)
converted_ind: VARCHAR2(1) NULL
notify_fc_monitor_ind: VARCHAR2(1) NULL
family_size: NUMBER(2) NULL
income_level_code: VARCHAR2(2) NULL (FK)
open_date: DATE NULL
revised_date: DATE NULL
supp_sub_elig_ind: VARCHAR2(1) NULL
med_sub_elig_ind: VARCHAR2(1) NULL
nre_sub_elig_ind: VARCHAR2(1) NULL
medcase_denial_code: VARCHAR2(2) NULL (FK)
medcase_denial_other: VARCHAR2(200) NULL
provider_id: NUMBER NULL (FK)
provider_type: VARCHAR2(1) NULL (FK)
adoption_final_date: DATE NULL
adsub_cis_case_no: VARCHAR2(30) NULL
adsub_recipient_id: NUMBER(12) NULL
converted_title4e_ind: VARCHAR2(1) NULL
converted_medicaid_ind: VARCHAR2(1) NULL
ready_to_open_ind: VARCHAR2(1) NULL
felony_conviction_ind: VARCHAR2(1) NULL
payable_condition_ind: VARCHAR2(1) NULL
adoptive_placement_order_ind: VARCHAR2(1) NULL
finalized_after_1992_ind: VARCHAR2(2) NULL
foster_care_at_petition_ind: VARCHAR2(2) NULL
adopted_in_michigan_ind: VARCHAR2(2) NULL
post_adopt_application_ind: VARCHAR2(1) NULL
court_ordered_support_ind: VARCHAR2(1) NULL

adsub_funding_source_codes

funding_source_code: VARCHAR2(1) NOT NULL
description: VARCHAR2(30) NULL

Table(s) of "adsub pmtamt servcd" Picture Object	
Name	adsub pmtamt servcd
Comment	A record exists in this table for each service code assigned for this payment. The rate column exists for those service codes that do not have a specific rate assigned to them and will vary from case to case.

Column(s) of "adsub pmtamt servcd" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	Yes
payment_amount_seq	NUMBER(3)	NOT NULL	Application created number to uniquely identify each payment record. It will start with one and increment by one for each new payment.	Yes	Yes
service_code	VARCHAR2(4)	NOT NULL	Contains codes for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.	Yes	Yes
effective_date	DATE	NOT NULL	The start date for the rate for the SERVICE_CODE.	Yes	Yes
rate	NUMBER(6,2)	NULL	The dollar amount to be paid for service codes that the rate is not a set amount. The user will input the amount that is to be paid for this case. These service codes usually have a maximum amount that can be paid and that amount is stored in ADSUB_SERVICE_CODES.MAX-AMOUNT.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK adsub pmtamt servcd	Yes
IF1574 adsub pmtamt servcd	No

Validation(s) of "adsub_info_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "adsub info id" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1574 adsub pmtamt served	No

Validation(s) of "payment amount seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment amount seq" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1574 adsub pmtamt served	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1575 adsub pmtamt served	No

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective date" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1575 adsub pmtamt served	No

Validation(s) of "rate" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub info" Picture Object	
Name	adsub info
Comment	Contains information pertaining to the Adoption Subsidy case. Each record is uniquely identified by a system generated sequence number (ADSUB_INFO_ID).

Column(s) of "adsub info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes
ad_info_id	NUMBER	NULL	System generated number that uniquely identifies all occurrences of adoptions for one child.	No	Yes
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle data base; or (N/Null) not.	No	No

notify_fc_monitor_ind	VARCHAR2(1)	NULL	Indicates that (Y) the foster care monitor is to be notified when the adoption subsidy case is activated; or (N/Null) not.	No	No
family_size	NUMBER(2)	NULL	The total number of related adults and children living in the household at this time. Related means by blood, marriage, or adoption. It should include persons away temporarily (up to 30 days). It should not include foster children.	No	No
income_level_code	VARCHAR2(2)	NULL	Contains codes for ranges of income levels; e.g.. (Code: Description) 1: Above 168,930 2: 154,741 - 168,930 3: 140,551 - 154,740 4: 126,361 - 140,550, etc.	No	Yes
open_date	DATE	NULL	Open date for converted cases.	No	No
revised_date	DATE	NULL	This date is used to track changes to the application after a case has been certified at a level of support.	No	No
supp_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Support Subsidy; or (N/Null) not.	No	No
med_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for medical support subsidy; or (N/Null) not.	No	No
nre_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Nonrecurring Expense support subsidy; or (N/Null) not.	No	No
medcase_denial_code	VARCHAR2(2)	NULL	Contains codes for reasons that the application for medical subsidy was denied; i.e. (Code: Description) 01: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child was not in Michigan foster care at the time the petition for adoption was filed. 02: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child's adoption finalization was prior to June 28, 1992, but was not completed by a Michigan court. 03: There is not conclusive evidence that the condition or	No	Yes

			the cause of the condition existed prior to the adoption. (CFA 770) Etc.		
medcase_denial_other	VARCHAR2(200)	NULL	If column MEDCASE_DENIAL_CODE is 05 for Other, then this column will contain the text the user types in for the reason that the medical application was denied for support subsidy.	No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
adoption_final_date	DATE	NULL	The date that the adoption of the child was finalized.	No	No
adsub_cis_case_no	VARCHAR2(30)	NULL	Contains the CIS case number for the Adoption Subsidy Medicaid case.	No	No
adsub_recipient_id	NUMBER(12)	NULL	Contains the recipient id for the child.	No	No
converted_title4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Title IVE case; or (N/Null) not	No	No
converted_medicaid_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Medicaid case; or (N/Null) not	No	No

ready_to_open_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case is ready to be passed along to a person with the authority to authorize subsidy payments; or (N) not; or NULL.	No	No
felony_conviction_ind	VARCHAR2(1)	NULL	Indicates that (Y) the prospective, adoptive parents have past felony convictions for certain listed offenses; or (N) not; or NULL.	No	No
payable_condition_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child has a diagnosed physical, mental/emotional, or educational condition; or (N) not; or NULL.	No	No
adoptive_placement_order_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an adoptive placement order; or (N) not; or NULL.	No	No
finalized_after_1992_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child's adoption was finalized on or after June 28, 1992; or (N) not; or NULL.	No	No
foster_care_at_petition_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was in Michigan's Foster Care system at the time the adoption petition was filed; or (N) not; or NULL.	No	No
adopted_in_michigan_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was adopted in Michigan; or (N) not; or NULL.	No	No
post_adopt_application_ind	VARCHAR2(1)	NULL	Indicates that (Y) an application for subsidy payments was made by the adoptive family, after that family adopted the child; or (N) not; or NULL.	No	No
court_ordered_support_ind	VARCHAR2(1)	NULL	Indicates that (Y) one or both adoptive parents receive court-ordered child support; or (N/ NULL) not.	No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_adsub_info	Yes
IF1374_adsub_info	No

Validation(s) of "adsub info id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column

Name	Unique
------	--------

PK adsub info	Yes
---------------	-----

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1491 adsub info	No

Validation(s) of "eligibility_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility_code" Column	
Name	Unique
IF1376 adsub info	No

Validation(s) of "legal_status_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal_status_cd" Column	
Name	Unique
IF1375 adsub info	No

Validation(s) of "ad_info_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad_info_id" Column	
Name	Unique
IF1374 adsub info	No

Validation(s) of "converted_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convind			converted_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_convind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify_fc_monitor_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_ntfyfcmntrind			notify_fc_monitor_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_ntfyfcmntrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "family_size" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "income_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income_level_code" Column	
Name	Unique

IF1379 adsub info	No
-------------------	----

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "revised date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supp sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf supsubeligind			supp_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf supsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf medsubeligind			med_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf medsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "nre sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf nresubeligind			nre_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf nresubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "medcase denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medcase denial code" Column	
Name	Unique
IF1477 adsub info	No

Validation(s) of "medcase denial other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp8			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck prd prvtyp8" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "adoption final date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub cis case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted title4e ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convttl4eind			converted_title4e_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convttl4eind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "converted medicaid ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convmdcind			converted_medicaid_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convmdcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ready to open ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_rdyopenind			ready to open ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf rdyopenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "felony conviction ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_flnyconvctnind			felony_conviction_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf flnyconvctnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payable condition ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_pyblcndtnind			payable_condition_ind IN ('Y', 'N')
------------------------	--	--	-------------------------------------

Valid Value(s) of "ck_asbinf_pyblcndtnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "adoptive_placement_order_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adtpvplcmntordrind			adoptive_placement_order_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_adtpvplcmntordrind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "finalized_after_1992_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fnlzdafr1992ind			finalized_after_1992_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fnlzdafr1992ind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "foster_care_at_petition_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fstrcratptnind			foster_care_at_petition_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fstrcratptnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "adopted_in_michigan_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adptdinmchgnind			adopted_in_michigan_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_adptdinmchgnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "post_adopt_application_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_pstadptnappind			post_adopt_application_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_pstadptnappind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "court_ordered_support_ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_ertordrsprtind			court_ordered_support_ind IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_asbinf_ertordrsprtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "adsub service codes" Picture Object	
Name	adsub service codes
Comment	Contains codes, descriptions, and rates for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.

Column(s) of "adsub service codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_code	VARCHAR2(4)	NOT NULL	Contains codes for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.	Yes	No
effective_date	DATE	NOT NULL	The start date for the rate for the SERVICE_CODE.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SERVICE_CODE.	No	No
monthly_rate	NUMBER(6,2)	NULL	The monthly payment amount for the SERVICE_CODE.	No	No
daily_rate	NUMBER(6,2)	NULL	The daily payment amount for the identified service code.	No	No
end_date	DATE	NULL	The expiration date for the rate for the SERVICE_CODE.	No	No
support_type_ind	VARCHAR2(1)	NULL	Indicates that (S) the service code is used for Support Subsidy payments; or (M) for Medical Subsidy payments; or (N) non-recurring payments.	No	No
max_amount	NUMBER(6,2)	NULL	The maximum amount that can be paid for this service code.	No	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK_adsub_service_codes	Yes

Validation(s) of "effective_date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective_date" Column	
Name	Unique
PK_adsub_service_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "monthly rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "daily rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "support type ind" Column			
Constraint Name	Min	Max	Rule
ck_asbsrvccds_supptypind			support_type_ind IN ('S', 'M', 'N')

Valid Value(s) of "ck asbsrvccds supptypind" Validation		
Data Value	Display Value	Definition
S		Support Subsidy
M		Medical Subsidy
N		NRE

Validation(s) of "max amount" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub rate determination codes" Picture Object	
Name	adsub rate determination codes
Comment	Contains codes and descriptions for the source used to determine the correct rate; e.g. (Code: Description) 1: Model Payments 2: Child Care Funds 3: SSI 4: CMH, etc.

Column(s) of "adsub rate determination codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rate_determination- _code	VARCHAR2(1)	NOT NULL	Contains codes for the source used to determine the correct rate; e.g. (Code: Description) 1: Model Payments 2: Child Care Funds 3: SSI 4: CMH, etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RATE_DETERMINATION_CODE.	No	No
short_description	VARCHAR2(3)	NULL	A short description of the DESCRIPTION field (e.g. MPS for Model Payments, etc.)	No	No

Validation(s) of "rate determination code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate determination code" Column	
Name	Unique
PK adsub rate determination co	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "short description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub payment amounts" Picture Object	
Name	adsub payment amounts
Comment	Contains the information for determining the amount of the support subsidy payment. The record with the most recent BEGIN_DATE is the current payment for the case.

Column(s) of "adsub payment amounts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	Yes
payment_amount_seq	NUMBER(3)	NOT NULL	Application created number to uniquely identify each payment record. It will start with one and increment by one for each new payment.	Yes	No
begin_date	DATE	NULL	The start date for the payment record.	No	No
rate_determination_code	VARCHAR2(1)	NULL	Contains codes for the source used to determine the correct rate; e.g. (Code: Description) 1: Model Payments 2: Child Care Funds 3: SSI 4: CMH, etc.	No	Yes
no_clothing_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is not receiving a clothing allowance; or (N/Null) not.	No	No
rsdi_amount	NUMBER(6,2)	NULL	The amount that the payment is reduced by due to RSDI.	No	No
va_amount	NUMBER(6,2)	NULL	The amount that the payment is reduced by due to VA.	No	No
recoupment_amount	NUMBER(6,2)	NULL	The amount that the payment is reduced by due to money owed by the client.	No	No
rsdi_claim_no	VARCHAR2(12)	NULL	The RSDI claim number associated with the RSDI_AMOUNT.	No	No
recoupment_log_no	VARCHAR2(30)	NULL	The log number for the case that owes money back to the state because of previous overpayment. Associated with RECOUPMENT_AMOUNT.	No	No

elig_determ_ind	VARCHAR2(1)	NULL	Indicates that (E) this record was created to determine eligibility; or (D) for determination	No	No
end_date	DATE	NULL	The expiration date for the payment record.	No	No
retro_ind	VARCHAR2(1)	NULL	Indicates that (Y) payments from past periods are due; or (N/Null) not. This indicator is set by the application and indicates that previous period payments need to be totaled and a lump sum is sent to MPS.	No	No
action_reason	VARCHAR2(2000)	NULL	Contains comments that are entered by the user concerning the payment record.	No	No
funding_source_code	VARCHAR2(1)	NULL	Contains codes for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.	No	Yes
mps_transaction_no	VARCHAR2(15)	NULL	The transaction number returned from the Model Payments System (MPS) which means that the payment data was sent successfully and accepted by MPS.	No	No
mps_next_trans_no	VARCHAR2(15)	NULL	If a subsequent record is transmitted to the Model Payments System (MPS), the transaction number returned by MPS is populated here. If this column is not populated, then this is the last transmission sent to MPS concerning this payment.	No	No
mps_transaction_date	DATE	NULL	The date that the payment data was transmitted to and accepted by the Model Payments System (MPS).	No	No
mps_action_ind	VARCHAR2(1)	NULL	Indicates that (A) this transmission record to the Model Payment System (MPS) was to add a new record; or (M) modify an existing record; or (T) terminate an existing record; or (D) delete an existing record.	No	No

other_amount	NUMBER(6,2)	NULL	The amount the payment is reduced for income, other than that already reduced for RSDI benefits, Veterans Administration benefits, or amounts that the client owes the state (recoupment).	No	No
mps_load_no	NUMBER(10)	NULL	The load number of the adoption subsidy staff who made the authorization on Model Payments (MPS).	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_adsub_payment_amounts	Yes
IF1494_adsub_payment_amounts	No

Validation(s) of "adsub_info_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub_info_id" Column	
Name	Unique
PK_adsub_payment_amounts	Yes
IF1494_adsub_payment_amounts	No

Validation(s) of "payment_amount_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment_amount_seq" Column	
Name	Unique
PK_adsub_payment_amounts	Yes

Validation(s) of "begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate_determination_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate_determination_code" Column	
Name	Unique
IF1496_adsub_payment_amounts	No

Validation(s) of "no_clothing_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbpymtamnts_noclthngind			no_clothing_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbpymtamnts_noclthngind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "rsdi_amount" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "va amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recoupment amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rsdi claim no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recoupment log no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "elig determ ind" Column			
Constraint Name	Min	Max	Rule
ck asbpymtamnts eligdtrmind			elig determ ind IN ('E', 'D')

Valid Value(s) of "ck asbpymtamnts eligdtrmind" Validation		
Data Value	Display Value	Definition
E		Eligibility Tab
D		Determination Tab

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "retro ind" Column			
Constraint Name	Min	Max	Rule
ck asbpymtamnts retroind			retro ind IN ('Y', 'N')

Valid Value(s) of "ck asbpymtamnts retroind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "action reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
IF1571 adsub payment amounts	No

Validation(s) of "mps transaction no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps next trans no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps transaction date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mps action ind" Column			
Constraint Name	Min	Max	Rule
ck_asbpymtamnts_mpsactnind			mps_action_ind IN ('N', 'M', 'T', 'D', 'P')

Valid Value(s) of "ck asbpymtamnts mpsactnind" Validation		
Data Value	Display Value	Definition
N		New
M		Modify
T		Terminate
D		Delete
P		Pending

Validation(s) of "other amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps load no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub funding source codes" Picture Object	
Name	adsub_funding_source_codes
Comment	Contains codes and descriptions for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.


Column(s) of "adsub funding source codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
funding_source_code	VARCHAR2(1)	NOT NULL	Contains codes for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of FUNDING_SOURCE_CODE.	No	No

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
PK adsub_funding_source_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

adop_sub_recoupment / Display1



Table(s) of "adsub recpmnt docs" Picture Object	
Name	adsub recpmnt docs
Comment	Contains a record for each document that was sent to the client regarding the identified recoupment. The specific document sent is identified by the RECPMNT_DOC_CODE column which is a foreign key to ADSUB_RECPMNT_DOC_CODES.

Column(s) of "adsub recpmnt docs" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
recoupment_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each record	Yes	Yes
recpmnt_doc_code	VARCHAR2(2)	NOT NULL	Contains codes for the documents that are sent to the client regarding a recoupment; e.g. (Code: Description) 01: Request for Payment 02: Reimbursement Agreement 03: 2nd Overdue Notice 04: Final Offer 05: Tax Offset Notice	Yes	Yes
sent_date	DATE	NULL	The date that the document was sent to the client.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK adsub recpmnt docs	Yes
IF1398 adsub recpmnt docs	No

Validation(s) of "recoupment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recoupment id" Column	
Name	Unique
PK adsub recpmnt docs	Yes
IF1398 adsub recpmnt docs	No

Validation(s) of "recpmnt doc code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recpmnt doc code" Column	
Name	Unique
PK adsub recpmnt docs	Yes
IF1570 adsub recpmnt docs	No

Validation(s) of "sent date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Table(s) of "adsub recpmnt status codes" Picture Object	
Name	adsub recpmnt status codes
Comment	Contains codes and descriptions for the status of a recoupment; e.g. (Code: Description) O: Open P: Paid in Full W: Writeoff

Column(s) of "adsub recpmnt status codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recpmnt_status_code	VARCHAR2(2)	NOT NULL	Contains codes for the status of a recoupment; e.g. (Code: Description) O: Open P: Paid in Full W: Writeoff	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RECPMNT_STAT-US_CODE.	No	No

Validation(s) of "recpmnt status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recpmnt status code" Column	
Name	Unique
PK adsub recpmnt status codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub_recoupment" Picture Object	
Name	adsub_recoupment
Comment	Contains all information for a recoupment for a specific Adoption Subsidy case. A recoupment occurs because the client owes money back to FIA for some reason.

Column(s) of "adsub_recoupment" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recoupment_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each record	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	No	Yes
effective_date	DATE	NULL	The date that the recoupment became effective. It is typically the day the case status became "Closed" or "Open without Pay".	No	No
action_date	DATE	NULL	The date that the new recoupment is entered in the system.	No	No
reason	VARCHAR2(80)	NULL	Short reason for the overpayment.	No	No
revision_date	DATE	NULL	The date that a change was made to the recoupment record.	No	No
revision_reason	VARCHAR2(80)	NULL	Explanation of the revision made to the recoupment record.	No	No
daily_diff_amount	NUMBER(6,2)	NULL	The daily amount of the overpayment.	No	No
begin_date	DATE	NULL	The first day of the overpayment period.	No	No
end_date	DATE	NULL	The last day of the overpayment period.	No	No
overpay_amt	NUMBER(7,2)	NULL	Calculation of the daily amount overpaid times the number of days in the overpayment period.	No	No
recpmnt_status_code	VARCHAR2(2)	NULL	Contains codes for the status of a recoupment; e.g. (Code: Description) O: Open P: Paid in Full W: Writeoff	No	Yes

paying_ind	VARCHAR2(1)	NULL	Indicates that (Y) the client is making payments toward the recoupment; or (N/Null) not.	No	No
comments	VARCHAR2(2000)	NULL	Explanation of the overpayment.	No	No
recpmnt_acent_code	VARCHAR2(5)	NULL	Contains codes for the recoupment charge accounts; e. g. (Code: Description) 72249: 72276: 72277: , etc.	No	Yes
adjustment_amount	NUMBER(7,2)	NULL	Contains the amount that increases or decreases the recoupment amount.	No	No

Validation(s) of "recoupment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recoupment id" Column	
Name	Unique
PK adsub recoupment	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK adsub recoupment	Yes
IF1553 adsub recoupment	No

Validation(s) of "adsub info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column	
Name	Unique
IF1553 adsub recoupment	No

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "revision date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "revision reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "daily diff amount" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "overpay_amt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recpmnt_status_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recpmnt_status_code" Column	
Name	Unique
IF1397 adsub recoupment	No

Validation(s) of "paying_ind" Column			
Constraint Name	Min	Max	Rule
ck asbrcpmnt payingind			paying_ind IN ('Y', 'N')

Valid Value(s) of "ck asbrcpmnt payingind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "comments" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recpmnt_accnt_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recpmnt_accnt_code" Column	
Name	Unique
IF1648 adsub recoupment	No

Validation(s) of "adjustment_amount" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub payments received" Picture Object	
Name	adsub payments received
Comment	Contains all the information for a payment made by a client for repayment of a recoupment.

Column(s) of "adsub payments received" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
payment_received_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each record in the table.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	No	Yes
recoupment_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each record.	No	Yes
receipt_date	DATE	NULL	The date the payment was received.	No	No
pmt_type_code	VARCHAR2(1)	NULL	Contains codes for the type of payment that was made against the recoupment; e.g. (Code: Description) 1: Check 2: Money Order 3: Subsidy Adjustment 4: Correction	No	Yes
check_no	VARCHAR2(15)	NULL	The check number for the payment.	No	No
amount	NUMBER(7,2)	NULL	The dollar amount of the payment.	No	No
explanation	VARCHAR2(120)	NULL	Comments entered by the user concerning the payment.	No	No

Validation(s) of "payment received id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment received id" Column	
Name	Unique
PK adsub payments received	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK adsub payments received	Yes

IF1568 adsub payments received	No
--------------------------------	----

Validation(s) of "adsub info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column	
Name	Unique
IF1569 adsub payments received	No

Validation(s) of "recoupment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recoupment id" Column	
Name	Unique
IF1568 adsub payments received	No

Validation(s) of "receipt date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pmt type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pmt type code" Column	
Name	Unique
IF1555 adsub payments received	No

Validation(s) of "check no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "explanation" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub info" Picture Object	
Name	adsub info
Comment	Contains information pertaining to the Adoption Subsidy case. Each record is uniquely identified by a system generated sequence number (ADSUB_INFO_ID).

Column(s) of "adsub info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes
ad_info_id	NUMBER	NULL	System generated number that uniquely identifies all occurrences of adoptions for one child.	No	Yes
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle data base; or (N/Null) not.	No	No

notify_fc_monitor_ind	VARCHAR2(1)	NULL	Indicates that (Y) the foster care monitor is to be notified when the adoption subsidy case is activated; or (N/Null) not.	No	No
family_size	NUMBER(2)	NULL	The total number of related adults and children living in the household at this time. Related means by blood, marriage, or adoption. It should include persons away temporarily (up to 30 days). It should not include foster children.	No	No
income_level_code	VARCHAR2(2)	NULL	Contains codes for ranges of income levels; e.g.. (Code: Description) 1: Above 168,930 2: 154,741 - 168,930 3: 140,551 - 154,740 4: 126,361 - 140,550, etc.	No	Yes
open_date	DATE	NULL	Open date for converted cases.	No	No
revised_date	DATE	NULL	This date is used to track changes to the application after a case has been certified at a level of support.	No	No
supp_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Support Subsidy; or (N/Null) not.	No	No
med_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for medical support subsidy; or (N/Null) not.	No	No
nre_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Nonrecurring Expense support subsidy; or (N/Null) not.	No	No
medcase_denial_code	VARCHAR2(2)	NULL	Contains codes for reasons that the application for medical subsidy was denied; i.e. (Code: Description) 01: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child was not in Michigan foster care at the time the petition for adoption was filed. 02: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child's adoption finalization was prior to June 28, 1992, but was not completed by a Michigan court. 03: There is not conclusive evidence that the condition or	No	Yes

			the cause of the condition existed prior to the adoption. (CFA 770) Etc.		
medcase_denial_other	VARCHAR2(200)	NULL	If column MEDCASE_DENIAL_CODE is 05 for Other, then this column will contain the text the user types in for the reason that the medical application was denied for support subsidy.	No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
adoption_final_date	DATE	NULL	The date that the adoption of the child was finalized.	No	No
adsub_cis_case_no	VARCHAR2(30)	NULL	Contains the CIS case number for the Adoption Subsidy Medicaid case.	No	No
adsub_recipient_id	NUMBER(12)	NULL	Contains the recipient id for the child.	No	No
converted_title4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Title IVE case; or (N/Null) not	No	No
converted_medicaid_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Medicaid case; or (N/Null) not	No	No

ready_to_open_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case is ready to be passed along to a person with the authority to authorize subsidy payments; or (N) not; or NULL.	No	No
felony_conviction_ind	VARCHAR2(1)	NULL	Indicates that (Y) the prospective, adoptive parents have past felony convictions for certain listed offenses; or (N) not; or NULL.	No	No
payable_condition_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child has a diagnosed physical, mental/emotional, or educational condition; or (N) not; or NULL.	No	No
adoptive_placement_order_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an adoptive placement order; or (N) not; or NULL.	No	No
finalized_after_1992_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child's adoption was finalized on or after June 28, 1992; or (N) not; or NULL.	No	No
foster_care_at_petition_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was in Michigan's Foster Care system at the time the adoption petition was filed; or (N) not; or NULL.	No	No
adopted_in_michigan_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was adopted in Michigan; or (N) not; or NULL.	No	No
post_adopt_application_ind	VARCHAR2(1)	NULL	Indicates that (Y) an application for subsidy payments was made by the adoptive family, after that family adopted the child; or (N) not; or NULL.	No	No
court_ordered_support_ind	VARCHAR2(1)	NULL	Indicates that (Y) one or both adoptive parents receive court-ordered child support; or (N/ NULL) not.	No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_adsub_info	Yes
IF1374_adsub_info	No

Validation(s) of "adsub info id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column

Name	Unique

PK adsub info	Yes
---------------	-----

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1491 adsub info	No

Validation(s) of "eligibility_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility_code" Column	
Name	Unique
IF1376 adsub info	No

Validation(s) of "legal_status_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal_status_cd" Column	
Name	Unique
IF1375 adsub info	No

Validation(s) of "ad_info_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad_info_id" Column	
Name	Unique
IF1374 adsub info	No

Validation(s) of "converted_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convind			converted_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_convind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify_fc_monitor_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_ntfyfcmntrind			notify_fc_monitor_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_ntfyfcmntrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "family_size" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "income_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income_level_code" Column	
Name	Unique

IF1379 adsub info	No
-------------------	----

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "revised date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supp sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf supsubeligind			supp_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf supsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf medsubeligind			med_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf medsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "nre sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf nresubeligind			nre_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf nresubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "medcase denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medcase denial code" Column	
Name	Unique
IF1477 adsub info	No

Validation(s) of "medcase denial other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp8			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck prd prvtyp8" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "adoption final date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub cis case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted title4e ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convttl4eind			converted_title4e_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convttl4eind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "converted medicaid ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convmdcind			converted_medicaid_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convmdcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ready to open ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_rdyopenind			ready to open ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf rdyopenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "felony conviction ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_flnyconvctnind			felony_conviction_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf flnyconvctnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payable condition ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_pyblcndtnind			payable_condition_ind IN ('Y', 'N')
------------------------	--	--	-------------------------------------

Valid Value(s) of "ck_asbinf_pyblcndtnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adoptive_placement_order_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adptvplcmntordrind			adoptive_placement_order_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_adptvplcmntordrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "finalized_after_1992_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fnlzdafr1992ind			finalized_after_1992_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fnlzdafr1992ind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
NA		Not Applicable

Validation(s) of "foster_care_at_petition_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fstrcratptnind			foster_care_at_petition_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fstrcratptnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
NA		Not Applicable

Validation(s) of "adopted_in_michigan_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adptdinmchgnind			adopted_in_michigan_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_adptdinmchgnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
NA		Not Applicable

Validation(s) of "post_adopt_application_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_pstadptnappind			post_adopt_application_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_pstadptnappind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "court_ordered_support_ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_ertordrsprtind			court_ordered_support_ind IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_asbinf_ertordrsprtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "adsub pmt type codes" Picture Object	
Name	adsub pmt type codes
Comment	Contains codes and descriptions for the type of payment that was made against the recoupment; e.g. (Code: Description) 1: Check 2: Money Order 3: Subsidy Adjustment 4: Correction

Column(s) of "adsub pmt type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
pmt_type_code	VARCHAR2(1)	NOT NULL	Contains codes for the type of payment that was made against the recoupment; e.g. (Code: Description) 1: Check 2: Money Order 3: Subsidy Adjustment 4: Correction	Yes	No
description	VARCHAR2(30)	NULL	Explanation of PMT_TYPE_CODE.	No	No

Validation(s) of "pmt type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pmt type code" Column	
Name	Unique
PK adsub pmt type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub recpmnt doc codes" Picture Object	
Name	adsub recpmnt doc codes
Comment	Contains codes and descriptions for the documents that are sent to the client regarding a recoupment; e.g. (Code: Description) 01: Request for Payment 02: Reimbursement Agreement 03: 2nd Overdue Notice 04: Final Offer 05: Tax Offset Notice

Column(s) of "adsub recpmnt doc codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recpmnt_doc_code	VARCHAR2(2)	NOT NULL	Contains codes for the documents that are sent to the client regarding a recoupment; e.g. (Code: Description) 01: Request for Payment 02: Reimbursement Agreement 03: 2nd Overdue Notice 04: Final Offer 05: Tax Offset Notice	Yes	No
description	VARCHAR2(100)	NULL	Explanation of RECPMNT_DOC_CODE.	No	No

Validation(s) of "recpmnt doc code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recpmnt doc code" Column	
Name	Unique
PK adsub recpmnt doc codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub recpmnt acct codes" Picture Object	
Name	adsub recpmnt acct codes
Comment	Contains codes and descriptions for the recoupment charge accounts; e.g. (Code: Description) 72249: 72276: 72277: , etc.

Column(s) of "adsub recpmnt acct codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recpmnt_acct_code	VARCHAR2(5)	NOT NULL	Contains codes for the recoupment charge accounts; e. g. (Code: Description) 72249: 72276: 72277: , etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RECPMNT_ACCN-T_CODE.	No	No
end_date	DATE	NULL	The date that the value is no longer valid.	No	No

Validation(s) of "recpmnt acct code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recpmnt acct code" Column	
Name	Unique
PK adsub recpmnt acct codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

application_certification_temp / Display1

adsub_info

county_no: NUMBER(2) NOT NULL (FK)
adsub_info_id: NUMBER NOT NULL
log_id: NUMBER NULL (FK)
eligibility_code: VARCHAR2(2) NULL (FK)
legal_status_cd: NUMBER(2) NULL (FK)
ad_info_id: NUMBER NULL (FK)
converted_ind: VARCHAR2(1) NULL
notify_fc_monitor_ind: VARCHAR2(1) NULL
family_size: NUMBER(2) NULL
income_level_code: VARCHAR2(2) NULL (FK)
open_date: DATE NULL
revised_date: DATE NULL
supp_sub_elig_ind: VARCHAR2(1) NULL
med_sub_elig_ind: VARCHAR2(1) NULL
nre_sub_elig_ind: VARCHAR2(1) NULL
medcase_denial_code: VARCHAR2(2) NULL (FK)
medcase_denial_other: VARCHAR2(200) NULL
provider_id: NUMBER NULL (FK)
provider_type: VARCHAR2(1) NULL (FK)
adoption_final_date: DATE NULL
adsub_cis_case_no: VARCHAR2(30) NULL
adsub_recipient_id: NUMBER(12) NULL
converted_title4e_ind: VARCHAR2(1) NULL
converted_medicaid_ind: VARCHAR2(1) NULL
ready_to_open_ind: VARCHAR2(1) NULL
felony_conviction_ind: VARCHAR2(1) NULL
payable_condition_ind: VARCHAR2(1) NULL
adoptive_placement_order_ind: VARCHAR2(1) NULL
finalized_after_1992_ind: VARCHAR2(2) NULL
foster_care_at_petition_ind: VARCHAR2(2) NULL
adopted_in_michigan_ind: VARCHAR2(2) NULL
post_adopt_application_ind: VARCHAR2(1) NULL
court_ordered_support_ind: VARCHAR2(1) NULL

adsub_answers

county_no: NUMBER(2) NOT NULL (FK)
adsub_info_id: NUMBER NOT NULL (FK)
family_id: NUMBER NOT NULL (FK)
family_app_seq: NUMBER(2) NOT NULL (FK)
question_code: VARCHAR2(3) NOT NULL (FK)
answer_ind: VARCHAR2(2) NULL
text: VARCHAR2(4000) NULL
assoc_date: DATE NULL
age: NUMBER(3) NULL
amount: NUMBER(9,2) NULL
amount_uom_code: VARCHAR2(10) NULL (FK)
doc_docmnt_code: VARCHAR2(2) NULL (FK)
doc_level_code: VARCHAR2(4) NULL (FK)
med_clinical_cond_code: VARCHAR2(1) NULL (FK)

adsub_question_codes

question_code: VARCHAR2(3) NOT NULL
description: VARCHAR2(300) NULL

Table(s) of "adsub info" Picture Object	
Name	adsub info
Comment	Contains information pertaining to the Adoption Subsidy case. Each record is uniquely identified by a system generated sequence number (ADSUB_INFO_ID).

Column(s) of "adsub info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes
ad_info_id	NUMBER	NULL	System generated number that uniquely identifies all occurrences of adoptions for one child.	No	Yes
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle data base; or (N/Null) not.	No	No

notify_fc_monitor_ind	VARCHAR2(1)	NULL	Indicates that (Y) the foster care monitor is to be notified when the adoption subsidy case is activated; or (N/Null) not.	No	No
family_size	NUMBER(2)	NULL	The total number of related adults and children living in the household at this time. Related means by blood, marriage, or adoption. It should include persons away temporarily (up to 30 days). It should not include foster children.	No	No
income_level_code	VARCHAR2(2)	NULL	Contains codes for ranges of income levels; e.g.. (Code: Description) 1: Above 168,930 2: 154,741 - 168,930 3: 140,551 - 154,740 4: 126,361 - 140,550, etc.	No	Yes
open_date	DATE	NULL	Open date for converted cases.	No	No
revised_date	DATE	NULL	This date is used to track changes to the application after a case has been certified at a level of support.	No	No
supp_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Support Subsidy; or (N/Null) not.	No	No
med_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for medical support subsidy; or (N/Null) not.	No	No
nre_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Nonrecurring Expense support subsidy; or (N/Null) not.	No	No
medcase_denial_code	VARCHAR2(2)	NULL	Contains codes for reasons that the application for medical subsidy was denied; i.e. (Code: Description) 01: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child was not in Michigan foster care at the time the petition for adoption was filed. 02: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child's adoption finalization was prior to June 28, 1992, but was not completed by a Michigan court. 03: There is not conclusive evidence that the condition or	No	Yes

			the cause of the condition existed prior to the adoption. (CFA 770) Etc.		
medcase_denial_other	VARCHAR2(200)	NULL	If column MEDCASE_DENIAL_CODE is 05 for Other, then this column will contain the text the user types in for the reason that the medical application was denied for support subsidy.	No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
adoption_final_date	DATE	NULL	The date that the adoption of the child was finalized.	No	No
adsub_cis_case_no	VARCHAR2(30)	NULL	Contains the CIS case number for the Adoption Subsidy Medicaid case.	No	No
adsub_recipient_id	NUMBER(12)	NULL	Contains the recipient id for the child.	No	No
converted_title4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Title IVE case; or (N/Null) not	No	No
converted_medicaid_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Medicaid case; or (N/Null) not	No	No

ready_to_open_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case is ready to be passed along to a person with the authority to authorize subsidy payments; or (N) not; or NULL.	No	No
felony_conviction_ind	VARCHAR2(1)	NULL	Indicates that (Y) the prospective, adoptive parents have past felony convictions for certain listed offenses; or (N) not; or NULL.	No	No
payable_condition_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child has a diagnosed physical, mental/emotional, or educational condition; or (N) not; or NULL.	No	No
adoptive_placement_order_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an adoptive placement order; or (N) not; or NULL.	No	No
finalized_after_1992_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child's adoption was finalized on or after June 28, 1992; or (N) not; or NULL.	No	No
foster_care_at_petition_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was in Michigan's Foster Care system at the time the adoption petition was filed; or (N) not; or NULL.	No	No
adopted_in_michigan_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was adopted in Michigan; or (N) not; or NULL.	No	No
post_adopt_application_ind	VARCHAR2(1)	NULL	Indicates that (Y) an application for subsidy payments was made by the adoptive family, after that family adopted the child; or (N) not; or NULL.	No	No
court_ordered_support_ind	VARCHAR2(1)	NULL	Indicates that (Y) one or both adoptive parents receive court-ordered child support; or (N/NULL) not.	No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_adsub_info	Yes
IF1374_adsub_info	No

Validation(s) of "adsub info id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column

Name	Unique
------	--------

PK adsub info	Yes
---------------	-----

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1491 adsub info	No

Validation(s) of "eligibility_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility_code" Column	
Name	Unique
IF1376 adsub info	No

Validation(s) of "legal_status_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal_status_cd" Column	
Name	Unique
IF1375 adsub info	No

Validation(s) of "ad_info_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad_info_id" Column	
Name	Unique
IF1374 adsub info	No

Validation(s) of "converted_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convind			converted_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_convind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify_fc_monitor_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_ntfyfcmntrind			notify_fc_monitor_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_ntfyfcmntrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "family_size" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "income_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income_level_code" Column	
Name	Unique

IF1379 adsub info	No
-------------------	----

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "revised date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supp sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf supsubeligind			supp_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf supsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf medsubeligind			med_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf medsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "nre sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf nresubeligind			nre_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf nresubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "medcase denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medcase denial code" Column	
Name	Unique
IF1477 adsub info	No

Validation(s) of "medcase denial other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp8			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck prd prvtyp8" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "adoption final date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub cis case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted title4e ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convttl4eind			converted_title4e_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convttl4eind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "converted medicaid ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convmdcind			converted_medicaid_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convmdcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ready to open ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_rdyopenind			ready to open ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf rdyopenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "felony conviction ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_flnyconvctnind			felony_conviction_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf flnyconvctnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payable condition ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_pyblcndtnind			payable_condition_ind IN ('Y', 'N')
------------------------	--	--	-------------------------------------

Valid Value(s) of "ck_asbinf_pyblcndtnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "adoptive_placement_order_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adtpvplcmntordrind			adoptive_placement_order_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_adtpvplcmntordrind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "finalized_after_1992_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fnlzdafr1992ind			finalized_after_1992_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fnlzdafr1992ind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "foster_care_at_petition_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fstrcratptnind			foster_care_at_petition_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fstrcratptnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "adopted_in_michigan_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adptdinmchgnind			adopted_in_michigan_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_adptdinmchgnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "post_adopt_application_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_pstadptnappind			post_adopt_application_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_pstadptnappind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "court_ordered_support_ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_ertordrsprtind			court_ordered_support_ind IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_asbinf_ertordrsprtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "adsub question codes" Picture Object	
Name	adsub question codes
Comment	Contains codes and descriptions for questions that are asked throughout the adoption subsidy application; e.g. (Code: Description) 1: Is the child in Michigan Foster Care? 2: Is the child under age 18? 3: Has the state determined the child cannot return to the home of the child's parents?, etc.

Column(s) of "adsub question codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
question_code	VARCHAR2(3)	NOT NULL	Contains codes for questions that are asked throughout the adoption subsidy application; e.g. (Code: Description) 1: Is the child in Michigan Foster Care? 2: Is the child under age 18? 3: Has the state determined the child cannot return to the home of the child's parents?, etc.	Yes	No
description	VARCHAR2(300)	NULL	Explanation of QUESTION_CODE.	No	No

Validation(s) of "question code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "question code" Column	
Name	Unique
PK adsub question codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub answers" Picture Object	
Name	adsub answers
Comment	Each record contains the answer for a question (QUESTION_CODE) asked in the application for the identified case. One or more of the following columns would be populated for each question: ANSWER_IND, TEXT, ASSOC_DATE, and RELATIONSHIP_CODE.

Column(s) of "adsub answers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	Yes
family_id	NUMBER	NOT NULL	Database sequence number that uniquely identifies a family that applies for adoption. Multiple occurrences of the same family applying for adoption, are handled with FAMILY_APP_SEQ.	Yes	Yes
family_app_seq	NUMBER(2)	NOT NULL	An application generated sequence number that when combined with FAMILY_ID, identifies each occurrence of one family applying for adoption of a child (for example: A family applies for adoption of a child, changes their mind, then applies again. They would have two records for each of their applications, with the same FAMILY_ID). This column would have values of 1 through n, for each FAMILY_ID.	Yes	Yes

question_code	VARCHAR2(3)	NOT NULL	Contains codes for questions that are asked throughout the adoption subsidy application; e.g. (Code: Description) 1: Is the child in Michigan Foster Care? 2: Is the child under age 18? 3: Has the state determined the child cannot return to the home of the child's parents?, etc.	Yes	Yes
answer_ind	VARCHAR2(2)	NULL	Indicates that (Y) the answer to the corresponding QUESTION_CODE is Yes; (N) No; or (NA) Not Applicable.	No	No
text	VARCHAR2(4000)	NULL	Contains information in addition to the Yes/No/Not Applicable response to fully answer the question	No	No
assoc_date	DATE	NULL	Contains the date answered for the question, if applicable.	No	No
age	NUMBER(3)	NULL	Contains the age of the child for associated or appropriate questions.	No	No
amount	NUMBER(9,2)	NULL	Contains the dollar amount for specific or appropriate questions.	No	No
amount_uom_code	VARCHAR2(10)	NULL	Codes for units of measure; e.g. (Code: Description) \$/D: Dollars per day DEP/WRD: Dependents per ward etc.	No	Yes
doc_docmnt_code	VARCHAR2(2)	NULL	Contains codes for documents used by Foster Care for Difficulty of Care; i. e. (Code: Description) 1: 470 2: 470A 3: 1945 4: Memo	No	Yes
doc_level_code	VARCHAR2(4)	NULL	Contains codes for the Difficulty of Care levels; e.g.. (Code: Description) I: DOC Level I II: DOC Level II III: DOC Level III, etc.	No	Yes
med_clinical_cond_code	VARCHAR2(1)	NULL	Contains codes for clinical conditions; i.e. (Code: Description) 1: Mentally retarded 2: Visually or hearing impaired 3: Physically disabled 4: Emotionally disturbed 5: Having another condition requiring special care	No	Yes

--	--	--	--	--	--

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK adsub answers	Yes
IF1722 adsub answers	No

Validation(s) of "adsub info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column	
Name	Unique
PK adsub answers	Yes
IF1366 adsub answers	No

Validation(s) of "family id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "family id" Column	
Name	Unique
PK adsub answers	Yes
IF1722 adsub answers	No

Validation(s) of "family app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "family app seq" Column	
Name	Unique
PK adsub answers	Yes
IF1722 adsub answers	No

Validation(s) of "question code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "question code" Column	
Name	Unique
PK adsub answers	Yes
IF1367 adsub answers	No

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck asbanswrs answrind			answer ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck asbanswrs answrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
NA		Not Applicable

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "assoc date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "age" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "amount uom code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "amount uom code" Column	
Name	Unique
IF1723 adsub answers	No

Validation(s) of "doc docmnt code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "doc docmnt code" Column	
Name	Unique
IF1735 adsub answers	No

Validation(s) of "doc level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "doc level code" Column	
Name	Unique
IF1734 adsub answers	No

Validation(s) of "med clinical cond code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med clinical cond code" Column	
Name	Unique
IF1741 adsub answers	No

birth_match / Display1

cps_birth_match

birth_match_id: NUMBER NOT NULL
dch_extract_id: VARCHAR2(9) NULL
dch_child_id: VARCHAR2(9) NULL
child_name: VARCHAR2(35) NULL
child_first_name: VARCHAR2(50) NULL
child_middle_name: VARCHAR2(50) NULL
child_last_name: VARCHAR2(50) NULL
child_name_suffix: VARCHAR2(6) NULL (FK)
child_dob: VARCHAR2(10) NULL
child_gender_ind: VARCHAR2(1) NULL
birthplace_hospital_name: VARCHAR2(40) NULL
hospital_code: NUMBER(3) NULL
mother_name: VARCHAR2(20) NULL
mother_first_name: VARCHAR2(50) NULL
mother_middle_name: VARCHAR2(50) NULL
mother_last_name: VARCHAR2(50) NULL
mother_ssn: NUMBER(9) NULL
mother_dob: VARCHAR2(10) NULL
mother_maiden_name: VARCHAR2(50) NULL
mother_street: VARCHAR2(25) NULL
mother_street_number: VARCHAR2(10) NULL
mother_street_dir: VARCHAR2(10) NULL
mother_street_name: VARCHAR2(30) NULL
mother_street_type: VARCHAR2(10) NULL
mother_street_post_dir: VARCHAR2(10) NULL
mother_apartment_number: VARCHAR2(10) NULL
mother_city: VARCHAR2(50) NULL
mother_state: VARCHAR2(2) NULL
mother_zip: VARCHAR2(10) NULL
mother_residence_county_no: NUMBER(2) NULL
mother_match_ind: VARCHAR2(1) NULL
mother_add_method_code: VARCHAR2(2) NULL (FK)
mother_add_reason: VARCHAR2(500) NULL
mother_unfit_parent_id: NUMBER NULL (FK)
mother_recipient_id: VARCHAR2(12) NULL
mother_ps_role_code: NUMBER(2) NULL
mother_ps_county_no: NUMBER(2) NULL
mother_ps_case_number: VARCHAR2(9) NULL
mother_referral_date: DATE NULL
mother_county_no: NUMBER(2) NULL (FK)
mother_log_id: NUMBER NULL (FK)
father_name: VARCHAR2(20) NULL
father_first_name: VARCHAR2(50) NULL
father_middle_name: VARCHAR2(50) NULL
father_last_name: VARCHAR2(50) NULL
father_ssn: NUMBER(9) NULL
father_dob: VARCHAR2(10) NULL
father_add_method_code: VARCHAR2(2) NULL (FK)
father_match_ind: VARCHAR2(1) NULL
father_add_reason: VARCHAR2(500) NULL
father_unfit_parent_id: NUMBER NULL (FK)
father_recipient_id: VARCHAR2(12) NULL
father_ps_role_code: NUMBER(2) NULL
father_ps_county_no: NUMBER(2) NULL
father_ps_case_number: VARCHAR2(9) NULL
father_referral_date: DATE NULL
father_county_no: NUMBER(2) NULL (FK)
father_log_id: NUMBER NULL (FK)
record_create_date: DATE NULL
match_made_date: DATE NULL

dch_birth_match

birth_match_id: NUMBER NOT NULL
dch_extract_id: VARCHAR2(9) NULL
dch_child_id: VARCHAR2(9) NULL
child_first_name: VARCHAR2(50) NULL
child_middle_name: VARCHAR2(50) NULL
child_last_name: VARCHAR2(50) NULL
child_name_suffix: VARCHAR2(6) NULL
child_dob: VARCHAR2(10) NULL
child_gender_ind: VARCHAR2(1) NULL
birthplace_hospital_name: VARCHAR2(40) NULL
hospital_code: NUMBER(3) NULL
mother_first_name: VARCHAR2(50) NULL
mother_middle_name: VARCHAR2(50) NULL
mother_last_name: VARCHAR2(50) NULL
mother_ssn: NUMBER(9) NULL
mother_dob: VARCHAR2(10) NULL
mother_maiden_name: VARCHAR2(50) NULL
mother_street: VARCHAR2(25) NULL
mother_city: VARCHAR2(50) NULL
mother_state: VARCHAR2(2) NULL
mother_zip: VARCHAR2(10) NULL
mother_residence_county_no: NUMBER(2) NULL
mother_street_number: VARCHAR2(10) NULL
mother_street_dir: VARCHAR2(10) NULL
mother_street_name: VARCHAR2(30) NULL
mother_street_type: VARCHAR2(10) NULL
mother_street_post_dir: VARCHAR2(10) NULL
mother_apartment_number: VARCHAR2(10) NULL
father_first_name: VARCHAR2(50) NULL
father_middle_name: VARCHAR2(50) NULL
father_last_name: VARCHAR2(50) NULL
father_ssn: NUMBER(9) NULL
father_dob: VARCHAR2(10) NULL
record_create_date: DATE NULL

swss_case

county_no: NUMBER(2) NOT NULL (FK) (IE1.1)
log_id: NUMBER NOT NULL
sib_grp_id: NUMBER NULL (FK) (IE1.2,IE3.1)
refer_person_id: NUMBER NULL (FK)
ref_source_code: NUMBER(2) NULL (FK)
primary_worker_id: NUMBER NULL (FK)
create_date: DATE NULL
accept_date: DATE NULL
register_date: DATE NULL
open_date: DATE NULL
close_date: DATE NULL
close_date_entered: DATE NULL
cis_case_no: VARCHAR2(30) NULL (IE2.1)
case_name: VARCHAR2(45) NULL
close_code: VARCHAR2(2) NULL (FK)
refer_notify: VARCHAR2(2) NULL
residence_county: NUMBER(2) NULL (FK)
residence_district: NUMBER(2) NULL (FK)
latest_legal_status: NUMBER(2) NULL (FK)
program_code: VARCHAR2(4) NOT NULL (FK)
child_id: NUMBER NOT NULL (FK)
latest_living_arrangement: VARCHAR2(2) NULL (FK)
program_status: NUMBER(1) NULL
swss_case_state: VARCHAR2(4) NULL (FK)
eligibility_code: VARCHAR2(2) NULL (FK)
funding_source_elig_code: VARCHAR2(2) NULL (FK)
conv_fund_src_cd: VARCHAR2(2) NULL (FK)
row_number: NUMBER NULL
withdrawal_date: DATE NULL
ma_withdrawal_date: DATE NULL
ma_type: VARCHAR2(1) NULL
ma_case_state: VARCHAR2(4) NULL (FK)
denial_code: NUMBER(3) NULL (FK)
ma_denial_code: NUMBER(3) NULL (FK)
ma_other_case: VARCHAR2(1) NULL
case_state_at_closing: VARCHAR2(4) NULL (FK)
transfer_case_state: VARCHAR2(4) NULL (FK)
transfer_to_county: NUMBER(2) NULL (FK)
transfer_from_county: NUMBER(2) NULL (FK)
transferring_sup_load: NUMBER(10) NULL (FK)
transfer_date: DATE NULL
high_profile_ind: VARCHAR2(1) NOT NULL
physical_delete: VARCHAR2(1) NULL
birth_cert_given_youth: VARCHAR2(1) NULL
ss_card_given_youth: VARCHAR2(1) NULL
med_passpt_given_youth: VARCHAR2(1) NULL
aftercare_pamph_given_youth: VARCHAR2(1) NULL
state_of_origin: VARCHAR2(2) NULL (FK)
mycu_approval_ind: VARCHAR2(1) NULL
mycu_approval_date: DATE NULL
country_of_origin: VARCHAR2(50) NULL
fis_fip_load_no: NUMBER(10) NULL (FK)
fis_fip_cims_case_number: VARCHAR2(30) NULL
bridges_conversion_ind: VARCHAR2(1) NULL
bridges_case_number: NUMBER NULL
num_guard_prev_priors: NUMBER(2) NULL
yit_eligible_ind: VARCHAR2(1) NULL

cps_unfit_parents

unfit_parent_id: NUMBER NOT NULL
add_method_code: VARCHAR2(2) NULL (FK)
add_date: DATE NULL
add_reason: VARCHAR2(500) NULL
delete_reason_code: VARCHAR2(2) NULL (FK)
logical_delete_date: DATE NULL
log_id: NUMBER NULL (FK)
county_no: NUMBER(2) NULL (FK)
person_id: NUMBER(7) NULL
parent_ssn: NUMBER(9) NULL
parent_name: VARCHAR2(20) NULL
parent_first_name: VARCHAR2(30) NULL
parent_middle_name: VARCHAR2(30) NULL
parent_last_name: VARCHAR2(30) NULL
parent_dob: DATE NULL
parent_recipient_id: NUMBER(12) NULL
parent_role_code: NUMBER(2) NULL
case_number: VARCHAR2(9) NULL
referral_date: DATE NULL
ps_county_no: NUMBER(2) NULL

cps_add_method_codes

add_method_code: VARCHAR2(2) NOT NULL
description: VARCHAR2(70) NULL
end_date: DATE NULL

cps_delete_reason_codes

delete_reason_code: VARCHAR2(2) NOT NULL
description: VARCHAR2(60) NULL
end_date: DATE NULL

county

county_no: NUMBER(2) NOT NULL
zone_no: NUMBER(2) NULL (FK)
county_name: VARCHAR2(30) NULL
shelter_area_no: VARCHAR2(1) NULL (FK)
load_conv_opt: VARCHAR2(1) NULL
as_conv_cmpl_ind: VARCHAR2(1) NULL
index_code: VARCHAR2(5) NULL
program_cost_account: VARCHAR2(5) NULL
medicaid_provider_id: VARCHAR2(7) NULL

Table(s) of "dch_birth_match" Picture Object	
Name	dch_birth_match
Comment	Contains information from the DCH system that is used for matching children/parents with the unfit parents list.

Column(s) of "dch_birth_match" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
birth_match_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each DCH_BIRTH_MATCH record. It is used in-lieu-of DCH's unique combination of DCH_EXTRACT_ID and DCH_CHILD_ID.	Yes	No
dch_extract_id	VARCHAR2(9)	NULL	Database generated sequence number from the DCH system that is only unique when combined with DCH_CHILD_ID.	No	No
dch_child_id	VARCHAR2(9)	NULL	DCH identifier for the child that is only unique when combined with DCH_EXTRACT_ID.	No	No
child_first_name	VARCHAR2(50)	NULL	Child's first name.	No	No
child_middle_name	VARCHAR2(50)	NULL	Child's middle name (or initial).	No	No
child_last_name	VARCHAR2(50)	NULL	Child's last name.	No	No
child_name_suffix	VARCHAR2(6)	NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	No	No
child_dob	VARCHAR2(10)	NULL	Child's date of birth.	No	No
child_gender_ind	VARCHAR2(1)	NULL	Child's gender (M: Male, F: Female).	No	No
birthplace_hospital_name	VARCHAR2(40)	NULL	Hospital's name where the child was born.	No	No
hospital_code	NUMBER(3)	NULL	DCH code for hospitals.	No	No
mother_first_name	VARCHAR2(50)	NULL	Mother's first name.	No	No
mother_middle_name	VARCHAR2(50)	NULL	Mother's middle name (or initial).	No	No
mother_last_name	VARCHAR2(50)	NULL	Mother's last name.	No	No
mother_ssn	NUMBER(9)	NULL	Mother's social security number.	No	No
mother_dob	VARCHAR2(10)	NULL	Mother's date of birth.	No	No
mother_maiden_name	VARCHAR2(50)	NULL	Mother's maiden name.	No	No
mother_street	VARCHAR2(25)	NULL	Street name for the mother's address.	No	No
mother_city	VARCHAR2(50)	NULL	City for the mother's (parsed) address.	No	No
mother_state	VARCHAR2(2)	NULL	State for the mother's parsed address.	No	No
mother_zip	VARCHAR2(10)	NULL	Five or nine digit zip code for the mother's (parsed) address.	No	No
mother_residence_county_no	NUMBER(2)	NULL	County code for the county where the mother resides.	No	No

mother_street_number	VARCHAR2(10)	NULL	Street number for the mother's (parsed) address.	No	No
mother_street_dir	VARCHAR2(10)	NULL	Street direction for the mother's (parsed) address.	No	No
mother_street_name	VARCHAR2(30)	NULL	Street name for the mother's (parsed) address.	No	No
mother_street_type	VARCHAR2(10)	NULL	Street type (e.g. Ave., Dr., etc.) for the mother's (parsed) address.	No	No
mother_street_post_dir	VARCHAR2(10)	NULL	Street post-direction (e.g. 1st North, where North or N. is the post-direction) for the mother's (parsed) address.	No	No
mother_apt_number	VARCHAR2(10)	NULL	Apartment number/letter for the mother's (parsed) address.	No	No
father_first_name	VARCHAR2(50)	NULL	Father's first name.	No	No
father_middle_name	VARCHAR2(50)	NULL	Father's middle name (or initial).	No	No
father_last_name	VARCHAR2(50)	NULL	Father's last name.	No	No
father_ssn	NUMBER(9)	NULL	Father's social security number.	No	No
father_dob	VARCHAR2(10)	NULL	Father's date of birth.	No	No
record_create_date	DATE	NULL	Date the DCH_BIRTH_MATCH record was created.	No	No

Validation(s) of "birth match id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "birth match id" Column	
Name	Unique
PK_dch_birth_match	Yes

Validation(s) of "dch_extract_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dch_child_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child name suffix" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child gender ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "birthplace hospital name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hospital code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother maiden name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother state" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother residence county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street number" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mother street dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street type" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street post dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother apt number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "county" Picture Object	
Name	county
Comment	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731 county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cmpl ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmplind			as conv cmpl ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmplind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule

Table(s) of "swss case" Picture Object	
Name	swss case
Comment	Contains information pertaining to Childrens Protective Service (CPS) referrals, CPS cases, Child Foster Care (CFC) cases, Adoption (ADPT) cases, Juvenile Justice (JJ, otherwise called Delinquency) cases; uniquely identified by a system generated sequence number (LOG_ID).

Column(s) of "swss case" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
refer_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
ref_source_code	NUMBER(2)	NULL	Codes for referral source (case was created from this source); i.e. (Code: Description) 1: Protect Srvc 2: Court (except CPS) 3: Voluntary release 4: OTI 5: Adoption disrupted 6: Voluntary placement	No	Yes
primary_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
create_date	DATE	NULL	Date on which the case was created in SWSS.	No	No
accept_date	DATE	NULL	Date on which Foster Care supervisor accepted case.	No	No
register_date	DATE	NULL	Date on which the case was registered; case is considered registered when the FIA-133 is printed.	No	No

open_date	DATE	NULL	Date on which case was opened in SWSS; case is considered open when the FIA-5S has been printed.	No	No
close_date	DATE	NULL	Date on which the case was closed.	No	No
close_date_entered	DATE	NULL	Date on which the worker entered the CLOSE_DATE (AFCARS element).	No	No
cis_case_no	VARCHAR2(30)	NULL	Case number assigned by CIS/ ASSIST.	No	No
case_name	VARCHAR2(45)	NULL	Name of primary grantee - for Foster Care/Adoption/Juvenile Justice, this is the child; for Protective Services this is the primary caretaker.	No	No
close_code	VARCHAR2(2)	NULL	Codes for reasons why a case closed; e.g. (Code: Description) 01: Adoption confirmed 02: Adoption disrupted 03: Placed for Adoption 05: Married etc.	No	Yes
refer_notify	VARCHAR2(2)	NULL	Indicates that (Y) the referral source wants to be notified of the referral's disposition; or (N) not. Used for Protective Services referrals.	No	No
residence_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
residence_district	NUMBER(2)	NULL	Unique 2 digit district number that county offices have designated for each district.	No	Yes
latest_legal_status	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes

program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
latest_living_arrangement	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
program_status	NUMBER(1)	NULL	Identifies that the status of the case is (1) closed or (2) active.	No	No
swss_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
funding_source_elig_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes

conv_fund_src_cd	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
withdrawal_date	DATE	NULL	Date on which the case registration was withdrawn.	No	No
ma_withdrawal_date	DATE	NULL	Date on which Medicaid registration was withdrawn from the case.	No	No
ma_type	VARCHAR2(1)	NULL	Identifies that the Medicaid type is (1) Title IV E or (2) Department ward.	No	No
ma_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes

ma_denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/ Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes
ma_other_case	VARCHAR2(1)	NULL	Indicates that (Y) the client is enrolled in another Medicaid case; or (N) not.	No	No
case_state_at_closing	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_to_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transfer_from_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transferring_sup_load	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes

transfer_date	DATE	NULL	Date on which the case transfer occurred.	No	No
high_profile_ind	VARCHAR2(1)	NOT NULL	Indicates that (Y) the case has limited user access; or (N) not. Possible types of cases having limited access are: employee cases, cases that have sensitive medical data such as HIV, or cases involving politicians, etc.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
birth_cert_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the birth certificate was given to the youth at case closing; or (N) not; or Null.	No	No
ss_card_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the social security card was given to the youth at case closing; or (N) not; or Null.	No	No
med_passpt_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the medical passport was given to the youth at case closing; or (N) not; or Null.	No	No
aftercare_pamph_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the aftercare services pamphlet was given to the youth at case closing; or (N) not; or Null.	No	No
state_of_origin	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
mycu_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) approval from the Missing Youth Central Unit (MYCU) has been given to include the child for this case, on the missing children web page; or (N) not; or null.	No	No
mycu_approval_date	DATE	NULL	The date on which approval from the Missing Youth Central Unit (MYCU) was received so that the missing child can be included on the missing child web page.	No	No

country_of_origin	VARCHAR2(50)	NULL	Free-form text for the name of the country from which the case was transferred to Michigan.	No	No
fis_fip_load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
fis_fip_cims_case_number	VARCHAR2(30)	NULL	The CIMS case number for the FIS/FIP case. It is used to contact the FIS/FIP worker if a child is removed from a home during a CPS investigation.	No	No
bridges_conversion_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case (log_id) was converted to Bridges (rather than CIMS/ASSIST), when Bridges was implemented in production.	No	No
bridges_case_number	NUMBER	NULL	The case number that relates to the SWSS_CASE.LOG_ID, from the Bridges system.	No	No
num_guard_prev_priors	NUMBER(2)	NULL	The number of previous referrals to Prevention and Guardianship programs for a child.	No	No
yit_eligible_ind	VARCHAR2(1)	NULL	Identifies as (Y) the youth is eligible for Youth In Transition (YIT) services; or (N) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK swss case	Yes
NU swss case 1	No
IF436 swss case	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK swss case	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique

NU swss case 1	No
NU swss case	No
XIF1104swss case	No

Validation(s) of "refer person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "refer person id" Column	
Name	Unique
IF937 swss case	No

Validation(s) of "ref source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref source code" Column	
Name	Unique
IF492 swss case	No

Validation(s) of "primary worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary worker id" Column	
Name	Unique
IF349 swss case	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "register date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cis case no" Column	
Name	Unique
NU swss case 2	No

Validation(s) of "case name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close code" Column	
Name	Unique
IF491 swss case	No

Validation(s) of "refer notify" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence county" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "residence district" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence district" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest legal status" Column	
Name	Unique
IF861 swss case	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
IF783 swss case	No

Validation(s) of "child id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child id" Column	
Name	Unique
IF935 swss case	No

Validation(s) of "latest living arrangement" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest living arrangement" Column	
Name	Unique
IF860 swss case	No

Validation(s) of "program status" Column			
Constraint Name	Min	Max	Rule

ck scase progstat			program status IN (2, 1)
-------------------	--	--	--------------------------

Valid Value(s) of "ck scase progstat" Validation		
Data Value	Display Value	Definition
2		Active
1		Closed

Validation(s) of "swss case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss case state" Column	
Name	Unique
IF784 swss case	No

Validation(s) of "eligibility code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility code" Column	
Name	Unique
IF806 swss case	No

Validation(s) of "funding source elig code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source elig code" Column	
Name	Unique
IF807 swss case	No

Validation(s) of "conv fund src cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "conv fund src cd" Column	
Name	Unique
IF1124 swss case	No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma type" Column			
Constraint Name	Min	Max	Rule
ck scase matype			ma type IN (1, 2)

Valid Value(s) of "ck scase matype" Validation		
Data Value	Display Value	Definition
1		Title IV E = eligibility code 13
2		Department ward = eligibility code 6

Validation(s) of "ma case state" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "ma case state" Column	
Name	Unique
IF864 swss case	No

Validation(s) of "denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "denial code" Column	
Name	Unique
IF865 swss case	No

Validation(s) of "ma denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ma denial code" Column	
Name	Unique
IF866 swss case	No

Validation(s) of "ma other case" Column			
Constraint Name	Min	Max	Rule
ck scase maothor			ma other case IN ('Y', 'N')

Valid Value(s) of "ck scase maothor" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "case state at closing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case state at closing" Column	
Name	Unique
IF1022 swss case	No

Validation(s) of "transfer case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer case state" Column	
Name	Unique
IF1090 swss case	No

Validation(s) of "transfer to county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer to county" Column	
Name	Unique
IF1092 swss case	No

Validation(s) of "transfer from county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer from county" Column	
Name	Unique

IF1093 swss case	No
------------------	----

Validation(s) of "transferring sup load" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transferring sup load" Column	
Name	Unique
IF1094 swss case	No

Validation(s) of "transfer date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high profile ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_highprofind			high_profile_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_highprofind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_scase_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_scase_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "birth cert given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_brthcertgivnyth			birth_cert_given_youth IN ('N', 'Y')

Valid Value(s) of "ck_scase_brthcertgivnyth" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ss card given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_sscrdgivnyth			ss_card_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_sscrdgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med passpt given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_medpssprtgivnyth			med_passpt_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_medpssprtgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "aftercare pamph given youth" Column			
Constraint Name	Min	Max	Rule

ck_scse_aftcarpamgivyth			aftercare_pamph_given_youth IN ('Y', 'N')
-------------------------	--	--	---

Valid Value(s) of "ck_scse_aftcarpamgivyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "state of origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state of origin" Column	
Name	Unique
IF1246 swss case	No

Validation(s) of "mycu_approval_ind" Column			
Constraint Name	Min	Max	Rule
ck_scse_mycuapprvlind			mycu_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_scse_mycuapprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mycu_approval_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country of origin" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fis_fip_load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fis_fip_load_no" Column	
Name	Unique
IF1711 swss case	No

Validation(s) of "fis_fip_cims_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bridges_conversion_ind" Column			
Constraint Name	Min	Max	Rule
ck_scse_brdgsconvind			bridges_conversion_ind IN ('Y')

Valid Value(s) of "ck_scse_brdgsconvind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "bridges_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "num_guard_prev_priors" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "yit_eligible_ind" Column			
Constraint Name	Min	Max	Rule

ck_scase_yiteligind_2104989609		yit_eligible_ind IN ('Y', 'N')
--------------------------------	--	--------------------------------

Valid Value(s) of "ck_scase_yiteligind_2104989609" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "cps birth match" Picture Object	
Name	cps birth match
Comment	Contains information from DCH_BIRTH_MATCH, along with additional DHS information that is used for matching children/parents with the unfit parents list.

Column(s) of "cps birth match" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
birth_match_id	NUMBER	NOT NULL	Database sequence number that uniquely identifies each CPS_BIRTH_MATCH record	Yes	No
dch_extract_id	VARCHAR2(9)	NULL	Database sequence number from the DCH system that in combination with DCH_CHILD_ID, uniquely identifies the DCH records.	No	No
dch_child_id	VARCHAR2(9)	NULL	Database sequence number that identifies the child from the DCH system; used in combination with DCH_EXTRACT_ID to uniquely identify a DCH record.	No	No
child_name	VARCHAR2(35)	NULL	Non-parsed, full name of the child.	No	No
child_first_name	VARCHAR2(50)	NULL	Child's first name.	No	No
child_middle_name	VARCHAR2(50)	NULL	Child's middle name (or initial).	No	No
child_last_name	VARCHAR2(50)	NULL	Child's last name.	No	No
child_name_suffix	VARCHAR2(6)	NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	No	Yes
child_dob	VARCHAR2(10)	NULL	Child's date of birth.	No	No
child_gender_ind	VARCHAR2(1)	NULL	Child's gender (M: Male, F: Female).	No	No
birthplace_hospital_name	VARCHAR2(40)	NULL	Hospital's name where the child was born.	No	No
hospital_code	NUMBER(3)	NULL	DCH code for hospitals.	No	No
mother_name	VARCHAR2(20)	NULL	Non-parsed, full name of the mother.	No	No
mother_first_name	VARCHAR2(50)	NULL	Mother's first name.	No	No
mother_middle_name	VARCHAR2(50)	NULL	Mother's middle name (or initial).	No	No
mother_last_name	VARCHAR2(50)	NULL	Mother's last name.	No	No
mother_ssn	NUMBER(9)	NULL	Mother's social security number.	No	No
mother_dob	VARCHAR2(10)	NULL	Mother's date of birth.	No	No
mother_maiden_name	VARCHAR2(50)	NULL	Mother's maiden name.	No	No
mother_street	VARCHAR2(25)	NULL	Street name for the mother's address.	No	No
mother_street_number	VARCHAR2(10)	NULL	Street number for the mother's (parsed) address.	No	No
mother_street_dir	VARCHAR2(10)	NULL	Street direction for the mother's (parsed) address.	No	No
mother_street_name	VARCHAR2(30)	NULL	Street name for the mother's (parsed) address.	No	No

mother_street_type	VARCHAR2(10)	NULL	Street type (e.g. Ave., Dr., etc.) for the mother's (parsed) address.	No	No
mother_street_post_dir	VARCHAR2(10)	NULL	Street post-direction (e.g. 1st North, where North or N. is the post-direction) for the mother's (parsed) address.	No	No
mother_apt_number	VARCHAR2(10)	NULL	Apartment number/ letter for the mother's (parsed) address.	No	No
mother_city	VARCHAR2(50)	NULL	City for the mother's (parsed) address.	No	No
mother_state	VARCHAR2(2)	NULL	State for the mother's (parsed) address.	No	No
mother_zip	VARCHAR2(10)	NULL	Five or nine digit zip code for the mother's (parsed) address.	No	No
mother_residence - county_no	NUMBER(2)	NULL	County code for the county where the mother resides.	No	No
mother_match_ind	VARCHAR2(1)	NULL	Indicates that the mother was matched/not matched by the following indicators: S: SSN; N: Name and date of birth; and X: No match.	No	No
mother_add_method_code	VARCHAR2(2)	NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list	No	Yes
mother_add_reason	VARCHAR2(500)	NULL	Free-form text for reasons why the mother was added to the unfit parents list.	No	No
mother_unfit_parent_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each CPS_UNFIT_PARENTS record.	No	Yes
mother_recipient_id	VARCHAR2(12)	NULL	ASSIST/CIMS identifying number for the mother.	No	No
mother_ps_role_code	NUMBER(2)	NULL	Role code from PSMIS for the mother.	No	No
mother_ps_county_no	NUMBER(2)	NULL	County code associated with the PSMIS case that is associated with the mother.	No	No
mother_ps_case_number	VARCHAR2(9)	NULL	PSMIS case number associated with the mother.	No	No
mother_referral_date	DATE	NULL	Referral date from PSMIS; or the complaint date for the new SWSS CPS system.	No	No
mother_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central	No	Yes

			office.		
mother_log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
father_name	VARCHAR2(20)	NULL	Non-parsed, full name of the father.	No	No
father_first_name	VARCHAR2(50)	NULL	Father's first name.	No	No
father_middle_name	VARCHAR2(50)	NULL	Father's middle name (or initial).	No	No
father_last_name	VARCHAR2(50)	NULL	Father's last name.	No	No
father_ssn	NUMBER(9)	NULL	Father's social security number.	No	No
father_dob	VARCHAR2(10)	NULL	Father's date of birth.	No	No
father_add_method_code	VARCHAR2(2)	NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list.	No	Yes
father_match_ind	VARCHAR2(1)	NULL	Indicates that the father was matched/ not matched by the following indicators: S: SSN; N: Name and date of birth; and X: No match.	No	No
father_add_reason	VARCHAR2(500)	NULL	Free-form text for reasons why the father was added to the unfit parents list.	No	No
father_unfit_parent_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each CPS_UNFIT_PARENTS record.	No	Yes
father_recipient_id	VARCHAR2(12)	NULL	ASSIST/CIMS identifying number for the father.	No	No
father_ps_role_code	NUMBER(2)	NULL	Role code from PSMIS for the father.	No	No
father_ps_county_no	NUMBER(2)	NULL	County code associated with the PSMIS case that is associated with the father.	No	No
father_ps_case_number	VARCHAR2(9)	NULL	PSMIS case number associated with the father.	No	No
father_referral_date	DATE	NULL	Referral date from PSMIS; or the complaint date for the new SWSS CPS system.	No	No
father_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes

father_log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
record_create_date	DATE	NULL	Date on which the record was created on the DCH table (DCH_BIRTH_MATCH)	No	No
match_made_date	DATE	NULL	Date on which a match was made between the unfit parent and the birth record parent.	No	No

Validation(s) of "birth match id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "birth match id" Column	
Name	Unique
PK_cps_birth_match	Yes

Validation(s) of "dch extract id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dch child id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child name suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child name suffix" Column	
Name	Unique
IF1800_cps_birth_match	No

Validation(s) of "child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child gender ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "birthplace hospital name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "hospital code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother maiden name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street type" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street post dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother apt number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother city" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mother state" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother residence county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother match ind" Column			
Constraint Name	Min	Max	Rule
ck_brthmtch_mthrmitchind			mother_match_ind IN ('S', 'N', 'X')

Valid Value(s) of "ck brthmtch mthrmitchind" Validation		
Data Value	Display Value	Definition
S		SSN match
N		Name and date of birth match
X		No match

Validation(s) of "mother add method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother add method code" Column	
Name	Unique
IF1805 cps birth match	No

Validation(s) of "mother add reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother unfit parent id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother unfit parent id" Column	
Name	Unique
IF1810 cps birth match	No

Validation(s) of "mother recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ps role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ps county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ps case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother referral date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mother county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother county no" Column	
Name	Unique
IF1813 cps birth match	No

Validation(s) of "mother log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother log id" Column	
Name	Unique
IF1813 cps birth match	No

Validation(s) of "father name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father add method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father add method code" Column	
Name	Unique
IF1806 cps birth match	No

Validation(s) of "father match ind" Column			
Constraint Name	Min	Max	Rule
ck_brthmtch_fthrmitchind			father_match_ind IN ('S', 'N', 'X')

Valid Value(s) of "ck brthmtch fthrmitchind" Validation		
Data Value	Display Value	Definition
S		SSN match
N		Name match
X		No match

Validation(s) of "father add reason" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "father unfit parent id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father unfit parent id" Column	
Name	Unique
IF1811 cps birth match	No

Validation(s) of "father recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ps role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ps county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ps case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father county no" Column	
Name	Unique
IF1812 cps birth match	No

Validation(s) of "father log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father log id" Column	
Name	Unique
IF1812 cps birth match	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "match made date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps unfit parents" Picture Object	
Name	cps unfit parents
Comment	Contains information on parents who are determined to be unfit to care for their child.

Column(s) of "cps unfit parents" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
unfit_parent_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each CPS_UNFIT_PARENTS record.	Yes	No
add_method_code	VARCHAR2(2)	NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list.	No	Yes
add_date	DATE	NULL	Date on which a parent was added to the unfit parents list.	No	No
add_reason	VARCHAR2(500)	NULL	Free-form text for reasons why the parent was added to the unfit parents list.	No	No
delete_reason_code	VARCHAR2(2)	NULL	Contains codes for why someone was logically deleted from the unfit parent list.	No	Yes
logical_delete_date	DATE	NULL	Date on which a record was logically deleted (i.e. the parent was deleted so the match does not use it anymore and prevents them from being added on again; but it still resides on the database).	No	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
person_id	NUMBER(7)	NULL	SWSS CPS identifier for the parent.	No	No
parent_ssn	NUMBER(9)	NULL	Parent's social security number.	No	No
parent_name	VARCHAR2(20)	NULL	Parent's full name (non-parsed).	No	No
parent_first_name	VARCHAR2(30)	NULL	Parent's first name.	No	No
parent_middle_name	VARCHAR2(30)	NULL	Parent's middle name (or initial).	No	No
parent_last_name	VARCHAR2(30)	NULL	Parent's last name.	No	No
parent_dob	DATE	NULL	Parent's date of birth.	No	No
parent_recipient_id	NUMBER(12)	NULL	ASSIST/CIMS identifying number for the parent.	No	No

parent_role_code	NUMBER(2)	NULL	Role code from PSMIS for the parent.	No	No
case_number	VARCHAR2(9)	NULL	PSMIS case number associated with the parent.	No	No
referral_date	DATE	NULL	Referral date from PSMIS; or the complaint date for the new SWSS CPS system	No	No
ps_county_no	NUMBER(2)	NULL	County number from the PSMIS conversion.	No	No

Validation(s) of "unfit parent id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "unfit parent id" Column

Name	Unique
PK cps unfit parents	Yes

Validation(s) of "add method code" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "add method code" Column

Name	Unique
IF1807 cps unfit parents	No

Validation(s) of "add date" Column

Constraint Name	Min	Max	Rule

Validation(s) of "add reason" Column

Constraint Name	Min	Max	Rule

Validation(s) of "delete reason code" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "delete reason code" Column

Name	Unique
IF1808 cps unfit parents	No

Validation(s) of "logical delete date" Column

Constraint Name	Min	Max	Rule

Validation(s) of "log id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column

Name	Unique
IF1809 cps unfit parents	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
------	--------

IF1809 cps unfit parents	No
--------------------------	----

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ps county no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps add method codes" Picture Object	
Name	cps add method codes
Comment	Contains codes and descriptions for the route that the system used for reasons a person is put on the unfit parents list.

Column(s) of "cps add method codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
add_method_code	VARCHAR2(2)	NOT NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list	Yes	No
description	VARCHAR2(70)	NULL	Explanation of ADD_METHOD_CODE.	No	No
end_date	DATE	NULL	Date on which an ADD_METHOD_CODE is no longer valid for use in the application.	No	No

Validation(s) of "add method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "add method code" Column	
Name	Unique
PK cps add method codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps delete reason codes" Picture Object	
Name	cps delete reason codes
Comment	Contains codes and descriptions for why someone was logically deleted from the unfit parent list.

Column(s) of "cps delete reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
delete_reason_code	VARCHAR2(2)	NOT NULL	Contains codes for why someone was logically deleted from the unfit parent list	Yes	No
description	VARCHAR2(60)	NULL	Explanation of DELETE_REASON_CODE.	No	No
end_date	DATE	NULL	Date on which a DELETE_REASON_CODE is no longer valid for use in the application.	No	No

Validation(s) of "delete reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "delete reason code" Column	
Name	Unique
PK cps delete reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

bridges transfer / Display1

transfer_from_bridges

transfer_from_bridges_id: NUMBER NOT NULL
prog_cd: VARCHAR2(4) NULL
creation_date: DATE NULL
indv_id: NUMBER NULL
rsdi_chg_sw: VARCHAR2(1) NULL
ssi_income_sw: VARCHAR2(1) NULL
ssa_validated_sw: VARCHAR2(1) NULL
first_name: VARCHAR2(30) NULL
mid_name: VARCHAR2(30) NULL
last_name: VARCHAR2(30) NULL
ssn: NUMBER NULL
gender_cd: VARCHAR2(1) NULL
dob_dt: DATE NULL
race_cd: VARCHAR2(8) NULL
case_pgm_closure_sw: VARCHAR2(1) NULL
case_address_chg_sw: VARCHAR2(1) NULL
addr_street_num: VARCHAR2(6) NULL
addr_street_nm: VARCHAR2(30) NULL
addr_st_dir_cd: VARCHAR2(2) NULL
addr_st_num_frac: VARCHAR2(3) NULL
addr_st_type_cd: VARCHAR2(4) NULL
addr_dwelling_type_cd: VARCHAR2(4) NULL
addr_aprt_num: VARCHAR2(8) NULL
addr_city: VARCHAR2(25) NULL
addr_state_cd: VARCHAR2(2) NULL
addr_zip5: VARCHAR2(5) NULL
addr_zip4: VARCHAR2(4) NULL
death_sw: VARCHAR2(1) NULL
member_added_removed: VARCHAR2(1) NULL
migrant_sw: VARCHAR2(1) NULL
pregnancy_ind: VARCHAR2(1) NULL
ssi_ma_termination_date: DATE NULL

bridges_ws_mq_info

database_name_ind: VARCHAR2(6) NULL
ws_host: VARCHAR2(100) NULL
ws_port: VARCHAR2(6) NULL
ws_ssl_port: VARCHAR2(6) NULL
mq_host: VARCHAR2(100) NULL
mq_port: VARCHAR2(6) NULL
mq_ssl_port: VARCHAR2(6) NULL
protocol_ind: VARCHAR2(5) NULL
error_logging_ind: VARCHAR2(1) NULL

bridges_ws_mq_error_logs

ws_mq_error_log_id: NUMBER NOT NULL
error_code: VARCHAR2(4000) NULL
error_message: VARCHAR2(4000) NULL
create_date: DATE NULL
user_id: VARCHAR2(100) NULL
request: CLOB NULL
response: CLOB NULL
procedure_name: VARCHAR2(100) NULL

bridges_mq_audits

mq_audit_id: NUMBER NOT NULL
application_code: NUMBER(2) NULL (FK)
request_code: NUMBER(2) NULL (FK)
request_user: VARCHAR2(30) NULL
bridges_return_code: VARCHAR2(512) NULL
return_message_text: VARCHAR2(4000) NULL
request_date: VARCHAR2(30) NULL
response_date: VARCHAR2(30) NULL
audit_comment: VARCHAR2(4000) NULL
parent_mq_audit_id: NUMBER NULL (FK)
status_code: NUMBER(2) NULL (FK)
message_sent_text: VARCHAR2(4000) NULL

bridges_mq_application_codes


application_code: NUMBER(2) NOT NULL
description: VARCHAR2(30) NULL
end_date: DATE NULL

bridges_mq_request_codes

request_code: NUMBER(2) NOT NULL
description: VARCHAR2(30) NULL
end_date: DATE NULL

bridges_mq_status_codes

status_code: NUMBER(2) NOT NULL
description: VARCHAR2(30) NULL
end_date: DATE NULL



Table(s) of "transfer from bridges" Picture Object	
Name	transfer from bridges
Comment	Stores data that is transferred from Bridges to SWSS.

Column(s) of "transfer from bridges" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
transfer_from_bridges_id	NUMBER	NOT NULL		Yes	No
prog_cd	VARCHAR2(4)	NULL		No	No
creation date	DATE	NULL		No	No
indv id	NUMBER	NULL		No	No
rsdi chg sw	VARCHAR2(1)	NULL		No	No
ssi income sw	VARCHAR2(1)	NULL		No	No
ssa validated sw	VARCHAR2(1)	NULL		No	No
first name	VARCHAR2(30)	NULL		No	No
mid name	VARCHAR2(30)	NULL		No	No
last name	VARCHAR2(30)	NULL		No	No
ssn	NUMBER	NULL		No	No
gender cd	VARCHAR2(1)	NULL		No	No
dob dt	DATE	NULL		No	No
race cd	VARCHAR2(8)	NULL		No	No
case pgm closure sw	VARCHAR2(1)	NULL		No	No
case address chg sw	VARCHAR2(1)	NULL		No	No
addr street num	VARCHAR2(6)	NULL		No	No
addr street nm	VARCHAR2(30)	NULL		No	No
addr st dir cd	VARCHAR2(2)	NULL		No	No
addr st num frac	VARCHAR2(3)	NULL		No	No
addr st type cd	VARCHAR2(4)	NULL		No	No
addr dwelling type cd	VARCHAR2(4)	NULL		No	No
addr apt num	VARCHAR2(8)	NULL		No	No
addr city	VARCHAR2(25)	NULL		No	No
addr state cd	VARCHAR2(2)	NULL		No	No
addr zip5	VARCHAR2(5)	NULL		No	No
addr zip4	VARCHAR2(4)	NULL		No	No
death sw	VARCHAR2(1)	NULL		No	No
member_added_removed	VARCHAR2(1)	NULL		No	No
migrant sw	VARCHAR2(1)	NULL		No	No
pregnancy ind	VARCHAR2(1)	NULL		No	No
ssi_ma_termination_date	DATE	NULL		No	No

Validation(s) of "transfer from bridges id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer from bridges id" Column	
Name	Unique
PK transfer from bridges	Yes

Validation(s) of "prog_cd" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "creation date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "indv id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rsdi chg sw" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ssi income sw" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ssa validated sw" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mid name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "gender cd" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dob dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "race cd" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case pgm closure sw" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case address chg sw" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr street num" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr street nm" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr st dir cd" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr st num frac" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr st type cd" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "addr dwelling type cd" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr apt num" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr state cd" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr zip5" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr zip4" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "death sw" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "member added removed" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "migrant sw" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pregnancy ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ssi ma termination date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "bridges ws mq info" Picture Object	
Name	bridges ws mq info
Comment	Contains host, port, and ssl port information for the Bridges web servers and message queuing related to the SWSS development, test, and production databases.

Column(s) of "bridges ws mq info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
database_name_ind	VARCHAR2(6)	NULL	Indicates the Oracle/ SWSS database as DEVL, TEST, or PROD.	No	No
ws_host	VARCHAR2(100)	NULL	The host name for the Bridges web server.	No	No
ws_port	VARCHAR2(6)	NULL	The port name for the Bridges web server.	No	No
ws_ssl_port	VARCHAR2(6)	NULL	The SSL port name for the Bridges web server.	No	No
mq_host	VARCHAR2(100)	NULL	The host name for Bridges message queuing.	No	No
mq_port	VARCHAR2(6)	NULL	The port name for Bridges message queuing.	No	No
mq_ssl_port	VARCHAR2(6)	NULL	The ssl port name for Bridges message queuing.	No	No
protocol_ind	VARCHAR2(5)	NULL		No	No
error_logging_ind	VARCHAR2(1)	NULL		No	No

Validation(s) of "database name ind" Column			
Constraint Name	Min	Max	Rule
ck_brwsmqinfo_dbnmind			database_name_ind IN ('DEVL', 'TEST', 'SALPRD', 'SALDEV', 'SALTST')

Valid Value(s) of "ck brwsmqinfo dbnmind" Validation		
Data Value	Display Value	Definition
DEVL		Development Database
TEST		Test Database
SALPRD		Production Database
SALDEV		10G Development Database
SALTST		10G Test Database

Validation(s) of "ws_host" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ws_port" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ws_ssl_port" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mq_host" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mq_port" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mq_ssl_port" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "protocol_ind" Column			
Constraint Name	Min	Max	Rule
ck_brwsmqinfo prtclind			protocol_ind IN ('http', 'https')

Valid Value(s) of "ck_brwsmqinfo prtclind" Validation		
Data Value	Display Value	Definition
http		
https		

Validation(s) of "error_logging_ind" Column			
Constraint Name	Min	Max	Rule
ck_brwsmqinfo errlgnind			error_logging_ind IN ('Y', 'N')

Valid Value(s) of "ck_brwsmqinfo errlgnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "bridges ws mq error logs" Picture Object	
Name	bridges ws mq error logs
Comment	

Column(s) of "bridges ws mq error logs" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
ws mq error log id	NUMBER	NOT NULL		Yes	No
error code	VARCHAR2(4000)	NULL		No	No
error message	VARCHAR2(4000)	NULL		No	No
create date	DATE	NULL		No	No
user id	VARCHAR2(100)	NULL		No	No
request	CLOB	NULL		No	No
response	CLOB	NULL		No	No
procedure name	VARCHAR2(100)	NULL		No	No

Validation(s) of "ws mq error log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ws mq error log id" Column	
Name	Unique
PK bridges ws mq error logs	Yes

Validation(s) of "error code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "error message" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "user id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "request" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "response" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "procedure name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "bridges mq audits" Picture Object	
Name	bridges mq audits
Comment	

Column(s) of "bridges mq audits" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
mq audit id	NUMBER	NOT NULL		Yes	No
application code	NUMBER(2)	NULL		No	Yes
request code	NUMBER(2)	NULL		No	Yes
request user	VARCHAR2(30)	NULL		No	No
bridges return code	VARCHAR2(512)	NULL		No	No
return message text	VARCHAR2(4000)	NULL		No	No
request date	VARCHAR2(30)	NULL		No	No
response date	VARCHAR2(30)	NULL		No	No
audit comment	VARCHAR2(4000)	NULL		No	No
parent mq audit id	NUMBER	NULL		No	Yes
status code	NUMBER(2)	NULL		No	Yes
message sent text	VARCHAR2(4000)	NULL		No	No

Validation(s) of "mq audit id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mq audit id" Column	
Name	Unique
PK bridges mq audits	Yes

Validation(s) of "application code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "application code" Column	
Name	Unique
IF1833 bridges mq audits	No

Validation(s) of "request code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "request code" Column	
Name	Unique
IF1834 bridges mq audits	No

Validation(s) of "request user" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bridges return code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "return message text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "request date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "response date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "audit comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent mq audit id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent mq audit id" Column	
Name	Unique
IF1835 bridges mq audits	No

Validation(s) of "status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "status code" Column	
Name	Unique
IF1836 bridges mq audits	No

Validation(s) of "message sent text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "bridges mq application codes" Picture Object	
Name	bridges mq application codes
Comment	

Column(s) of "bridges mq application codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
application code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "application code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "application code" Column	
Name	Unique
PK_bridges mq application code	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "bridges mq request codes" Picture Object	
Name	bridges mq request codes
Comment	

Column(s) of "bridges mq request codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
request code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "request code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "request code" Column	
Name	Unique
PK_bridges mq request codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "bridges mq status codes" Picture Object	
Name	bridges mq status codes
Comment	

Column(s) of "bridges mq status codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
status_code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end_date	DATE	NULL		No	No


Validation(s) of "status_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "status_code" Column	
Name	Unique
PK_bridges_mq_status_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

case / physical



Table(s) of "federal michigan goals" Picture Object	
Name	federal michigan goals
Comment	Contains the allowable combinations of the federal and michigan goal codes for Foster Care children.

Column(s) of "federal michigan goals" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
federal_goal_code	VARCHAR2(2)	NOT NULL	Contains codes for the federal goals for Foster Care children.	Yes	Yes
goal_code	NUMBER(2)	NOT NULL	Codes to describe the goal for the child; e.g. (Code: Description): 7: Place with relative (CommCare) 8: Return home (CommCare) 9: Custodial Care (InstCare) 10: Adoption (CommCare) etc.	Yes	Yes
sort_order	NUMBER(2)	NULL	Used to display the federal and michigan goal codes in the application screen, in the order desired by the users.	No	No

Validation(s) of "federal goal code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "federal goal code" Column	
Name	Unique
PK federal michigan goals	Yes
IF1678 federal michigan goals	No

Validation(s) of "goal code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal code" Column	
Name	Unique
PK federal michigan goals	Yes
IF1677 federal michigan goals	No

Validation(s) of "sort order" Column			
Constraint Name	Min	Max	Rule

Table(s) of "file extension codes" Picture Object	
Name	file extension codes
Comment	Contains codes and descriptions for identifying the file type of the photo for the missing child.

Column(s) of "file extension codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
file_extension_cd	VARCHAR2(6)	NOT NULL	Contains codes for the different types of file types; e.g. (Code: Description) BMP: Bitmap, JPG: Joint Photographic Experts Group, GIF: Graphic Interchange Format	Yes	No
description	VARCHAR2(200)	NULL	Explanation of FILE_EXTENSIO-N_CD.	No	No

Validation(s) of "file extension cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "file extension cd" Column	
Name	Unique
PK file extension codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "pictures" Picture Object	
Name	pictures
Comment	Contains a photograph and information for a child identified as missing from the current placement.

Column(s) of "pictures" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
picture_id	NUMBER	NOT NULL	System generated number that uniquely identifies the photograph for the identified child.	Yes	No
file_extension_cd	VARCHAR2(6)	NULL	Contains codes for the different types of file types; e.g. (Code: Description) BMP: Bitmap, JPG: Joint Photographic Experts Group, GIF: Graphic Interchange Format	No	Yes
picture_date	DATE	NULL	The date that the photograph was taken of the child.	No	No
picture_stored_date	DATE	NULL	The date that the photographed was stored on the database.	No	No
picture_text	VARCHAR2(4000)	NULL	Contains additional information regarding the photograph and the identified missing child.	No	No
picture	BLOB	NULL	Contains the photograph of the identified missing child.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_pictures	Yes
IF1248_pictures	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique

PK pictures	Yes
IF1248 pictures	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK pictures	Yes
IF1248 pictures	No

Validation(s) of "picture_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "picture_id" Column	
Name	Unique
PK pictures	Yes

Validation(s) of "file_extension_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "file_extension_cd" Column	
Name	Unique
IF1247 pictures	No

Validation(s) of "picture_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "picture_stored_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "picture_text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "picture" Column			
Constraint Name	Min	Max	Rule

Table(s) of "jj_cp_victim" Picture Object	
Name	jj_cp_victim
Comment	Identifies all victims for the juvenile justice case. The LOG_ID and PERSON_ID only identifies the child in the case.

Column(s) of "jj_cp_victim" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
victim_no	NUMBER	NOT NULL	System generated number that uniquely identifies a victim.	Yes	Yes
parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) the victim is the parent of the case person; or (N) not.	No	No
notify_ind	VARCHAR2(1)	NULL	Indicates that (Y) the victim wants to be notified; or (N) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_jj_cp_victim	Yes
IF1116_jj_cp_victim	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_jj_cp_victim	Yes
IF1116_jj_cp_victim	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK_jj_cp_victim	Yes

IF1116 jj cp victim	No
---------------------	----

Validation(s) of "victim no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "victim no" Column	
Name	Unique
PK jj cp victim	Yes
IF1117 jj cp victim	No

Validation(s) of "parent ind" Column			
Constraint Name	Min	Max	Rule
ck jcv parentind			parent ind IN ('Y', 'N')

Valid Value(s) of "ck jcv parentind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify ind" Column			
Constraint Name	Min	Max	Rule
ck jcv notifyind			notify ind IN ('Y', 'N')

Valid Value(s) of "ck jcv notifyind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "swss conversion" Picture Object	
Name	swss conversion
Comment	Contains information regarding where the complaint or case resides in the legacy system (MAPPER); and to which referral or case in the MAPPER system, it is linked or related.

Column(s) of "swss conversion" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
mapper_cabinet	NUMBER	NULL	A MAPPER term used to tell the location of a MAPPER RID (record identifier) for a SWSS case which was converted from MAPPER.	No	No
mapper_drawer	VARCHAR2(1)	NULL	A MAPPER term used to tell the location of a MAPPER RID for a SWSS case converted from MAPPER.	No	No
mapper_rid	NUMBER(6)	NULL	A term used to specify where data is stored in MAPPER for a SWSS case converted from MAPPER.	No	No
mapper_log_id	NUMBER	NULL	Identifies the log_id for the referral or case in the MAPPER system.	No	No
reconcilable	VARCHAR2(1)	NULL	Indicates that (A) the case information from MAPPER was accepted; or (R) the case information was rejected.	No	No
cis_cfc_case_no	VARCHAR2(30)	NULL	Identifies the CIS Child Foster Care case number. In situations where the case is adoption, the CIS_CFC_CASE_NO is the parent case and contains information needed to properly reconcile the case.	No	No

cfc_recipient_id	NUMBER(12)	NULL	The CIS recipient id or ASSIST client id of the closed Foster Care case which became an adoption case.	No	No
server_name	VARCHAR2(18)	NULL	The name of the machine (the individual county server name) on which the data resides in MAPPER.	No	No
filepath	VARCHAR2(50)	NULL	The Unix path which contains the file for the selected case to be reconciled	No	No
ref_cabinet	NUMBER	NULL	Identifies the cabinet in the MAPPER system, in which the MAPPER referral was stored	No	No
ref_drawer	VARCHAR2(1)	NULL	Identifies the drawer in the MAPPER system, in which the MAPPER referral was stored	No	No
ref_rid	NUMBER(6)	NULL	A term used to specify where data is stored in MAPPER for a SWSS case which was converted from a MAPPER referral.	No	No
ref_log_id	NUMBER	NULL	Identifies the log_id for the referral or case in the MAPPER system.	No	No
ref_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_swss_conversion	Yes
IF839_swss_conversion	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_swss_conversion	Yes
IF839_swss_conversion	No

Validation(s) of "mapper_cabinet" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mapper_drawer" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mapper rid" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mapper log id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "reconcilable" Column			
Constraint Name	Min	Max	Rule
ck sconv reconsble			reconcilable IN ('A', 'R')

Valid Value(s) of "ck sconv reconsble" Validation		
Data Value	Display Value	Definition
A		Accepted
R		Rejected

Validation(s) of "cis cfc case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cfc recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "server name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "filepath" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref cabinet" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref drawer" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref rid" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref log id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref county no" Column	
Name	Unique
IF1316 swss conversion	No

Table(s) of "adoption_origin" Picture Object	
Name	adoption_origin
Comment	Contains codes and descriptions for the origin of the adoption cases; e.g. (Code: Description) 1 In County Placement - FIA 2 In County Placement - Purchase 3 Other County Placement - FIA 4 Other County Placement - Purchase, etc.

Column(s) of "adoption_origin" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
adoption_origin	VARCHAR2(1)	NOT NULL	Codes for types of adoption origin; e.g. (Code: Description) 1: In County Placement - FIA 2: In County Placement - Purchase 3: Other County Placement - FIA 4: Other County Placement - Purchase 5: Interstate Adoption - FIA etc.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of ADOPTION_ORIGIN.	No	No

Validation(s) of "adoption_origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adoption_origin" Column	
Name	Unique
PK adoption_origin	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ad info comments" Picture Object	
Name	ad info comments
Comment	Contains the COMMENT ID for each comment associated with the adoption case.

Column(s) of "ad info comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	Yes
ad_info_id	NUMBER	NOT NULL	System generated number that uniquely identifies all occurrences of adoptions for one child.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK ad info comments	Yes
IF778 ad info comments	No

Validation(s) of "comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment id" Column	
Name	Unique
PK ad info comments	Yes
IF777 ad info comments	No

Validation(s) of "ad info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad info id" Column	
Name	Unique
PK ad info comments	Yes
IF778 ad info comments	No

Table(s) of "jj_notify" Picture Object	
Name	jj_notify
Comment	Contains information regarding notifications to other parties, if a child in juvenile justice was away without official leave (awol).

Column(s) of "jj_notify" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
placement_id	NUMBER	NOT NULL	System generated number for identifying each placement.	Yes	Yes
notify_id	NUMBER	NOT NULL	System generated number that uniquely identifies each notification to the court.	Yes	No
notify_type_code	VARCHAR2(2)	NULL	Codes to identify the type of event that warrant notification of an individual(s); e.g. (Code: Description) 1: Apprehension 2: Arrest warrant 3: AWOL 4: Court hearing 5: Violation petition	No	Yes
notify_whom_code	VARCHAR2(2)	NULL	Codes to identify who was notified; e.g. (Code: Description) 1: Court 2: Facility director 3: Parents/Family 4: Youth 5: Victim(s)	No	Yes
notified_by	VARCHAR2(1)	NULL	Indicates that (Y) notification was done by letter or phone; or (N) not.	No	No
notified_dt	DATE	NULL	Date on which the notification must be made or the date on which the notification has been made by phone.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_jj_notify	Yes
IF1123_jj_notify	No

Validation(s) of "placement_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement_id" Column	
Name	Unique

PK jj_notify	Yes
IF1123 jj_notify	No

Validation(s) of "notify_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "notify_id" Column	
Name	Unique
PK jj_notify	Yes

Validation(s) of "notify_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "notify_type_code" Column	
Name	Unique
IF1121 jj_notify	No

Validation(s) of "notify_whom_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "notify_whom_code" Column	
Name	Unique
IF1119 jj_notify	No

Validation(s) of "notified_by" Column			
Constraint Name	Min	Max	Rule
ck_jjnotify_notifiedby			notified_by IN ('L', 'P')

Valid Value(s) of "ck_jjnotify_notifiedby" Validation		
Data Value	Display Value	Definition
L		Letter
P		Phone

Validation(s) of "notified_dt" Column			
Constraint Name	Min	Max	Rule

Table(s) of "shared with" Picture Object	
Name	shared_with
Comment	Contains codes and descriptions for identifying the role of the person with whom case information is shared.

Column(s) of "shared with" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
shared_with_type	VARCHAR2(2)	NOT NULL	Codes for types of people, with whom information is shared; i.e. (Code: Description) FA: Father PR: New Caregiver WK: FIA/Referring Worker MO: Mother KI: Kinship Family Members	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SHARED_WITH_TYPE.	No	No

Validation(s) of "shared with type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shared with type" Column	
Name	Unique
PK_shared_with	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "info share" Picture Object	
Name	info_share
Comment	Identifies whether any information has been shared with the mother, father, new caretaker, or other FIA workers; along with when it was shared and how it was shared.

Column(s) of "info_share" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
info_share_no	NUMBER	NOT NULL	System generated number that uniquely identifies each instance of shared data.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
shared_with_type	VARCHAR2(2)	NULL	Codes for types of people, with whom information is shared; i.e. (Code: Description) FA: Father PR: New Caregiver WK: FIA/Referring Worker MO: Mother KI: Kinship Family Members	No	Yes
date_shared	DATE	NULL	Date on which the information was shared with the person identified by SHARED_WITH_TYPE.	No	No
how_shared	VARCHAR2(1)	NULL	Codes for how information can be shared for the case; e.g. (Code: Description) L: Letter T: Telephone F: Face to Face M: Letter and Face to Face etc.	No	Yes
placement_id	NUMBER	NULL	System generated number for identifying each placement.	No	Yes
sp_print_ind	VARCHAR2(1)	NULL	Indicates that (Y) the data from this table and any associated data from related tables, is to be printed on the service plan; (N) it is not to be printed; or NULL.	No	No

Validation(s) of "info_share_no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "info share no" Column	
Name	Unique
PK info share	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK info share	Yes
NUinfo share	No
IF533 info share	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
IF533 info share	No

Validation(s) of "shared with type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shared with type" Column	
Name	Unique
IF532 info share	No

Validation(s) of "date shared" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "how shared" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "how shared" Column	
Name	Unique
IF1128 info share	No

Validation(s) of "placement id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement id" Column	
Name	Unique
NUinfo share	No
XIF870info share	No

Validation(s) of "sp print ind" Column			
Constraint Name	Min	Max	Rule
ck is spprintind			sp print ind IN ('Y', 'N')

Valid Value(s) of "ck is spprintind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "legal status code" Picture Object	
Name	legal status code
Comment	Contains codes and descriptions for the legal status of the child; e.g. 41 Permanent Court Ward 42 Temporary Court Ward-Neg 43 Court Ward-Supervision Adoption 44 MCI Ward 45 St Ward-Temp. OB.-MCI-O, etc.

Column(s) of "legal status code" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
legal_status_cd	NUMBER(2)	NOT NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	Yes	No
legal_status_text	VARCHAR2(100)	NULL	Explanation of LEGAL_STATUS_CD.	No	No

Validation(s) of "legal status cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal status cd" Column	
Name	Unique
PK legal status code	Yes

Validation(s) of "legal status text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cfc info" Picture Object	
Name	cfc info
Comment	Contains information specific to the Foster Care case of the child. This has a one-to-one relation with the SWSS_CASE table.

Column(s) of "cfc info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
federal_goal_code	VARCHAR2(2)	NULL	Contains codes for the federal goals for Foster Care children.	No	Yes
goal_code	NUMBER(2)	NULL	Codes to describe the goal for the child; e.g. (Code: Description): 7: Place with relative (CommCare) 8: Return home (CommCare) 9: Custodial Care (InstCare) 10: Adoption (CommCare) etc.	No	Yes
goal_status_code	NUMBER(2)	NULL	Codes for the status of the goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	No	Yes
goal_change_date	DATE	NULL	Date on which the goal for the child changed in Foster Care.	No	No
comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
fc_event_code	NUMBER(1)	NULL	Codes representing a foster care event; i. e. (Code: Description) 1: Ret to home remvd from 2: Ret to other parent 3: Volntry release for adopt 4: Pet to term	No	Yes

			parent rights 5: Placed with relatives 6: No outcome		
oti_case_ind	VARCHAR2(1)	NULL	Indicates that (Y) this is an "Out of Town Inquiry" case (child is from out of state but placed in Michigan home); or (N) not.	No	No
father_unknown	VARCHAR2(1)	NULL	Indicates that (Y) the child's father is unknown; or (N) not.	No	No
mother_unknown	VARCHAR2(1)	NULL	Indicates that (Y) the child's mother is unknown; or (N) not.	No	No
mother_married_tob	VARCHAR2(1)	NULL	Indicates that (Y) the child's mother was married at the time of the child's birth; or (N) not.	No	No
unknown_relatives	VARCHAR2(1)	NULL	Indicates that (Y) the child has no known relatives; or (N) they have known relatives.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
cfc_accept_date	DATE	NULL	Date on which cfc is accepted.	No	No
permanency_achieved_ind	VARCHAR2(1)	NULL	Indicates that (Y) permanency was achieved; or (N) permanency was not achieved; or NULL.	No	No
permanency_achieved_date	DATE	NULL	Date on which permanency was achieved.	No	No
permanency_disrupted_ind	VARCHAR2(1)	NULL	Indicates that (Y) permanency was disrupted; or (N) permanency was not disrupted; or (NULL).	No	No
permanency_disrupted_date	DATE	NULL	Date on which permanency was disrupted.	No	No
permanency_goal_code	VARCHAR2(2)	NULL	Contains codes for the federal goals for Foster Care children.	No	Yes

Validation(s) of "county_no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column

Name	Unique
PK_cfc_info	Yes
IF254_cfc_info	No

Validation(s) of "log_id" Column

Constraint Name	Min	Max	Rule
-----------------	-----	-----	------

--	--	--	--

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cfc_info	Yes
IF254_cfc_info	No

Validation(s) of "federal_goal_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "federal_goal_code" Column	
Name	Unique
IF1680_cfc_info	No

Validation(s) of "goal_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal_code" Column	
Name	Unique
IF1680_cfc_info	No

Validation(s) of "goal_status_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal_status_code" Column	
Name	Unique
IF1056_cfc_info	No

Validation(s) of "goal_change_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
IF755_cfc_info	No

Validation(s) of "fc_event_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fc_event_code" Column	
Name	Unique
IF493_cfc_info	No

Validation(s) of "oti_case_ind" Column			
Constraint Name	Min	Max	Rule
ck_fci_oticaseind			oti_case_ind IN ('Y', 'N')

Valid Value(s) of "ck_fci_oticaseind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "father_unknown" Column			
Constraint Name	Min	Max	Rule

ck_fci_fathunk			father_unknown IN ('Y', 'N')
----------------	--	--	------------------------------

Valid Value(s) of "ck_fci_fathunk" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mother_unknown" Column			
Constraint Name	Min	Max	Rule
ck_fci_mothunk			mother_unknown IN ('Y', 'N')

Valid Value(s) of "ck_fci_mothunk" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mother_married_tob" Column			
Constraint Name	Min	Max	Rule
ck_fci_mothmarrtob			mother_married_tob IN ('Y', 'N', 'U')

Valid Value(s) of "ck_fci_mothmarrtob" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
U		Unknown

Validation(s) of "unknown_relatives" Column			
Constraint Name	Min	Max	Rule
ck_fci_unkrel			unknown_relatives IN ('Y', 'N')

Valid Value(s) of "ck_fci_unkrel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cfc_accept_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency_achieved_ind" Column			
Constraint Name	Min	Max	Rule
ck_fci_prmncyachvdi_1297630302			permanency_achieved_ind IN ('Y', 'N')

Valid Value(s) of "ck_fci_prmncyachvdi_1297630302" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "permanency_achieved_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency_disrupted_ind" Column			
Constraint Name	Min	Max	Rule
ck_fci_prmncydsrptd_1281608946			permanency_disrupted_ind IN ('Y', 'N')

Valid Value(s) of "ck_fci_prmncydsrptd_1281608946" Validation		
Data Value	Display Value	Definition

Y	Y	Yes
N	N	No

Validation(s) of "permanency disrupted date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency goal code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "permanency goal code" Column	
Name	Unique
IF1681 cfc info	No

Table(s) of "goal status" Picture Object	
Name	goal_status
Comment	Contains codes and descriptions for status of goals.

Column(s) of "goal status" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
goal_status_code	NUMBER(2)	NOT NULL	Codes for the status of the goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of GOAL_STATUS_CODE.	No	No
cps_ind	VARCHAR2(1)	NULL	Indicates that (Y) the GOAL_STATUS_CODE is used for CPS; or (N) not; or NULL.	No	No

Validation(s) of "goal status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal status code" Column	
Name	Unique
PK_goal_status	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cps_ind" Column			
Constraint Name	Min	Max	Rule
ck_gs_cpsind			cps_ind IN ('Y', 'N')

Valid Value(s) of "ck_gs_cpsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "jj_productivity" Picture Object	
Name	jj_productivity
Comment	Contains codes and descriptions for the productive status of the juvenile justice individual; e.g. 1 Non-Productive 2 School 3 Skill Training 4 Employed, etc.

Column(s) of "jj_productivity" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
jj_prod_code	NUMBER(1)	NOT NULL	Codes to indicate the juvenile's productivity status; e.g. (Code: Description) 1: Non-Productive 2: School 3: Skill Training 4: Employed 5: School/ Employed etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of JJ_PROD_CODE.	No	No

Validation(s) of "jj_prod_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jj_prod_code" Column	
Name	Unique
PK_jj_productivity	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "placed by codes" Picture Object	
Name	placed by codes
Comment	Contains codes and descriptions for who placed a child in adoption; i.e. 1 Public Agency(FIA) 2 Private Agency(POS) 3 Tribal Agency 5 Birth Parent(Direct Consent)

Column(s) of "placed by codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
placed_by_code	NUMBER(2)	NOT NULL	Codes for who placed the child in the adoptive home; i.e. (Code: Description) 1: Public Agency (DHS) 2: Private Agency (POS) 3: Tribal Agency 5: Birth Parent (Direct Consent)	Yes	No
description	VARCHAR2(30)	NULL	Explanation of PLACED_BY_CODE.	No	No

Validation(s) of "placed by code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placed by code" Column	
Name	Unique
PK placed by codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "correction" Picture Object	
Name	correction
Comment	Used as an audit trail for elements pertaining to changes (corrections) of pre-defined sets of data after opening the case.

Column(s) of "correction" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
correction_id	NUMBER	NOT NULL	System generated number that uniquely identifies a correction.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
correction_date	DATE	NOT NULL	Date on which the correction was made.	No	No
swss_column	VARCHAR2(30)	NOT NULL	Column name that was corrected.	No	No
swss_table	VARCHAR2(30)	NOT NULL	Table name in which the correction was made.	No	No
value_old	VARCHAR2(2000)	NULL	The old value of the column.	No	No
value_new	VARCHAR2(2000)	NULL	The new value of the column.	No	No
login_name	VARCHAR2(30)	NULL	GroupWise login_name of the worker who made the correction.	No	No
col_datatype	VARCHAR2(30)	NULL	Datatype of the column.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No

app_val	VARCHAR2(2000)	NULL	Used for linking records from other tables requiring a CORRECTION record in-lieu of using row number.	No	No
correction_reason_code	NUMBER(2)	NULL	Contains codes for reasons why a correction is made.	No	Yes
reason_code_other	VARCHAR2(4000)	NULL	Free-form text for further explanation when CORRECTION_REASON_CODE is 6 (for Other)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_correction	Yes
NU_correction	No
IF825_correction	No

Validation(s) of "correction_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "correction_id" Column	
Name	Unique
PK_correction	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU_correction	No
XIF828correction	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
NU_correction	No
XIF828correction	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF825_correction	No

Validation(s) of "correction_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_column" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "swss table" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "value old" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "value new" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "col datatype" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "app val" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "correction reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "correction reason code" Column	
Name	Unique
IF1844_correction	No

Validation(s) of "reason code other" Column			
Constraint Name	Min	Max	Rule

Table(s) of "provider case person" Picture Object	
Name	provider case person
Comment	Contains information about the provider and person to whom the services are provided along with effective dates and other information about the placement. This table is generally referenced as the placement table.

Column(s) of "provider case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
placement_id	NUMBER	NOT NULL	System generated number for identifying each placement.	Yes	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
prov_begin_date	DATE	NULL	The effective date when the provider began providing placement services for the case (child)	No	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
family_structure_code	VARCHAR2(1)	NULL	Codes for the family structure; i.e. (Code: Description) 0: Not Applicable 1: Married Couple 2: Un-Married Couple 3: Single Female 4: Single Male 5: Unable to Determine	No	Yes

prov_end_date	DATE	NULL	The date when the provider is no longer providing placement services for the case (child).	No	No
prov_begin_date_entered	DATE	NULL	Date on which the worker enters the PROV_BEGIN_DATE in the application (AFCARS element).	No	No
prov_end_date_entered	DATE	NULL	Date on which the worker enters the PROV_END_DATE in the application (AFCARS element).	No	No
removed_due_new_petition	VARCHAR2(1)	NULL	Indicates that the child (Y) has been removed from the current placement due to a new petition; or (N) not.	No	No
service_code	VARCHAR2(4)	NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
contact_name	VARCHAR2(30)	NULL	Contact person's name for the provider.	No	No
contact_phone_no	VARCHAR2(20)	NULL	Contact person's phone number for the provider.	No	No
placing_agency_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
placing_agency_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
placement_agency	VARCHAR2(3)	NULL	Codes for the agencies which place children with providers; e.g. (Code: Description) CPA: Child Placing Agency FIA: Family Independence Agency CW: County of Wayne	No	Yes

conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
prov_elig_type	VARCHAR2(2)	NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	No	Yes
admin_rate_only_ind	VARCHAR2(1)	NULL	Indicates that (Y) this provider is receiving only the administrative rate for payments for this placement; or (N) not.	No	No
adoption_end_reason	VARCHAR2(1)	NULL	Indicates if the adoption has ended due to (F) finalization or (D) disruption.	No	No
new_episode_ind	VARCHAR2(1)	NULL	Indicates that this current placement (Y) is a new episode of removal from the child's home; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
removal_seq_no	NUMBER	NULL	System generated number that uniquely identifies an instance of removal	No	Yes
living_arrangement_code	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
receiving_fip	VARCHAR2(2)	NULL	Indicates that the client (Y) is receiving FIP or (N) not.	No	No
logical_delete	VARCHAR2(1)	NULL	Indicates that (Y) the record remains in the database, but will not be displayed on the screen; or (N; NULL) will display on the screen.	No	No

victim_notified_ind	VARCHAR2(1)	NULL	Indicates that the victim(s) was/were (Y) notified by FIA workers when juvenile goes AWOL; or (N) not notified.	No	No
notify_from_fac_dir	VARCHAR2(1)	NULL	Indicates that (Y) notification has been received from the facility director regarding the prosecution of the child after apprehension; or (N) not.	No	No
start_payment	VARCHAR2(1)	NULL	Indicates that (Y) the payment to the placement facility has started; or (N) not.	No	No
stop_payment	VARCHAR2(1)	NULL	Indicates that (Y) the payment to the placement facility has stopped; or (N) not.	No	No
fia3198	VARCHAR2(1)	NULL	Indicates that (Y) the FIA 3198 has been filed; or (N) not.	No	No
fia767	VARCHAR2(1)	NULL	Indicates that (Y) the FIA 767 has been filed; or (N) not.	No	No
enter_lein	VARCHAR2(1)	NULL	Indicates that (Y) a warrant (lein) has been issued if the child has escaped from the placement; or (N) not.	No	No
cancel_lein	VARCHAR2(1)	NULL	Indicates that (Y) the warrant (lein) has been canceled if the child has returned back to the placement; or (N) not.	No	No
plcmnt_decision	VARCHAR2(1)	NULL	Indicates that (Y) the child has returned to the placement; or (N) not.	No	No
anticip_next_plcmnt	VARCHAR2(2)	NULL	Contains codes for the type of anticipated, next placement; e.g. (Code: Description): 02: Relative Home 03: Legal Guardian 04: Adoptive Home, etc.	No	Yes
anticip_next_plcmnt_date	DATE	NULL	Date of the anticipated next placement.	No	No
pff_agreement_date	DATE	NULL	Date on which the Permanent Foster Family (PFF) agreement form was signed. The PFF agreement form is an agreement between the Biological Parents, Foster Parents, and FIA, so that the child may remain in the Foster Home.	No	No

possible_destination	VARCHAR2(4000)	NULL	Narrative to explain the possible destination of the missing child.	No	No
may_be_with	VARCHAR2(200)	NULL	Narrative to explain whom the missing child may be with.	No	No
lein_generated_date	DATE	NULL	Date on which the Law Enforcement Information Network (LEIN) notice was generated.	No	No
missing_child_text	VARCHAR2(4000)	NULL	Narrative about anything relating to the missing child.	No	No
absence_reason_code	VARCHAR2(1)	NULL	Contains codes for the reasons a child is missing from the current placement.	No	Yes
risk_reason_code	VARCHAR2(1)	NULL	Contains the codes for the potential risk to the child while they are missing.	No	Yes
risk_text	VARCHAR2(2000)	NULL	Free-form text for further explanation of the potential risk to the child while they are missing.	No	No
may_be_with_ind	VARCHAR2(1)	NULL	Indicates that the missing child may be with (P) a parent; or (O) other.	No	No
may_be_with_name	VARCHAR2(200)	NULL	Contains the name of the person whom the missing child may be with.	No	No
may_be_with_relationship	VARCHAR2(200)	NULL	Free form text for the relationship of the missing child and the person whom he/she may be with.	No	No
may_be_with_address1	VARCHAR2(100)	NULL	Free form text for the address of the person whom the missing child may be with.	No	No
may_be_with_address2	VARCHAR2(100)	NULL	Free form text for the address of the person whom the missing child may be with.	No	No
action_text	VARCHAR2(4000)	NULL	Free-form text for actions taken to locate a missing or AWOL child.	No	No
lea_text	VARCHAR2(200)	NULL	Free-form text for (generally) the name of the law enforcement agency (lea), to which, a missing child or AWOL child is reported.	No	No
supervisor_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) the supervisor approved the placement; or (N) not; or NULL.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique

PK provider case person	Yes
NU provider case person	No
XIF380provider case person	No

Validation(s) of "placement id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement id" Column	
Name	Unique
PK provider case person	Yes

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
NU provider case person 1	No
IF348 provider case person	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp4			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp4" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
NU provider case person 1	No
IF348 provider case person	No

Validation(s) of "prov begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU provider case person	No
XIF380provider case person	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
NU provider case person 2	No
NU provider case person	No
XIF380provider case person	No

Validation(s) of "family structure code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "family structure code" Column	
Name	Unique
IF552_provider_case_person	No

Validation(s) of "prov_end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_begin_date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_end_date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "removed_due_new_petition" Column			
Constraint Name	Min	Max	Rule
ck_prdp_remnewpet			removed_due_new_petition IN ('Y', 'N')

Valid Value(s) of "ck_prdp_remnewpet" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "service_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service_code" Column	
Name	Unique
IF728_provider_case_person	No

Validation(s) of "contact_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact_phone_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placing_agency_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placing_agency_id" Column	
Name	Unique
IF738_provider_case_person	No

Validation(s) of "placing_agency_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp5			placing_agency_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp5" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)

O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "placing agency type" Column	
Name	Unique
IF738 provider case person	No

Validation(s) of "placement agency" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement agency" Column	
Name	Unique
IF1131 provider case person	No

Validation(s) of "conversion origin ind" Column			
Constraint Name	Min	Max	Rule
ck_prpc_convorgind			conversion_origin_ind IN ('N', 'Y')

Valid Value(s) of "ck_prpc_convorgind" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
IF747 provider case person	No

Validation(s) of "admin rate only ind" Column			
Constraint Name	Min	Max	Rule
ck_prpc_admrtind			admin_rate_only_ind IN ('Y', 'N')

Valid Value(s) of "ck_prpc_admrtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adoption end reason" Column			
Constraint Name	Min	Max	Rule
ck_prpc_adpendrsn			adoption_end_reason IN ('F', 'D')

Valid Value(s) of "ck_prpc_adpendrsn" Validation		
Data Value	Display Value	Definition
F		Finalization
D		Disruption

Validation(s) of "new episode ind" Column			
Constraint Name	Min	Max	Rule
ck_prpc_newepind			new_episode_ind IN ('Y', 'N')

Valid Value(s) of "ck_prpc_newepind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "removal seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal seq no" Column	
Name	Unique
IF931 provider case person	No

Validation(s) of "living arrangement code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "living arrangement code" Column	
Name	Unique
IF987 provider case person	No

Validation(s) of "receiving fip" Column			
Constraint Name	Min	Max	Rule
ck prcp recfip			receiving fip IN ('Y', 'N')

Valid Value(s) of "ck prcp recfip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "logical delete" Column			
Constraint Name	Min	Max	Rule
ck prcp logdelete			logical delete IN ('Y', 'N')

Valid Value(s) of "ck prcp logdelete" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "victim notified ind" Column			
Constraint Name	Min	Max	Rule
ck prcp victnot			victim notified ind IN ('Y', 'N')

Valid Value(s) of "ck prcp victnot" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify from fac dir" Column			
Constraint Name	Min	Max	Rule
ck prcp notfacdir			notify from fac dir IN ('Y', 'N')

Valid Value(s) of "ck prcp notfacdir" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "start payment" Column			
Constraint Name	Min	Max	Rule
ck prcp startpay			start payment IN ('Y', 'N')

Valid Value(s) of "ck prcp startpay" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "stop payment" Column			
Constraint Name	Min	Max	Rule

ck_prctp_stoppay			stop_payment IN ('Y', 'N')
------------------	--	--	----------------------------

Valid Value(s) of "ck_prctp_stoppay" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "fia3198" Column			
Constraint Name	Min	Max	Rule
ck_prctp_fia3198			fia3198 IN ('Y', 'N')

Valid Value(s) of "ck_prctp_fia3198" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "fia767" Column			
Constraint Name	Min	Max	Rule
ck_prctp_fia767			fia767 IN ('Y', 'N')

Valid Value(s) of "ck_prctp_fia767" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "enter_lein" Column			
Constraint Name	Min	Max	Rule
ck_prctp_enterlein			enter_lein IN ('Y', 'N')

Valid Value(s) of "ck_prctp_enterlein" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cancel_lein" Column			
Constraint Name	Min	Max	Rule
ck_prctp_cancellein			cancel_lein IN ('Y', 'N')

Valid Value(s) of "ck_prctp_cancellein" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "plcmnt_decision" Column			
Constraint Name	Min	Max	Rule
ck_prctp_plcmntdec			plcmnt_decision IN ('R', 'N')

Valid Value(s) of "ck_prctp_plcmntdec" Validation		
Data Value	Display Value	Definition
R		Return to Placement
N		New Placement

Validation(s) of "anticip_next_plcmnt" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "anticip_next_plcmnt" Column	
Name	Unique
IF1658_provider_case_person	No

Validation(s) of "anticip_next_plcmnt_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "pff agreement date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "possible destination" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "lein generated date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "missing child text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "absence reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "absence reason code" Column		
Name		Unique
IF1260_provider_case_person		No

Validation(s) of "risk reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "risk reason code" Column		
Name		Unique
IF1261_provider_case_person		No

Validation(s) of "risk text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with ind" Column			
Constraint Name	Min	Max	Rule
ck_pcp_maybewithind			may be with ind IN ('P','O')

Valid Value(s) of "ck_pcp_maybewithind" Validation		
Data Value	Display Value	Definition
P		Parent
O		Other

Validation(s) of "may be with name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with relationship" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with address1" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "may be with address2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "lea text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervisor approval ind" Column			
Constraint Name	Min	Max	Rule
ck_prcp_spvsraprvlind			supervisor_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_prcp_spvsraprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "jj victim" Picture Object	
Name	jj_victim
Comment	Contains information about the victim(s) of a delinquent child's crime or offense in Juvenile Justice.

Column(s) of "jj victim" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
victim_no	NUMBER	NOT NULL	System generated number that uniquely identifies a victim.	Yes	No
victim first name	VARCHAR2(30)	NULL	Victim's first name.	No	No
victim last name	VARCHAR2(30)	NULL	Victim's last name.	No	No
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes

Validation(s) of "victim_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "victim_no" Column	
Name	Unique
PK_jj_victim	Yes

Validation(s) of "victim first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "victim last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address_id" Column	
Name	Unique
IF714_jj_victim	No

Validation(s) of "phone_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_id" Column	
Name	Unique
IF715_jj_victim	No

Table(s) of "swss case state" Picture Object	
Name	swss case state
Comment	Contains codes and descriptions for the state of the case (active, registered, closed, etc.) along with column names and table names to which the state applies.

Column(s) of "swss case state" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
swss_case_state	VARCHAR2(4)	NOT NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of each SWSS_CASE_STATE.	No	No
col_name	VARCHAR2(30)	NULL	Name of the column for the specific table (TAB_NAME) to which the SWSS_CASE_STATE applies; e.g. OPEN_DATE ASSIGNMENT_DATE REGISTER_DATE ACCEPT_OR_DE- NIAL_DATE CREATE_DATE etc.	No	No
tab_name	VARCHAR2(30)	NULL	Name of the table to which the SWSS_CASE_STATE applies; e.g. SWSS_CASE AD_INFO etc.	No	No
sort_order	NUMBER(2)	NULL	Number used to control the display order of SWSS_CASE_STATE.	No	No

Validation(s) of "swss case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss case state" Column	
Name	Unique
PK swss case state	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "col_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tab_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sort_order" Column			
Constraint Name	Min	Max	Rule

Table(s) of "goal" Picture Object	
Name	goal
Comment	Contains codes and descriptions of goals for the child to attain; e.g. 6 Ind Living (SelfSpprt) 8 Return home (CommCare) 9 Custodial Care (InstCare) 7 Place with relative (CommCare), etc.

Column(s) of "goal" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
goal_code	NUMBER(2)	NOT NULL	Codes to describe the goal for the child; e.g. (Code: Description): 7: Place with relative (CommCare) 8: Return home (CommCare) 9: Custodial Care (InstCare) 10: Adoption (CommCare) etc.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of GOAL_CODE.	No	No
permanency_ind	VARCHAR2(1)	NULL		No	No

Validation(s) of "goal_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal_code" Column	
Name	Unique
PK_goal	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency_ind" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case link codes" Picture Object	
Name	case link codes
Comment	Contains codes (LINK_IND) and descriptions for identifying which cases, complaints, or referrals are linked between Wayne County's 3-Tier application, Mapper PS, CANS, or FAJ.

Column(s) of "case link codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
link_ind	VARCHAR2(1)	NOT NULL	Contains codes for linking cases, complaints, or referrals between 3-Tier, Mapper PS, CANS, and FAJ.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of LINK_IND.	No	No

Validation(s) of "link ind" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "link ind" Column	
Name	Unique
PK case link codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "subsidy_type" Picture Object	
Name	subsidy_type
Comment	Contains codes and definitions for types of subsidies; i.e. 1 Adopt. Sup. Subsidy 2 Medical Subsidy 3 Both 4 None

Column(s) of "subsidy_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
subsidy_type	NUMBER(1)	NOT NULL	Codes for the types of subsidies which may be available for the adoption; i.e. (Code: Description) 1: Adopt. Sup. Subsidy 2: Medical Subsidy 3: Both 4: None	Yes	No
description	VARCHAR2(50)	NULL	Explanation of each SUBSIDY_TYPE.	No	No

Validation(s) of "subsidy_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "subsidy_type" Column	
Name	Unique
PK_subsidy_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "placement type" Picture Object	
Name	placement_type
Comment	Contains codes and descriptions for types of placements; e.g. 1 Two Parent Adopting 2 Single Parent Adopting 3 Two Foster Parent Adopting 4 Single Parent Adopting, etc.

Column(s) of "placement type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
placement_type	NUMBER(1)	NOT NULL	Codes for the types of adoption placements; i.e. (Code: Description) 1: Two Parent Adopting 2: Single Parent Adopting 3: Two Foster Parent Adopting 4: Single Parent Adopting 5: Two Relative Adopting 6: Single Relative Adopting	Yes	No
description	VARCHAR2(50)	NULL	Explanation of each PLACEMENT_TYPE.	No	No

Validation(s) of "placement type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement type" Column	
Name	Unique
PK_placement_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case link" Picture Object	
Name	case link
Comment	Identifies the link between the source case (SOURCE_LOG_ID) and the destination case (DESTINATION_LOG_ID); such as the CFC cases (destination) which were created from a CPS case (source).

Column(s) of "case link" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
destination_county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
destination_log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
source_county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
source_log_id	NUMBER	NOT NULL	Unique identifier for the source case originating from SWSS (LINK_IND = C or L) or Mapper (LINK_IND = M).	Yes	No
link_ind	VARCHAR2(1)	NULL	Contains codes for linking cases, complaints, or referrals between 3-Tier, Mapper PS, CANS, and FAJ.	No	Yes

Validation(s) of "destination county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "destination county no" Column	
Name	Unique
PK case link	Yes
IF871 case link	No

Validation(s) of "destination log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "destination log id" Column	
Name	Unique
PK case link	Yes
IF871 case link	No

Validation(s) of "source county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "source county no" Column	
Name	Unique

PK case link	Yes
IF1108 case link	No

Validation(s) of "source log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "source log id" Column	
Name	Unique
PK case link	Yes

Validation(s) of "link ind" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "link ind" Column	
Name	Unique
IF1315 case link	No

Table(s) of "withdrawal reasons" Picture Object	
Name	withdrawal reasons
Comment	Contains codes and descriptions for reasons why a case was withdrawn from SWSS or why Medicaid was withdrawn from a case.

Column(s) of "withdrawal reasons" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
denial_code	NUMBER(3)	NOT NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/ Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	Yes	No
ma_services_ind	VARCHAR2(1)	NULL	Indicates whether the DENIAL_CODE is for (M) MA, (S) SWSS services, or (B) Both.	No	No
description	VARCHAR2(50)	NULL	Explanation of DENIAL_CODE.	No	No

Validation(s) of "denial_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "denial_code" Column	
Name	Unique
PK withdrawal reasons	Yes

Validation(s) of "ma_services_ind" Column			
Constraint Name	Min	Max	Rule
ck withdrleas maservind			ma_services_ind IN ('M', 'S', 'B')

Valid Value(s) of "ck withdrleas maservind" Validation		
Data Value	Display Value	Definition
M		MA (medical assistance or Medicaid)
S		Services
B		Both

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "program" Picture Object	
Name	program
Comment	Contains codes and descriptions for SWSS programs (adult services, protective services, adoption, foster care, juvenile justice, adoption subsidy, prevention, and guardianship).

Column(s) of "program" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	No
description	VARCHAR2(30)	NULL	Explanation of each PROGRAM_CODE.	No	No
order_by	NUMBER(2)	NULL	Number used to control the display order of the program codes and descriptions.	No	No

Validation(s) of "program_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program_code" Column	
Name	Unique
PK_program	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "order_by" Column			
Constraint Name	Min	Max	Rule

Table(s) of "swss case" Picture Object	
Name	swss case
Comment	Contains information pertaining to Childrens Protective Service (CPS) referrals, CPS cases, Child Foster Care (CFC) cases, Adoption (ADPT) cases, Juvenile Justice (JJ, otherwise called Delinquency) cases; uniquely identified by a system generated sequence number (LOG_ID).

Column(s) of "swss case" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
refer_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
ref_source_code	NUMBER(2)	NULL	Codes for referral source (case was created from this source); i.e. (Code: Description) 1: Protect Srvc 2: Court (except CPS) 3: Voluntary release 4: OTI 5: Adoption disrupted 6: Voluntary placement	No	Yes
primary_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
create_date	DATE	NULL	Date on which the case was created in SWSS.	No	No
accept_date	DATE	NULL	Date on which Foster Care supervisor accepted case.	No	No
register_date	DATE	NULL	Date on which the case was registered; case is considered registered when the FIA-133 is printed.	No	No

open_date	DATE	NULL	Date on which case was opened in SWSS; case is considered open when the FIA-5S has been printed.	No	No
close_date	DATE	NULL	Date on which the case was closed.	No	No
close_date_entered	DATE	NULL	Date on which the worker entered the CLOSE_DATE (AFCARS element).	No	No
cis_case_no	VARCHAR2(30)	NULL	Case number assigned by CIS/ ASSIST.	No	No
case_name	VARCHAR2(45)	NULL	Name of primary grantee - for Foster Care/Adoption/Juvenile Justice, this is the child; for Protective Services this is the primary caretaker.	No	No
close_code	VARCHAR2(2)	NULL	Codes for reasons why a case closed; e.g. (Code: Description) 01: Adoption confirmed 02: Adoption disrupted 03: Placed for Adoption 05: Married etc.	No	Yes
refer_notify	VARCHAR2(2)	NULL	Indicates that (Y) the referral source wants to be notified of the referral's disposition; or (N) not. Used for Protective Services referrals.	No	No
residence_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
residence_district	NUMBER(2)	NULL	Unique 2 digit district number that county offices have designated for each district.	No	Yes
latest_legal_status	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes

program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
latest_living_arrangement	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
program_status	NUMBER(1)	NULL	Identifies that the status of the case is (1) closed or (2) active.	No	No
swss_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
funding_source_elig_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes

conv_fund_src_cd	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
withdrawal_date	DATE	NULL	Date on which the case registration was withdrawn.	No	No
ma_withdrawal_date	DATE	NULL	Date on which Medicaid registration was withdrawn from the case.	No	No
ma_type	VARCHAR2(1)	NULL	Identifies that the Medicaid type is (1) Title IV E or (2) Department ward.	No	No
ma_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes

ma_denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/ Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes
ma_other_case	VARCHAR2(1)	NULL	Indicates that (Y) the client is enrolled in another Medicaid case; or (N) not.	No	No
case_state_at_closing	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_to_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transfer_from_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transferring_sup_load	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes

transfer_date	DATE	NULL	Date on which the case transfer occurred.	No	No
high_profile_ind	VARCHAR2(1)	NOT NULL	Indicates that (Y) the case has limited user access; or (N) not. Possible types of cases having limited access are: employee cases, cases that have sensitive medical data such as HIV, or cases involving politicians, etc.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
birth_cert_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the birth certificate was given to the youth at case closing; or (N) not; or Null.	No	No
ss_card_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the social security card was given to the youth at case closing; or (N) not; or Null.	No	No
med_passpt_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the medical passport was given to the youth at case closing; or (N) not; or Null.	No	No
aftercare_pamph_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the aftercare services pamphlet was given to the youth at case closing; or (N) not; or Null.	No	No
state_of_origin	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
mycu_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) approval from the Missing Youth Central Unit (MYCU) has been given to include the child for this case, on the missing children web page; or (N) not; or null.	No	No
mycu_approval_date	DATE	NULL	The date on which approval from the Missing Youth Central Unit (MYCU) was received so that the missing child can be included on the missing child web page.	No	No

country_of_origin	VARCHAR2(50)	NULL	Free-form text for the name of the country from which the case was transferred to Michigan.	No	No
fis_fip_load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
fis_fip_cims_case_number	VARCHAR2(30)	NULL	The CIMS case number for the FIS/FIP case. It is used to contact the FIS/FIP worker if a child is removed from a home during a CPS investigation.	No	No
bridges_conversion_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case (log_id) was converted to Bridges (rather than CIMS/ASSIST), when Bridges was implemented in production.	No	No
bridges_case_number	NUMBER	NULL	The case number that relates to the SWSS_CASE.LOG_ID, from the Bridges system.	No	No
num_guard_prev_priors	NUMBER(2)	NULL	The number of previous referrals to Prevention and Guardianship programs for a child.	No	No
yit_eligible_ind	VARCHAR2(1)	NULL	Identifies as (Y) the youth is eligible for Youth In Transition (YIT) services; or (N) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_swss_case	Yes
NU_swss_case_1	No
IF436_swss_case	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_swss_case	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique

NU swss case 1	No
NU swss case	No
XIF1104swss case	No

Validation(s) of "refer person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "refer person id" Column	
Name	Unique
IF937 swss case	No

Validation(s) of "ref source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref source code" Column	
Name	Unique
IF492 swss case	No

Validation(s) of "primary worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary worker id" Column	
Name	Unique
IF349 swss case	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "register date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cis case no" Column	
Name	Unique
NU swss case 2	No

Validation(s) of "case name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close code" Column	
Name	Unique
IF491 swss case	No

Validation(s) of "refer notify" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence county" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "residence district" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence district" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest legal status" Column	
Name	Unique
IF861 swss case	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
IF783 swss case	No

Validation(s) of "child id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child id" Column	
Name	Unique
IF935 swss case	No

Validation(s) of "latest living arrangement" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest living arrangement" Column	
Name	Unique
IF860 swss case	No

Validation(s) of "program status" Column			
Constraint Name	Min	Max	Rule

ck scase progstat			program status IN (2, 1)
-------------------	--	--	--------------------------

Valid Value(s) of "ck scase progstat" Validation		
Data Value	Display Value	Definition
2		Active
1		Closed

Validation(s) of "swss case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss case state" Column	
Name	Unique
IF784 swss case	No

Validation(s) of "eligibility code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility code" Column	
Name	Unique
IF806 swss case	No

Validation(s) of "funding source elig code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source elig code" Column	
Name	Unique
IF807 swss case	No

Validation(s) of "conv fund src cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "conv fund src cd" Column	
Name	Unique
IF1124 swss case	No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma type" Column			
Constraint Name	Min	Max	Rule
ck scase matype			ma type IN (1, 2)

Valid Value(s) of "ck scase matype" Validation		
Data Value	Display Value	Definition
1		Title IV E = eligibility code 13
2		Department ward = eligibility code 6

Validation(s) of "ma case state" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "ma case state" Column			
Name	Unique		
IF864 swss case	No		

Validation(s) of "denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "denial code" Column			
Name	Unique		
IF865 swss case	No		

Validation(s) of "ma denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ma denial code" Column			
Name	Unique		
IF866 swss case	No		

Validation(s) of "ma other case" Column			
Constraint Name	Min	Max	Rule
ck scase maothor			ma other case IN ('Y', 'N')

Valid Value(s) of "ck scase maothor" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "case state at closing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case state at closing" Column			
Name	Unique		
IF1022 swss case	No		

Validation(s) of "transfer case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer case state" Column			
Name	Unique		
IF1090 swss case	No		

Validation(s) of "transfer to county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer to county" Column			
Name	Unique		
IF1092 swss case	No		

Validation(s) of "transfer from county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer from county" Column			
Name	Unique		

IF1093 swss case	No
------------------	----

Validation(s) of "transferring sup load" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transferring sup load" Column	
Name	Unique
IF1094 swss case	No

Validation(s) of "transfer date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high profile ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_highprofind			high_profile_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_highprofind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_scase_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_scase_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "birth cert given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_brthcertgivnyth			birth_cert_given_youth IN ('N', 'Y')

Valid Value(s) of "ck_scase_brthcertgivnyth" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ss card given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_sscrdgivnyth			ss_card_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_sscrdgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med passpt given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_medpssprtgivnyth			med_passpt_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_medpssprtgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "aftercare pamph given youth" Column			
Constraint Name	Min	Max	Rule

ck_scase_aftcarpamgivyth			aftercare_pamph_given_youth IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_scase_aftcarpamgivyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "state_of_origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state_of_origin" Column	
Name	Unique
IF1246 swss case	No

Validation(s) of "mycu_approval_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_mycuapprvlind			mycu_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_mycuapprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mycu_approval_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country_of_origin" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fis_fip_load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fis_fip_load_no" Column	
Name	Unique
IF1711 swss case	No

Validation(s) of "fis_fip_cims_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bridges_conversion_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_brdgsconvind			bridges_conversion_ind IN ('Y')

Valid Value(s) of "ck_scase_brdgsconvind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "bridges_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "num_guard_prev_priors" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "yit_eligible_ind" Column			
Constraint Name	Min	Max	Rule

ck_scase_yiteligind_2104989609		yit_eligible_ind IN ('Y', 'N')
--------------------------------	--	--------------------------------

Valid Value(s) of "ck_scase_yiteligind_2104989609" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "provider" Picture Object	
Name	provider
Comment	Contains information about providers (Board & Care, Services, Licensee and others) identified by a unique combination of PROVIDER_ID and PROVIDER_TYPE; as the PROVIDER_ID can potentially repeat across the provider types. If the PROVIDER_TYPE is M for MPS (model payments) providers, then the PROVIDER_ID is downloaded from the MPS system. If the PROVIDER_TYPE is L for Licensee or O for Other, the PROVIDER_ID also would be taken from other systems. Only for the SWSS 'S' provider types, will a number be generated within SWSS.

Column(s) of "provider" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	No
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	No
security_level_code	VARCHAR2(2)	NULL	Contains codes for the security level for the youth; or the security level that a provider will accept or potentially accept for a child.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
security_level_chg_date	DATE	NULL	Date on which the security level changes.	No	No
alert_comment_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an alert comment on this provider; or (N) not.	No	No
provider_name	VARCHAR2(60)	NULL	Name identifying the provider.	No	No
prov_name_line2	VARCHAR2(60)	NULL	Free-form text to be used to clarify a provider's name; used in-lieu-of the recursive relationship (which includes PARENT_ORG_ID and PARENT_ORG_TYPE) on this PROVIDER table.	No	No

staff_ratio	NUMBER	NULL	Ratio of children to the provider's staff.	No	No
federal_tax_id	NUMBER(9)	NULL	Federal tax identification number for the provider.	No	No
tax_number_ind	VARCHAR2(1)	NULL	Indicates the type of tax number as (F) federal tax and (S) social security number	No	No
business_ind	VARCHAR2(1)	NULL	Indicates whether the provider is (#) an individual or (*) a business entity.	No	No
fia_ind	VARCHAR2(1)	NULL	Indicates that FIA (Y) is taking the role of a child placing agency (CPA); or (N) not	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the provider.	No	No
title_4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is eligible for Title IVE payments; or (N) not	No	No
enroll_date	DATE	NULL	Date on which the provider is enrolled with FIA to provide services.	No	No
close_date	DATE	NULL	Date on which the provider is no longer eligible to provide services for FIA.	No	No
contact_name	VARCHAR2(30)	NULL	The name of the contact person for the provider, organization, or branch	No	No
provider_text	VARCHAR2(2000)	NULL	Free-form text to describe anything pertinent to the provider, which may be useful for any worker to know, when working with or planning to work with the provider.	No	No
medical_dental_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is a medical or dental provider; or (N) not; or NULL	No	No
licensure_referral_date	DATE	NULL	The date the provider is referred to Licensure when no waiver is received	No	No
anticipated_licensure_date	DATE	NULL	This date is automatically populated 4 months from the licensure_referral_date for the anticipated date that the provider will be licensed.	No	No
eft_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is set up in MAIN to accept Electronic Fund Transfer (EFT) payments; or (N) the provider is not set up in MAIN to accept Electronic Fund Transfer (EFT) payments. EFT_MAIL_VALUE	No	No

			is used to further clarify the use of the two values above. This data is transferred to SWSS from BRIDGES.		
eft_mail_value	VARCHAR2(3)	NULL	Unconstrained database values that further explain values used in EFT_IND. If EFT_IND = Y, then acceptable values are E00, or 001 through 999. If EFT_IND = N, then acceptable values are E99, E00, or 000 through 999. This data is transferred to SWSS from BRIDGES.	No	No
modified_date	DATE	NULL		No	No
mail_to_ind	NUMBER(1)	NULL		No	No
issue_to_ind	NUMBER(1)	NULL		No	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp13			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp13" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "security_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security_level_code" Column	
Name	Unique
IF1548_provider	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
NU_provider	No

IF1068_provider	No
-----------------	----

Validation(s) of "security_level_chg_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "alert_comment_ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_name_line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "staff_ratio" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "federal_tax_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tax_number_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_taxnoind			tax_number_ind IN ('S', 'F')

Valid Value(s) of "ck_prd_taxnoind" Validation		
Data Value	Display Value	Definition
S		Social Security Number
F		Federal Tax Id

Validation(s) of "business_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_busind			business_ind IN ('*', '#')

Valid Value(s) of "ck_prd_busind" Validation		
Data Value	Display Value	Definition
*		Business
#		Person

Validation(s) of "fia_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_fiaind			fia_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_fiaind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title_4e_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_title4eind			title_4e_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_title4eind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "enroll date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medical dental ind" Column			
Constraint Name	Min	Max	Rule
ck prd meddentind			medical dental ind IN ('Y', 'N')

Valid Value(s) of "ck prd meddentind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "licensure referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "anticipated licensure date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eft ind" Column			
Constraint Name	Min	Max	Rule
ck prd eftind 321654296			eft ind IN ('Y', 'N')

Valid Value(s) of "ck prd eftind 321654296" Validation		
Data Value	Display Value	Definition
Y	Y	Yes - EFT accepted
N	N	No - Not accepting EFT

Validation(s) of "eft mail value" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mail to ind" Column			
Constraint Name	Min	Max	Rule
ck prd mailtoind 1538438344			mail to ind IN (1, 3)

Valid Value(s) of "ck prd mailtoind 1538438344" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Validation(s) of "issue to ind" Column			
Constraint Name	Min	Max	Rule

ck prd issuetoid 976691159			issue to ind IN (1, 3)
----------------------------	--	--	------------------------

Valid Value(s) of "ck prd issuetoid 976691159" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Table(s) of "case close" Picture Object	
Name	case_close
Comment	Contains codes and descriptions for the reasons why a case closed.

Column(s) of "case_close" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
close_code	VARCHAR2(2)	NOT NULL	Codes for reasons why a case closed; e.g. (Code: Description) 01: Adoption confirmed 02: Adoption disrupted 03: Placed for Adoption 05: Married etc.	Yes	No
description	VARCHAR2(65)	NULL	Explanation of each CLOSE_CODE.	No	No

Validation(s) of "close_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close_code" Column	
Name	Unique
PK case_close	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ref source" Picture Object	
Name	ref_source
Comment	Contains codes and descriptions for the source of the referral into a SWSS program/case; e.g. 1 Protect Srves 2 Court (except CPS) 3 Voluntary release 4 OTL etc.

Column(s) of "ref source" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
ref_source_code	NUMBER(2)	NOT NULL	Codes for referral source (case was created from this source); i.e. (Code: Description) 1: Protect Srves 2: Court (except CPS) 3: Voluntary release 4: OTI 5: Adoption disrupted 6: Voluntary placement	Yes	No
description	VARCHAR2(30)	NULL	Explanation of referral source codes.	No	No

Validation(s) of "ref source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref source code" Column	
Name	Unique
PK_ref_source	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "fc_event" Picture Object	
Name	fc_event
Comment	Contains codes and descriptions for Foster Care events; e.g. 1 Ret to home remvd from 2 Ret to other parent 3 Volntry release for adopt, etc.

Column(s) of "fc_event" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
fc_event_code	NUMBER(1)	NOT NULL	Codes representing a foster care event; i. e. (Code: Description) 1: Ret to home remvd from 2: Ret to other parent 3: Volntry release for adopt 4: Pet to term parent rights 5: Placed with relatives 6: No outcome	Yes	No
description	VARCHAR2(30)	NULL	Explanation of FC_EVENT_CODE.	No	No

Validation(s) of "fc_event_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fc_event_code" Column	
Name	Unique
PK fc_event	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "notify whom" Picture Object	
Name	notify whom
Comment	Contains codes and descriptions to identify who was notified; e.g. 1 Court 2 Facility director 3 Parents/Family 4 Youth 5 Victim(s)

Column(s) of "notify whom" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
code	VARCHAR2(2)	NOT NULL	Codes to identify who was notified; e.g. (Code: Description) 1: Court 2: Facility director 3: Parents/Family 4: Youth 5: Victim(s)	Yes	No
description	VARCHAR2(30)	NULL	Explanation of NOTIFY_WHOM.CODE.	No	No

Validation(s) of "code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "code" Column	
Name	Unique
PK_notify_whom	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "notify_type" Picture Object	
Name	notify_type
Comment	Contains codes and descriptions for the types of events that could occur that would warrant notification of an individual(s); e.g. 1 Apprehension 2 Arrest warrant 3 AWOL 4 Court hearing 5 Violation petition

Column(s) of "notify_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
code	VARCHAR2(2)	NOT NULL	Codes to identify the type of event that warrant notification of an individual(s); e.g. (Code: Description) 1: Apprehension 2: Arrest warrant 3: AWOL 4: Court hearing 5: Violation petition	Yes	No
description	VARCHAR2(30)	NULL	Explanation of NOTIFY_TYPE.CODE.	No	No

Validation(s) of "code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "code" Column	
Name	Unique
PK_notify_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "how shared" Picture Object	
Name	how_shared
Comment	Contains codes and descriptions for identifying how case information is shared for the case.

Column(s) of "how_shared" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
how_shared	VARCHAR2(1)	NOT NULL	Codes for how information can be shared for the case; e.g. (Code: Description) L: Letter T: Telephone F: Face to Face M: Letter and Face to Face etc.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of HOW_SHARED.	No	No

Validation(s) of "how_shared" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "how_shared" Column	
Name	Unique
PK how_shared	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "jj_info" Picture Object	
Name	jj_info
Comment	Contains information specific to the Juvenile Justice case of the child. This has a one-to-one relation with the SWSS_CASE table.

Column(s) of "jj_info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
federal_goal_code	VARCHAR2(2)	NULL	Contains codes for the federal goals for Foster Care children.	No	Yes
goal_code	NUMBER(2)	NULL	Codes to describe the goal for the child; e.g. (Code: Description): 7: Place with relative (CommCare) 8: Return home (CommCare) 9: Custodial Care (InstCare) 10: Adoption (CommCare) etc.	No	Yes
security_override	VARCHAR2(3)	NULL	Contains codes that the worker can use to override the youth placement security level.	No	Yes
security_level_code	VARCHAR2(2)	NULL	Contains codes for the security level for the youth; or the security level that a provider will accept or potentially accept for a child.	No	Yes
goal_status_code	NUMBER(2)	NULL	Codes for the status of the goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	No	Yes

goal_change_date	DATE	NULL	Date on which the goal for the child changed in Juvenile Justice.	No	No
jj_prod_code	NUMBER(1)	NULL	Codes to indicate the juvenile's productivity status; e.g. (Code: Description) 1: Non-Productive 2: School 3: Skill Training 4: Employed 5: School/ Employed etc.	No	Yes
psi_ind	VARCHAR2(1)	NULL	Indicates that (Y) there was a pre-sentence investigation (psi); or (N) not.	No	No
oti_case_ind	VARCHAR2(1)	NULL	Indicates that (Y) this is an "Out of Town Inquiry" case (child is from out of state but placed in Michigan home); or (N) not.	No	No
father_unknown	VARCHAR2(1)	NULL	Indicates that (Y) the child's father is unknown; or (N) is known.	No	No
mother_unknown	VARCHAR2(1)	NULL	Indicates that (Y) the child's mother is unknown; or (N) is known.	No	No
mother_married_tob	VARCHAR2(1)	NULL	Indicates that (Y) the child's mother was married at the time of the child's birth; or (N) not.	No	No
unknown_relatives	VARCHAR2(1)	NULL	Indicates that (Y) the child has no known relatives; or (N) has known relatives.	No	No
comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
security_needs_score	NUMBER(3)	NULL	SDM needs score which relates to the SECURITY_LEVEL_CODE.	No	No
permanency_achieved_ind	VARCHAR2(1)	NULL	Indicates that (Y) permanency was achieved; or (N) permanency was not achieved; or NULL.	No	No
permanency_achieved_date	DATE	NULL	Date on which permanency was achieved.	No	No
permanency_disrupted_ind	VARCHAR2(1)	NULL	Indicates that (Y) permanency was disrupted; or (N) permanency was not disrupted; or (NULL).	No	No

permanency_disrupted_date	DATE	NULL	Date on which permanency was disrupted.	No	No
permanency_goal_code	VARCHAR2(2)	NULL	Contains codes for the federal goals for Foster Care children.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_jj_info	Yes
IF441_jj_info	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_jj_info	Yes
IF441_jj_info	No

Validation(s) of "federal_goal_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "federal_goal_code" Column	
Name	Unique
IF1681_jj_info	No

Validation(s) of "goal_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal_code" Column	
Name	Unique
IF1681_jj_info	No

Validation(s) of "security_override" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security_override" Column	
Name	Unique
IF1546_jj_info	No

Validation(s) of "security_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security_level_code" Column	
Name	Unique
IF1545_jj_info	No

Validation(s) of "goal_status_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal_status_code" Column	
Name	Unique

IF1057 jj info	No
----------------	----

Validation(s) of "goal change date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "jj prod code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jj prod code" Column	
Name	Unique
IF499 jj info	No

Validation(s) of "psi ind" Column			
Constraint Name	Min	Max	Rule
ck_ji_psiind			psi_ind IN ('Y', 'N')

Valid Value(s) of "ck_ji_psiind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "oti case ind" Column			
Constraint Name	Min	Max	Rule
ck_ji_oticaseind			oti_case_ind IN ('Y', 'N')

Valid Value(s) of "ck_ji_oticaseind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "father unknown" Column			
Constraint Name	Min	Max	Rule
ck_ji_fathunk			father_unknown IN ('Y', 'N')

Valid Value(s) of "ck_ji_fathunk" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mother unknown" Column			
Constraint Name	Min	Max	Rule
ck_ji_mothunk			mother_unknown IN ('Y', 'N')

Valid Value(s) of "ck_ji_mothunk" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mother married tob" Column			
Constraint Name	Min	Max	Rule
ck_ji_mothmarrtob			mother_married_tob IN ('Y', 'N', 'U')

Valid Value(s) of "ck_ji_mothmarrtob" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
U		Unknown

Validation(s) of "unknown relatives" Column			
Constraint Name	Min	Max	Rule

ck_ji_unkrel			unknown relatives IN ('Y', 'N')
--------------	--	--	---------------------------------

Valid Value(s) of "ck_ji_unkrel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
IF756_jj_info	No

Validation(s) of "row_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "security_needs_score" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency_achieved_ind" Column			
Constraint Name	Min	Max	Rule
ck_ji_prmncyachvdind_790074262			permanency_achieved_ind IN ('Y', 'N')

Valid Value(s) of "ck_ji_prmncyachvdind_790074262" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "permanency_achieved_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency_disrupted_ind" Column			
Constraint Name	Min	Max	Rule
ck_ji_prmncydsrptdi_2007137713			permanency_disrupted_ind IN ('Y', 'N')

Valid Value(s) of "ck_ji_prmncydsrptdi_2007137713" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "permanency_disrupted_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "permanency_goal_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "permanency_goal_code" Column	
Name	Unique
IF1682_jj_info	No

Table(s) of "ad info" Picture Object	
Name	ad info
Comment	Contains information specific to the adoption case of a child. There may be many occurrences of AD_INFO for each SWSS case, as adoptions may be interrupted and new adoptions initiated.

Column(s) of "ad info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
ad_info_id	NUMBER	NOT NULL	System generated number that uniquely identifies all occurrences of adoptions for one child.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
subsidy_type	NUMBER(1)	NULL	Codes for the types of subsidies which may be available for the adoption; i.e. (Code: Description) 1: Adopt. Sup. Subsidy 2: Medical Subsidy 3: Both 4: None	No	Yes
placement_type	NUMBER(1)	NULL	Codes for the types of adoption placements; i.e. (Code: Description) 1: Two Parent Adopting 2: Single Parent Adopting 3: Two Foster Parent Adopting 4: Single Parent Adopting 5: Two Relative Adopting 6: Single Relative Adopting	No	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
placed_by_code	NUMBER(2)	NULL	Codes for who placed the child in the adoptive home; i.e. (Code: Description) 1: Public Agency (DHS) 2: Private Agency (POS) 3: Tribal Agency 5: Birth Parent (Direct Consent)	No	Yes

goal_or_commit_accept_date	DATE	NULL	If adoption is the goal, date from foster care legal (commit or accept date); or the date the goal became adoption.	No	No
refer_to_adopt_date	DATE	NULL	Date the child was referred to adoption.	No	No
accept_or_denial_date	DATE	NULL	Date adoption supervisor accepted or denied the case.	No	No
assignment_date	DATE	NULL	Date case was assigned to adoption worker.	No	No
date_entry_form_sent	DATE	NULL	Date registration form was sent to MARE.	No	No
date_last_print	DATE	NULL	Date information packet was sent to MARE.	No	No
adoption_type	VARCHAR2(1)	NULL	Type of adoption; i. e. (F) foster care adoption, (R) relative adoption, (O) other approved family adoption.	No	No
potential_adoptive_family_name	VARCHAR2(60)	NULL	Family's name who would like to adopt the child.	No	No
other_appr_family_agency	VARCHAR2(30)	NULL	Agency that is representing the Other Approved Family (the family who is also approved for adoption, in case the original adoption is disrupted).	No	No
legal_barrier	VARCHAR2(1)	NULL	Indicates that (Y) there are legal barriers to child being adopted; or (N) not.	No	No
parental_appeal	VARCHAR2(1)	NULL	Indicates that (Y) the birth parents are appealing the termination of their parental rights; or (N) not.	No	No
video_available	VARCHAR2(1)	NULL	Indicates that (Y) a MARE video of child is available for viewing; or (N) not.	No	No
request_mare_to_video	VARCHAR2(1)	NULL	Indicates that (Y) MARE has been requested to make a video of the child; or (N) not.	No	No

use_photo_in_poster	VARCHAR2(1)	NULL	Indicates that (Y) permission has been granted to use child's photo in a poster; or (N) not.	No	No
use_photo_in_news-paper	VARCHAR2(1)	NULL	Indicates that (Y) permission has been granted to place the child's picture in the newspaper; or (N) not.	No	No
consider_out_of_state_ad	VARCHAR2(1)	NULL	Indicates that (Y) the child can be placed in an out of state adoptive home; or (N) not.	No	No
no_of_sibs_to_place_together	NUMBER(2)	NULL	Number of siblings to be placed together in an adoptive home.	No	No
oti_case_ind	VARCHAR2(1)	NULL	Indicates that (Y) this is an "Out of Town Inquiry" case (child is from out of state but placed in Michigan home); or (N) not.	No	No
disruption_date	DATE	NULL	Date the adoption process was disrupted and the child was returned to state custody.	No	No
denied_ind	VARCHAR2(1)	NULL	Indicates whether the supervisor has (A) accepted or (D) denied the referral for adoption.	No	No
mare_status	VARCHAR2(1)	NULL	Indicates the status of MARE; i.e. (I) initial, (H) hold, (E) extended hold, (R) registered hold.	No	No
no_prev_adopts	NUMBER(2)	NULL	Number of times the child was previously adopted.	No	No
adoption_origin	VARCHAR2(1)	NULL	Codes for types of adoption origin; e.g. (Code: Description) 1: In County Placement - FIA 2: In County Placement - Purchase 3: Other County Placement - FIA 4: Other County Placement - Purchase 5: Interstate Adoption - FIA etc.	No	Yes

ad_subsidy	NUMBER(1)	NULL	Identifies what type of adoption subsidy a child is receiving after placement; (1) Adoption Support Subsidy, (2) Medical Subsidy, (3) Both, or (4) None.	No	No
cfc_cis_case_no	VARCHAR2(30)	NULL	Case number assigned by CIS/ ASSIST.	No	No
cfc_recipient_id	NUMBER(12)	NULL	Person's CIS recipient ID number or ASSIST client ID number.	No	No
mare_form_ind	VARCHAR2(1)	NULL	Indicates the type of form most recently printed; (H) MARE Hold Form or (R) MARE Register Form.	No	No
interested_family	VARCHAR2(1)	NULL	Indicates that (Y) there is a family interested in adopting this child; or (N) not; or NULL.	No	No
child_function_as_adult	VARCHAR2(1)	NULL	Indicates that (Y) the child can function as an adult; or (N) not; or (M) may need assistance; or NULL.	No	No
child_liv_rel_home	VARCHAR2(1)	NULL	Indicates that (Y) the child is living in a relative's home; or (N) not; or NULL.	No	No

Validation(s) of "ad info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad info id" Column	
Name	Unique
PK ad info	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK ad info	Yes
IF437 ad info	No

Validation(s) of "subsidy type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "subsidy type" Column	
Name	Unique
IF1005 ad info	No

Validation(s) of "placement type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement type" Column	
Name	Unique

IF1004 ad info	No
----------------	----

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
AK ad info	No
IF437 ad info	No

Validation(s) of "placed by code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placed by code" Column	
Name	Unique
IF611 ad info	No

Validation(s) of "goal or commit accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "refer to adopt date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "accept or denial date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "assignment date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "date entry form sent" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "date last print" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adoption type" Column			
Constraint Name	Min	Max	Rule
ck ai adtyp			adoption_type IN ('R','O','F')

Valid Value(s) of "ck ai adtyp" Validation		
Data Value	Display Value	Definition
R		Relative adoption
O		Other approved family adoption
F		Foster care adoption

Validation(s) of "potential adoptive family name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "other appr family agency" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "legal barrier" Column			
Constraint Name	Min	Max	Rule

ck_ai_legbar			legal_barrier IN ('Y', 'N')
--------------	--	--	-----------------------------

Valid Value(s) of "ck_ai_legbar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "parental_appeal" Column			
Constraint Name	Min	Max	Rule
ck_ai_prntlappeal			parental_appeal IN ('Y', 'N')

Valid Value(s) of "ck_ai_prntlappeal" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "video_available" Column			
Constraint Name	Min	Max	Rule
ck_ai_vidavail			video_available IN ('Y', 'N')

Valid Value(s) of "ck_ai_vidavail" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "request_mare_to_video" Column			
Constraint Name	Min	Max	Rule
ck_ai_rqstmarevid			request_mare_to_video IN ('Y', 'N')

Valid Value(s) of "ck_ai_rqstmarevid" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "use_photo_in_poster" Column			
Constraint Name	Min	Max	Rule
ck_ai_usephotpost			use_photo_in_poster IN ('Y', 'N')

Valid Value(s) of "ck_ai_usephotpost" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "use_photo_in_newspaper" Column			
Constraint Name	Min	Max	Rule
ck_ai_usephotnewsp			use_photo_in_newspaper IN ('Y', 'N')

Valid Value(s) of "ck_ai_usephotnewsp" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "consider_out_of_state_ad" Column			
Constraint Name	Min	Max	Rule
ck_ai_consoutstad			consider_out_of_state_ad IN ('Y', 'N')

Valid Value(s) of "ck_ai_consoutstad" Validation		
Data Value	Display Value	Definition
Y		Yes

N		No
---	--	----

Validation(s) of "no of sibs to place together" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "oti case ind" Column			
Constraint Name	Min	Max	Rule
ck ai oticaseind			oti case ind IN ('Y', 'N')

Valid Value(s) of "ck ai oticaseind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "disruption date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "denied ind" Column			
Constraint Name	Min	Max	Rule
ck ai denind			denied ind IN ('D', 'A')

Valid Value(s) of "ck ai denind" Validation		
Data Value	Display Value	Definition
D		Denied
A		Accepted

Validation(s) of "mare status" Column			
Constraint Name	Min	Max	Rule
ck ai marestat			mare status IN ('I', 'H', 'E', 'R')

Valid Value(s) of "ck ai marestat" Validation		
Data Value	Display Value	Definition
I		Initial
H		Hold
E		Extended hold
R		Registered hold

Validation(s) of "no prev adopts" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adoption origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adoption origin" Column	
Name	Unique
IF798 ad info	No

Validation(s) of "ad subsidy" Column			
Constraint Name	Min	Max	Rule
ck ai adsub			ad subsidy IN (1, 2, 3, 4)

Valid Value(s) of "ck ai adsub" Validation		
Data Value	Display Value	Definition
1		Adoption support subsidy
2		Medical subsidy
3		Both
4		None

Validation(s) of "cfc cis case no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "cfc_recipient_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mare_form_ind" Column			
Constraint Name	Min	Max	Rule
ck_ai_marefrmind			mare_form_ind IN ('H', 'R')

Valid Value(s) of "ck_ai_marefrmind" Validation		
Data Value	Display Value	Definition
H		MARE Hold Form
R		MARE Register Form

Validation(s) of "interested_family" Column			
Constraint Name	Min	Max	Rule
ck_ai_interfam			interested_family IN ('Y', 'N')

Valid Value(s) of "ck_ai_interfam" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "child_function_as_adult" Column			
Constraint Name	Min	Max	Rule
ck_ai_chfctadult			child_function_as_adult IN ('Y', 'N', 'M')

Valid Value(s) of "ck_ai_chfctadult" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
M		May need assistance

Validation(s) of "child_liv_rel_home" Column			
Constraint Name	Min	Max	Rule
ck_ai_chlivrelhm			child_liv_rel_home IN ('Y', 'N')

Valid Value(s) of "ck_ai_chlivrelhm" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "swss miss child" Picture Object	
Name	swss miss child
Comment	Contains data for the website for missing (awol) Foster Care children.

Column(s) of "swss miss child" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county	NUMBER(2)	NULL	COUNTY_NO from SWSS_CASE.	No	No
personid	NUMBER	NULL	CHILD_ID from SWSS_CASE.	No	No
logid	NUMBER	NULL	LOG_ID from SWSS_CASE.	No	No
load	NUMBER(10)	NULL	LOAD_NO from LOAD_CASE for the primary worker.	No	No
prg	VARCHAR2(4)	NULL	PROGRAM_CODE from SWSS_CASE.	No	No
ls	NUMBER(2)	NULL	LATEST_LEGAL_STATUS from SWSS_CASE.	No	No
casename	VARCHAR2(93)	NULL	CASE_NAME from SWSS_CASE for the grantee's name.	No	No
cisno	VARCHAR2(30)	NULL	CIS_CASE_NO from SWSS_CASE.	No	No
clientid	VARCHAR2(10)	NULL	RECIPIENT_ID from GROUP_PERSON.	No	No
ssn	VARCHAR2(10)	NULL	SSN from GROUP_PERSON.	No	No
gender	VARCHAR2(1)	NULL	SEX from GROUP_PERSON.	No	No
height	VARCHAR2(15)	NULL	HEIGHT from GROUP_PERSON.	No	No
weight	VARCHAR2(15)	NULL	WEIGHT from GROUP_PERSON.	No	No
haircolor	VARCHAR2(50)	NULL	HAIR_COLOR from GROUP_PERSON.	No	No
eyecolor	VARCHAR2(15)	NULL	EYE_COLOR from GROUP_PERSON.	No	No
placebeg	DATE	NULL	PROV_BEGIN_DATE from PROVIDER_CASE_PERSON (placement begin date).	No	No
dob	DATE	NULL	DATE_OF_BIRTH from GROUP_PERSON.	No	No
currentage	NUMBER	NULL	Calculation of system date minus date of birth.	No	No
missingage	NUMBER	NULL	Calculation of placement begin date (placebeg in this record for the AWOL placement) minus date of birth.	No	No
racecodes	VARCHAR2(4000)	NULL	Multiple occurrences of RACE_CODE from GROUP_PERSON_RACE.	No	No
lastaddr	VARCHAR2(4000)	NULL	Last placement address before the child went missing (AWOL) from PROVIDER_ADDRESS.	No	No

placingagency	VARCHAR2(4000)	NULL	If a CPA, the CPA's name. If DHS, then the entry is DHS.	No	No
mycu_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) the Missing Youth group has approved inclusion of the child in the missing child web page.	No	No
fileext	VARCHAR2(6)	NULL	File extension for the child (e.g. jpg, etc.).	No	No
distmarks	CLOB	NULL	Distinguishing marks on the missing child as entered by the MYCU.	No	No
picdate	DATE	NULL	Date of the missing child's picture.	No	No
picture	BLOB	NULL	The missing child's picture.	No	No

Validation(s) of "county" Column

Constraint Name	Min	Max	Rule

Validation(s) of "personid" Column

Constraint Name	Min	Max	Rule

Validation(s) of "logid" Column

Constraint Name	Min	Max	Rule

Validation(s) of "load" Column

Constraint Name	Min	Max	Rule

Validation(s) of "prg" Column

Constraint Name	Min	Max	Rule

Validation(s) of "ls" Column

Constraint Name	Min	Max	Rule

Validation(s) of "casename" Column

Constraint Name	Min	Max	Rule

Validation(s) of "cisno" Column

Constraint Name	Min	Max	Rule

Validation(s) of "clientid" Column

Constraint Name	Min	Max	Rule

Validation(s) of "ssn" Column

Constraint Name	Min	Max	Rule

Validation(s) of "gender" Column

Constraint Name	Min	Max	Rule

Validation(s) of "height" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "weight" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "haircolor" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eyecolor" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placebeg" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "currentage" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "missingage" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "racecodes" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "lastaddr" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placingagency" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mycu approval ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fileext" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "distmarks" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "picdate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "picture" Column			
Constraint Name	Min	Max	Rule

Table(s) of "eligibility type" Picture Object	
Name	eligibility type
Comment	Contains codes and descriptions for criteria regarding eligibility to receive funds; e.g. 01 FIP 02 SSI Recipient 03 Ind/Fam Prot Srv 04 Inc Scale 1 - MA, etc.

Column(s) of "eligibility type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
eligibility_code	VARCHAR2(2)	NOT NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of ELIGIBILITY_CODE.	No	No

Validation(s) of "eligibility code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility code" Column	
Name	Unique
PK eligibility type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "security_level_type" Picture Object	
Name	security_level_type
Comment	Contains codes and descriptions for identifying the security level of the youths placement.

Column(s) of "security_level_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
security_level_code	VARCHAR2(2)	NOT NULL	Contains codes for the security level for the youth; or the security level that a provider will accept or potentially accept for a child.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SECURITY_LEVEL_CODE.	No	No

Validation(s) of "security_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security_level_code" Column	
Name	Unique
PK_security_level_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "security override" Picture Object	
Name	security override
Comment	Contains codes and descriptions that the worker can use to override the youth placement security level.

Column(s) of "security override" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
security_override	VARCHAR2(3)	NOT NULL	Contains codes that the worker can use to override the youth placement security level	Yes	No
description	VARCHAR2(75)	NULL	Explanation of SECURITY_OVERRIDE.	No	No

Validation(s) of "security override" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security override" Column	
Name	Unique
PK_security_override	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "federal goal codes" Picture Object	
Name	federal goal codes
Comment	Contains codes and descriptions for the federal goals for Foster Care children.

Column(s) of "federal goal codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
federal_goal_code	VARCHAR2(2)	NOT NULL	Contains codes for the federal goals for Foster Care children.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of FEDERAL_GOAL_CODE.	No	No
sort_order	NUMBER(2)	NULL	Used to display the federal goal codes in the application screen, in the order desired by the users.	No	No

Validation(s) of "federal goal code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "federal goal code" Column	
Name	Unique
PK federal goal codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sort_order" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case person" Picture Object	
Name	case_person
Comment	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck cp emergcont			emergency contact IN ('Y', 'N')

Valid Value(s) of "ck cp emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp legpar			legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp prevlegpar			prev legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck cp phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck cp phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck cp payeeind			payee ind IN ('Y', 'N')

Valid Value(s) of "ck cp payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck cp qualsibind			qualified sib ind IN ('Y', 'N')

Valid Value(s) of "ck cp qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettip			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')


Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

cdr / Display1



Table(s) of "cdr child fatalities" Picture Object	
Name	cdr child fatalities
Comment	Contains information about a child's death; or multiple children's death.

Column(s) of "cdr child fatalities" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	No
hospital_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a hospital.	No	Yes
other_agency_text	VARCHAR2(4000)	NULL	Free-form text for identifying other agencies that were involved in the report of the child's death.	No	No
circumstance_comment	CLOB	NULL	Free-form text to explain the circumstances of the child's death.	No	No
dhs_report_date	DATE	NULL	Date on which the DHS report was completed.	No	No
supervising_role_code	VARCHAR2(2)	NULL	Contains codes for the perpetrator's relationship to the victim.	No	Yes
water_body_code	NUMBER(2)	NULL	Contains codes for general types of water bodies (e.g. pond, lake, etc.) where a child's death occurred.	No	Yes
event_location_code	NUMBER(2)	NULL	Contains codes for where a child's death occurred.	No	Yes
other_location_text	VARCHAR2(100)	NULL	Free-form text for further explanation, when "Other" is chosen for either WATER_BODY_CODE, or EVENT_LOCATION_CODE.	No	No
adopted_children_in_home	NUMBER(2)	NULL	The number of adopted children in the home.	No	No
police_notification_comment	VARCHAR2(4000)	NULL	Free-form text for comments associated with notifying the police regarding a child's death.	No	No

coroner_name	VARCHAR2(100)	NULL	Free-form text for the name of the coroner.	No	No
autopsy_results	VARCHAR2(4000)	NULL	Free-form text for the results of the autopsy.	No	No
media_comment	VARCHAR2(4000)	NULL	Free-form text for information given to the media regarding the child's death.	No	No
supervising_comment	VARCHAR2(4000)	NULL	Free-form text for comments about the supervision of the child.	No	No
inadequate_supv_comment	VARCHAR2(4000)	NULL	Free-form text for comments about any inadequate supervision of the child.	No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
institution_contact_first_name	VARCHAR2(30)	NULL		No	No
institution_contact_last_name	VARCHAR2(30)	NULL		No	No
institution_contact_phone	NUMBER(10)	NULL		No	No
incident_occurred_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
incident occurred text	VARCHAR2(200)	NULL		No	No
num_children_in_home_at_death	NUMBER(2)	NULL		No	No
person_in_charge_first_name	VARCHAR2(30)	NULL		No	No
person_in_charge_mid_name	VARCHAR2(30)	NULL		No	No
person_in_charge_last_name	VARCHAR2(30)	NULL		No	No
facility_type_code	NUMBER(2)	NULL		No	Yes
other_facility_type_text	VARCHAR2(100)	NULL	Description of a facility that is described as 'Other' in the facility_type_codes table.	No	No

licensing_consultant_name	VARCHAR2(60)	NULL		No	No
submitted_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
submitted by date	DATE	NULL		No	No
supvsr_review_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
supvsr review date	DATE	NULL		No	No
supvsr review ind	VARCHAR2(1)	NULL		No	No
supvsr review text	VARCHAR2(4000)	NULL		No	No
treating_person_facility_name	VARCHAR2(100)	NULL		No	No
treating_person_facility_phone	NUMBER(10)	NULL		No	No
institution name	VARCHAR2(100)	NULL		No	No
institution_license_number	VARCHAR2(20)	NULL		No	No
institution_address_line1	VARCHAR2(60)	NULL		No	No
institution_address_line2	VARCHAR2(60)	NULL		No	No
institution city	VARCHAR2(30)	NULL		No	No
institution_state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
institution zip	VARCHAR2(10)	NULL		No	No
official death code	NUMBER(2)	NULL		No	Yes
cps_info_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
cps_info_log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
cps notification date	DATE	NULL		No	No
out of state ind	VARCHAR2(1)	NULL		No	No
record create date	DATE	NULL		No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_cdr_child_fatalities	Yes
IF1874_cdr_child_fatalities	No

Validation(s) of "log_id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column

Name	Unique
------	--------

PK cdr child fatalities	Yes
IF1874 cdr child fatalities	No

Validation(s) of "child fatality app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child fatality app seq" Column	
Name	Unique
PK cdr child fatalities	Yes

Validation(s) of "hospital id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hospital id" Column	
Name	Unique
IF1863 cdr child fatalities	No

Validation(s) of "other agency text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "circumstance comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dhs report date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervising role code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supervising role code" Column	
Name	Unique
IF1868 cdr child fatalities	No

Validation(s) of "water body code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "water body code" Column	
Name	Unique
IF1867 cdr child fatalities	No

Validation(s) of "event location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event location code" Column	
Name	Unique
IF1866 cdr child fatalities	No

Validation(s) of "other location text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adopted children in home" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "police notification comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "coroner name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "autopsy results" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "media comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervising comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "inadequate supv comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1869 cdr child fatalities	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider type" Column	
Name	Unique
IF1869 cdr child fatalities	No

Validation(s) of "institution contact first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution contact last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution contact phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "incident occurred county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "incident occurred county no" Column	
Name	Unique
IF1870 cdr child fatalities	No

Validation(s) of "incident occurred text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "num children in home at death" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person in charge first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person in charge mid name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person in charge last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "facility type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "facility type code" Column	
Name	Unique
IF1871 cdr child fatalities	No

Validation(s) of "other facility type text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "licensing consultant name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "submitted by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "submitted by worker id" Column	
Name	Unique
IF1873 cdr child fatalities	No

Validation(s) of "submitted by date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supvsr review worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supvsr review worker id" Column	
Name	Unique
IF1872 cdr child fatalities	No

Validation(s) of "supvsr review date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supvsr review ind" Column			
Constraint Name	Min	Max	Rule
ck chldflts spvrwi 413584056			supvsr review ind IN ('Y', 'N')

Valid Value(s) of "ck chldflts spvrwi 413584056" Validation		
Data Value	Display Value	Definition

Y	Y	Yes
N	N	No

Validation(s) of "supvsr review text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "treating person facility name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "treating person facility phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution license number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "institution state code" Column	
Name	Unique
IF1875 cdr child fatalities	No

Validation(s) of "institution zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "official death code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "official death code" Column	
Name	Unique
IF1876 cdr child fatalities	No

Validation(s) of "cps info county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps info county no" Column	
Name	Unique

IF1877 cdr child fatalities	No
-----------------------------	----

Validation(s) of "cps info log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps info log id" Column	
Name	Unique
IF1877 cdr child fatalities	No

Validation(s) of "cps notification date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "out of state ind" Column			
Constraint Name	Min	Max	Rule
ck chldflts outstin 975059139			out of state ind IN ('Y')

Valid Value(s) of "ck chldflts outstin 975059139" Validation		
Data Value	Display Value	Definition
Y	Y	Yes

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr child fatality answers" Picture Object	
Name	cdr child fatality answers
Comment	Contains yes/no answers to questions regarding a child's or children's death via links to CDR_CHILD_FATALITIES and CPS_QUESTIONS tables.

Column(s) of "cdr child fatality answers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	Yes
cdr_question_code	VARCHAR2(20)	NOT NULL		Yes	Yes
answer_ind	VARCHAR2(2)	NULL	Indicates either Y (for Yes) or N (for No) as answers to questions regarding a child's or children's death.	No	No
text	VARCHAR2(4000)	NULL		No	No
associated_date	DATE	NULL		No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cdr_child_fatality_answers	Yes
IF1862_cdr_child_fatality_answ	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cdr_child_fatality_answers	Yes
IF1862_cdr_child_fatality_answ	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK_cdr_child_fatality_answers	Yes
IF1862_cdr_child_fatality_answ	No

Validation(s) of "cdr_question_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cdr question code" Column	
Name	Unique
PK cdr child fatality answers	Yes
IF1863 cdr child fatality answ	No

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck_chldfltsanswrs_answrind			answer_ind IN ('Y', 'N', 'U', 'NA')

Valid Value(s) of "ck chldfltsanswrs answrind" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No
U	U	Unknown
NA	NA	Not Applicable

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "associated date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr child fatality programs" Picture Object	
Name	cdr child fatality programs
Comment	Contains links to CDR_CHILD_FATALITIES and PROGRAM tables to allow for multiple programs associated with the child's death.

Column(s) of "cdr child fatality programs" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case.	Yes	Yes
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cdr_child_fatality_programs	Yes
IF1871_cdr_child_fatality_prog	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cdr_child_fatality_programs	Yes
IF1871_cdr_child_fatality_prog	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK_cdr_child_fatality_programs	Yes
IF1871_cdr_child_fatality_prog	No

Validation(s) of "program_code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "program code" Column	
Name	Unique
PK cdr child fatality programs	Yes
IF1870 cdr child fatality prog	No

Table(s) of "cdr fatality children" Picture Object	
Name	cdr fatality children
Comment	Contains links to CDR_CHILD_FATALITIES and CASE_PERSON tables to identify the child or children associated with a child's, or children's fatality.

Column(s) of "cdr fatality children" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case.	Yes	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cdr fatality children	Yes
IF1859 cdr fatality children	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cdr fatality children	Yes
IF1859 cdr fatality children	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK cdr fatality children	Yes
IF1860 cdr fatality children	No

Validation(s) of "child_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_id" Column	
Name	Unique

PK cdr fatality children	Yes
IF1859 cdr fatality children	No

Table(s) of "cdr event location codes" Picture Object	
Name	cdr event location codes
Comment	Contains codes and descriptions for where a child's death occurred.

Column(s) of "cdr event location codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
event_location_code	NUMBER(2)	NOT NULL	Contains codes for where a child's death occurred.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of EVENT_LOCATION_CODE.	No	No
end_date	DATE	NULL	Date on which a code is no longer displayed in the list of values; but remains in the table to accomodate previous use in a related, data table. Some codes, when end-dated, may also be converted to a different code in data tables; and remain in this code table for historic reasons.	No	No

Validation(s) of "event location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event location code" Column	
Name	Unique
PK cdr event location codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps police notifications" Picture Object	
Name	cps police notifications
Comment	Contains links to CPS_CHILD_FATALITIES and POLICE_DEPARTMENTS tables to identify all law enforcement agencies that were notified and involved in a child's or children's death.

Column(s) of "cps police notifications" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	Yes
police_department_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each police department, sheriff's office, etc.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cps police notifications	Yes
IF1850 cps police notification	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps police notifications	Yes
IF1850 cps police notification	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK cps police notifications	Yes
IF1850 cps police notification	No

Validation(s) of "police_department_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "police_department_id" Column	
Name	Unique

PK cps police notifications	Yes
IF1849 cps police notification	No

Table(s) of "hospitals" Picture Object	
Name	hospitals
Comment	Contains hospital name and address information.

Column(s) of "hospitals" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
hospital_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a hospital.	Yes	No
hospital_code	NUMBER(3)	NULL	Internal, medical-system, hospital code.	No	No
hospital_name	VARCHAR2(40)	NULL	Name of the hospital.	No	No
address_line1	VARCHAR2(60)	NULL	Free-form text of the first line of a hospital's address.	No	No
address_line2	VARCHAR2(60)	NULL	Free-form text of the second line of a hospital's address.	No	No
city	VARCHAR2(30)	NULL	City name used in a hospital's address.	No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
zip	VARCHAR2(10)	NULL	Zip code for a hospital's address.	No	No
zip_plus	VARCHAR2(10)	NULL	Currently, the last four numbers of a nine-digit zip code.	No	No

Validation(s) of "hospital id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hospital id" Column	
Name	Unique
PK_hospitals	Yes

Validation(s) of "hospital code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hospital name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique
IF1862_hospitals	No

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "zip plus" Column			
Constraint Name	Min	Max	Rule

Table(s) of "police departments" Picture Object	
Name	police_departments
Comment	Contains name, address, and phone number information for the police departments in the state.

Column(s) of "police departments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
police_department_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each police department, sheriff's office, etc.	Yes	No
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
police_department_name	VARCHAR2(100)	NULL	Name of the police department, sheriff's office, etc.	No	No
address_line1	VARCHAR2(60)	NULL	Free-form text for the first line of the law enforcement agency's address.	No	No
address_line2	VARCHAR2(60)	NULL	Free-form text for the second line of the law enforcement agency's address.	No	No
city	VARCHAR2(30)	NULL	City portion of the address for the law enforcement agency.	No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc. Used here for the state portion of the address for the law enforcement agency.	No	Yes
zip	VARCHAR2(10)	NULL	Zipcode portion of the address for the law enforcement agency.	No	No
phone_number	VARCHAR2(10)	NULL	Phone number of the law enforcement agency.	No	No

Validation(s) of "police department id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "police department id" Column	
Name	Unique
PK police_departments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique

IF1662 police departments	No
---------------------------	----

Validation(s) of "police department name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique
IF1664 police departments	No

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "phone number" Column			
Constraint Name	Min	Max	Rule

Table(s) of "swss case" Picture Object	
Name	swss case
Comment	Contains information pertaining to Childrens Protective Service (CPS) referrals, CPS cases, Child Foster Care (CFC) cases, Adoption (ADPT) cases, Juvenile Justice (JJ, otherwise called Delinquency) cases; uniquely identified by a system generated sequence number (LOG_ID).

Column(s) of "swss case" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
refer_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
ref_source_code	NUMBER(2)	NULL	Codes for referral source (case was created from this source); i.e. (Code: Description) 1: Protect Srvc 2: Court (except CPS) 3: Voluntary release 4: OTI 5: Adoption disrupted 6: Voluntary placement	No	Yes
primary_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
create_date	DATE	NULL	Date on which the case was created in SWSS.	No	No
accept_date	DATE	NULL	Date on which Foster Care supervisor accepted case.	No	No
register_date	DATE	NULL	Date on which the case was registered; case is considered registered when the FIA-133 is printed.	No	No

open_date	DATE	NULL	Date on which case was opened in SWSS; case is considered open when the FIA-5S has been printed.	No	No
close_date	DATE	NULL	Date on which the case was closed.	No	No
close_date_entered	DATE	NULL	Date on which the worker entered the CLOSE_DATE (AFCARS element).	No	No
cis_case_no	VARCHAR2(30)	NULL	Case number assigned by CIS/ ASSIST.	No	No
case_name	VARCHAR2(45)	NULL	Name of primary grantee - for Foster Care/Adoption/Juvenile Justice, this is the child; for Protective Services this is the primary caretaker.	No	No
close_code	VARCHAR2(2)	NULL	Codes for reasons why a case closed; e.g. (Code: Description) 01: Adoption confirmed 02: Adoption disrupted 03: Placed for Adoption 05: Married etc.	No	Yes
refer_notify	VARCHAR2(2)	NULL	Indicates that (Y) the referral source wants to be notified of the referral's disposition; or (N) not. Used for Protective Services referrals.	No	No
residence_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
residence_district	NUMBER(2)	NULL	Unique 2 digit district number that county offices have designated for each district.	No	Yes
latest_legal_status	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes

program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
latest_living_arrangement	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
program_status	NUMBER(1)	NULL	Identifies that the status of the case is (1) closed or (2) active.	No	No
swss_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
funding_source_elig_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes

conv_fund_src_cd	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
withdrawal_date	DATE	NULL	Date on which the case registration was withdrawn.	No	No
ma_withdrawal_date	DATE	NULL	Date on which Medicaid registration was withdrawn from the case.	No	No
ma_type	VARCHAR2(1)	NULL	Identifies that the Medicaid type is (1) Title IV E or (2) Department ward.	No	No
ma_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes

ma_denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/ Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes
ma_other_case	VARCHAR2(1)	NULL	Indicates that (Y) the client is enrolled in another Medicaid case; or (N) not.	No	No
case_state_at_closing	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_to_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transfer_from_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transferring_sup_load	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes

transfer_date	DATE	NULL	Date on which the case transfer occurred.	No	No
high_profile_ind	VARCHAR2(1)	NOT NULL	Indicates that (Y) the case has limited user access; or (N) not. Possible types of cases having limited access are: employee cases, cases that have sensitive medical data such as HIV, or cases involving politicians, etc.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
birth_cert_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the birth certificate was given to the youth at case closing; or (N) not; or Null.	No	No
ss_card_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the social security card was given to the youth at case closing; or (N) not; or Null.	No	No
med_passpt_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the medical passport was given to the youth at case closing; or (N) not; or Null.	No	No
aftercare_pamph_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the aftercare services pamphlet was given to the youth at case closing; or (N) not; or Null.	No	No
state_of_origin	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
mycu_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) approval from the Missing Youth Central Unit (MYCU) has been given to include the child for this case, on the missing children web page; or (N) not; or null.	No	No
mycu_approval_date	DATE	NULL	The date on which approval from the Missing Youth Central Unit (MYCU) was received so that the missing child can be included on the missing child web page.	No	No

country_of_origin	VARCHAR2(50)	NULL	Free-form text for the name of the country from which the case was transferred to Michigan.	No	No
fis_fip_load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
fis_fip_cims_case_number	VARCHAR2(30)	NULL	The CIMS case number for the FIS/FIP case. It is used to contact the FIS/FIP worker if a child is removed from a home during a CPS investigation.	No	No
bridges_conversion_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case (log_id) was converted to Bridges (rather than CIMS/ASSIST), when Bridges was implemented in production.	No	No
bridges_case_number	NUMBER	NULL	The case number that relates to the SWSS_CASE.LOG_ID, from the Bridges system.	No	No
num_guard_prev_priors	NUMBER(2)	NULL	The number of previous referrals to Prevention and Guardianship programs for a child.	No	No
yit_eligible_ind	VARCHAR2(1)	NULL	Identifies as (Y) the youth is eligible for Youth In Transition (YIT) services; or (N) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK swss case	Yes
NU swss case 1	No
IF436 swss case	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK swss case	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique

NU swss case 1	No
NU swss case	No
XIF1104swss case	No

Validation(s) of "refer person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "refer person id" Column	
Name	Unique
IF937 swss case	No

Validation(s) of "ref source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref source code" Column	
Name	Unique
IF492 swss case	No

Validation(s) of "primary worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary worker id" Column	
Name	Unique
IF349 swss case	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "register date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cis case no" Column	
Name	Unique
NU swss case 2	No

Validation(s) of "case name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close code" Column	
Name	Unique
IF491 swss case	No

Validation(s) of "refer notify" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence county" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "residence district" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence district" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest legal status" Column	
Name	Unique
IF861 swss case	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
IF783 swss case	No

Validation(s) of "child id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child id" Column	
Name	Unique
IF935 swss case	No

Validation(s) of "latest living arrangement" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest living arrangement" Column	
Name	Unique
IF860 swss case	No

Validation(s) of "program status" Column			
Constraint Name	Min	Max	Rule

ck scase progstat			program status IN (2, 1)
-------------------	--	--	--------------------------

Valid Value(s) of "ck scase progstat" Validation		
Data Value	Display Value	Definition
2		Active
1		Closed

Validation(s) of "swss case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss case state" Column	
Name	Unique
IF784 swss case	No

Validation(s) of "eligibility code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility code" Column	
Name	Unique
IF806 swss case	No

Validation(s) of "funding source elig code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source elig code" Column	
Name	Unique
IF807 swss case	No

Validation(s) of "conv fund src cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "conv fund src cd" Column	
Name	Unique
IF1124 swss case	No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma type" Column			
Constraint Name	Min	Max	Rule
ck scase matype			ma type IN (1, 2)

Valid Value(s) of "ck scase matype" Validation		
Data Value	Display Value	Definition
1		Title IV E = eligibility code 13
2		Department ward = eligibility code 6

Validation(s) of "ma case state" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "ma case state" Column			
Name	Unique		
IF864 swss case	No		

Validation(s) of "denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "denial code" Column			
Name	Unique		
IF865 swss case	No		

Validation(s) of "ma denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ma denial code" Column			
Name	Unique		
IF866 swss case	No		

Validation(s) of "ma other case" Column			
Constraint Name	Min	Max	Rule
ck scase maothor			ma other case IN ('Y', 'N')

Valid Value(s) of "ck scase maothor" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "case state at closing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case state at closing" Column			
Name	Unique		
IF1022 swss case	No		

Validation(s) of "transfer case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer case state" Column			
Name	Unique		
IF1090 swss case	No		

Validation(s) of "transfer to county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer to county" Column			
Name	Unique		
IF1092 swss case	No		

Validation(s) of "transfer from county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer from county" Column			
Name	Unique		

IF1093 swss case	No
------------------	----

Validation(s) of "transferring sup load" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transferring sup load" Column	
Name	Unique
IF1094 swss case	No

Validation(s) of "transfer date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high profile ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_highprofind			high_profile_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_highprofind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_scase_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_scase_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "birth cert given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_brthcertgivnyth			birth_cert_given_youth IN ('N', 'Y')

Valid Value(s) of "ck_scase_brthcertgivnyth" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ss card given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_sscrdgivnyth			ss_card_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_sscrdgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med passpt given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_medpssprtgivnyth			med_passpt_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_medpssprtgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "aftercare pamph given youth" Column			
Constraint Name	Min	Max	Rule

ck_scase_aftcarpamgivyth			aftercare_pamph_given_youth IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_scase_aftcarpamgivyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "state_of_origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state_of_origin" Column	
Name	Unique
IF1246 swss case	No

Validation(s) of "mycu_approval_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_mycuapprvlind			mycu_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_mycuapprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mycu_approval_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country_of_origin" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fis_fip_load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fis_fip_load_no" Column	
Name	Unique
IF1711 swss case	No

Validation(s) of "fis_fip_cims_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bridges_conversion_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_brdgsconvind			bridges_conversion_ind IN ('Y')

Valid Value(s) of "ck_scase_brdgsconvind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "bridges_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "num_guard_prev_priors" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "yit_eligible_ind" Column			
Constraint Name	Min	Max	Rule

ck_scase_yiteligind_2104989609		yit_eligible_ind IN ('Y', 'N')
--------------------------------	--	--------------------------------

Valid Value(s) of "ck_scase_yiteligind_2104989609" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "case person" Picture Object	
Name	case_person
Comment	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck_cp_emergcont			emergency_contact IN ('Y', 'N')

Valid Value(s) of "ck_cp_emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck_cp_legpar			legal_parent IN ('Y', 'N')

Valid Value(s) of "ck_cp_legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck_cp_prevlegpar			prev_legal_parent IN ('Y', 'N')

Valid Value(s) of "ck_cp_prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_cp_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_cp_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_payeeind			payee_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_qualsibind			qualified_sib_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettip			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

Table(s) of "cdr water body codes" Picture Object	
Name	cdr water body codes
Comment	Contains codes and descriptions for bodies of water where a child's death has occurred.

Column(s) of "cdr water body codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
water_body_code	NUMBER(2)	NOT NULL	Contains codes for general types of water bodies (e.g. pond, lake, etc.) where a child's death occurred.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of WATER_BODY_CODE.	No	No
end_date	DATE	NULL	Date on which a code is no longer displayed in the list of values; but remains in the table to accomodate previous use in a related, data table. Some codes, when end-dated, may also be converted to a different code in data tables; and remain in this code table for historic reasons.	No	No

Validation(s) of "water body code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "water body code" Column	
Name	Unique
PK cdr water body codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "program" Picture Object	
Name	program
Comment	Contains codes and descriptions for SWSS programs (adult services, protective services, adoption, foster care, juvenile justice, adoption subsidy, prevention, and guardianship).

Column(s) of "program" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	No
description	VARCHAR2(30)	NULL	Explanation of each PROGRAM_CODE.	No	No
order_by	NUMBER(2)	NULL	Number used to control the display order of the program codes and descriptions.	No	No

Validation(s) of "program_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program_code" Column	
Name	Unique
PK_program	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "order_by" Column			
Constraint Name	Min	Max	Rule

Table(s) of "state" Picture Object	
Name	state
Comment	Contains codes and descriptions for all fifty states, Washington DC, US Territories, and US armed forces.

Column(s) of "state" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
state_code	VARCHAR2(2)	NOT NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	Yes	No
state_name	VARCHAR2(50)	NULL	Name of the state, etc.	No	No

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique
PK state	Yes

Validation(s) of "state name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr_notifications" Picture Object	
Name	cdr_notifications
Comment	

Column(s) of "cdr_notifications" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	Yes
notified_person_code	NUMBER(2)	NOT NULL		Yes	Yes
person_notified_name	VARCHAR2(60)	NULL		No	No
notified_date	DATE	NULL		No	No
not_applicable_ind	VARCHAR2(1)	NULL		No	No
notified_person_other_text	VARCHAR2(60)	NULL		No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cdr_notifications	Yes
IF2_cdr_notifications	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cdr_notifications	Yes
IF2_cdr_notifications	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK_cdr_notifications	Yes
IF2_cdr_notifications	No

Validation(s) of "notified_person_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "notified_person_code" Column	
Name	Unique

PK cdr notifications	Yes
IF1 cdr notifications	No

Validation(s) of "person notified name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "notified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "not applicable ind" Column			
Constraint Name	Min	Max	Rule
ck ntfcns notapplic 338801653			not applicable ind IN ('Y')

Valid Value(s) of "ck ntfcns notapplic 338801653" Validation		
Data Value	Display Value	Definition
Y	Y	Yes

Validation(s) of "notified person other text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr notified person codes" Picture Object	
Name	cdr notified person codes
Comment	

Column(s) of "cdr notified person codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
notified person code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(60)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "notified person code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "notified person code" Column	
Name	Unique
PK_cdr notified person codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "provider" Picture Object	
Name	provider
Comment	Contains information about providers (Board & Care, Services, Licensee and others) identified by a unique combination of PROVIDER_ID and PROVIDER_TYPE; as the PROVIDER_ID can potentially repeat across the provider types. If the PROVIDER_TYPE is M for MPS (model payments) providers, then the PROVIDER_ID is downloaded from the MPS system. If the PROVIDER_TYPE is L for Licensee or O for Other, the PROVIDER_ID also would be taken from other systems. Only for the SWSS 'S' provider types, will a number be generated within SWSS.

Column(s) of "provider" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	No
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	No
security_level_code	VARCHAR2(2)	NULL	Contains codes for the security level for the youth; or the security level that a provider will accept or potentially accept for a child.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
security_level_chg_date	DATE	NULL	Date on which the security level changes.	No	No
alert_comment_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an alert comment on this provider; or (N) not.	No	No
provider_name	VARCHAR2(60)	NULL	Name identifying the provider.	No	No
prov_name_line2	VARCHAR2(60)	NULL	Free-form text to be used to clarify a provider's name; used in-lieu-of the recursive relationship (which includes PARENT_ORG_ID and PARENT_ORG_TYPE) on this PROVIDER table.	No	No

staff_ratio	NUMBER	NULL	Ratio of children to the provider's staff.	No	No
federal_tax_id	NUMBER(9)	NULL	Federal tax identification number for the provider.	No	No
tax_number_ind	VARCHAR2(1)	NULL	Indicates the type of tax number as (F) federal tax and (S) social security number	No	No
business_ind	VARCHAR2(1)	NULL	Indicates whether the provider is (#) an individual or (*) a business entity.	No	No
fia_ind	VARCHAR2(1)	NULL	Indicates that FIA (Y) is taking the role of a child placing agency (CPA); or (N) not	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the provider.	No	No
title_4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is eligible for Title IVE payments; or (N) not	No	No
enroll_date	DATE	NULL	Date on which the provider is enrolled with FIA to provide services.	No	No
close_date	DATE	NULL	Date on which the provider is no longer eligible to provide services for FIA.	No	No
contact_name	VARCHAR2(30)	NULL	The name of the contact person for the provider, organization, or branch	No	No
provider_text	VARCHAR2(2000)	NULL	Free-form text to describe anything pertinent to the provider, which may be useful for any worker to know, when working with or planning to work with the provider.	No	No
medical_dental_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is a medical or dental provider; or (N) not; or NULL	No	No
licensure_referral_date	DATE	NULL	The date the provider is referred to Licensure when no waiver is received	No	No
anticipated_licensure_date	DATE	NULL	This date is automatically populated 4 months from the licensure_referral_date for the anticipated date that the provider will be licensed.	No	No
eft_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is set up in MAIN to accept Electronic Fund Transfer (EFT) payments; or (N) the provider is not set up in MAIN to accept Electronic Fund Transfer (EFT) payments. EFT_MAIL_VALUE	No	No

			is used to further clarify the use of the two values above. This data is transferred to SWSS from BRIDGES.		
eft_mail_value	VARCHAR2(3)	NULL	Unconstrained database values that further explain values used in EFT_IND. If EFT_IND = Y, then acceptable values are E00, or 001 through 999. If EFT_IND = N, then acceptable values are E99, E00, or 000 through 999. This data is transferred to SWSS from BRIDGES.	No	No
modified_date	DATE	NULL		No	No
mail_to_ind	NUMBER(1)	NULL		No	No
issue_to_ind	NUMBER(1)	NULL		No	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp13			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp13" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "security_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security_level_code" Column	
Name	Unique
IF1548_provider	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
NU_provider	No

IF1068_provider	No
-----------------	----

Validation(s) of "security_level_chg_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "alert_comment_ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_name_line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "staff_ratio" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "federal_tax_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tax_number_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_taxnoind			tax_number_ind IN ('S', 'F')

Valid Value(s) of "ck_prd_taxnoind" Validation		
Data Value	Display Value	Definition
S		Social Security Number
F		Federal Tax Id

Validation(s) of "business_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_busind			business_ind IN ('*', '#')

Valid Value(s) of "ck_prd_busind" Validation		
Data Value	Display Value	Definition
*		Business
#		Person

Validation(s) of "fia_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_fiaind			fia_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_fiaind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title_4e_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_title4eind			title_4e_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_title4eind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "enroll date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medical dental ind" Column			
Constraint Name	Min	Max	Rule
ck prd meddentind			medical dental ind IN ('Y', 'N')

Valid Value(s) of "ck prd meddentind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "licensure referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "anticipated licensure date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eft ind" Column			
Constraint Name	Min	Max	Rule
ck prd eftind 321654296			eft ind IN ('Y', 'N')

Valid Value(s) of "ck prd eftind 321654296" Validation		
Data Value	Display Value	Definition
Y	Y	Yes - EFT accepted
N	N	No - Not accepting EFT

Validation(s) of "eft mail value" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mail to ind" Column			
Constraint Name	Min	Max	Rule
ck prd mailtoind 1538438344			mail to ind IN (1, 3)

Valid Value(s) of "ck prd mailtoind 1538438344" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Validation(s) of "issue to ind" Column			
Constraint Name	Min	Max	Rule

ck prd issuetoid 976691159			issue to ind IN (1, 3)
----------------------------	--	--	------------------------

Valid Value(s) of "ck prd issuetoid 976691159" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Table(s) of "county" Picture Object	
Name	county
Comment	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for medicaid for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731_county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cml ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmplind			as_conv_cml_ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmplind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr facility type codes" Picture Object	
Name	cdr facility type codes
Comment	

Column(s) of "cdr facility type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
facility type code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end date	DATE	NULL		No	No

Validation(s) of "facility type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "facility type code" Column	
Name	Unique
PK_cdr_facility_type_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr people involved" Picture Object	
Name	cdr people involved
Comment	

Column(s) of "cdr people involved" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	Yes
person_involved_app_seq	NUMBER(2)	NOT NULL		Yes	No
first name	VARCHAR2(30)	NULL		No	No
middle name	VARCHAR2(30)	NULL		No	No
last name	VARCHAR2(30)	NULL		No	No
age	NUMBER(2)	NULL		No	No
gender ind	VARCHAR2(1)	NULL		No	No
address line1	VARCHAR2(30)	NULL		No	No
address line2	VARCHAR2(30)	NULL		No	No
city	VARCHAR2(30)	NULL		No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
zip code	VARCHAR2(10)	NULL		No	No
home phone number	NUMBER(10)	NULL		No	No
parent first name	VARCHAR2(30)	NULL		No	No
parent middle name	VARCHAR2(30)	NULL		No	No
parent last name	VARCHAR2(30)	NULL		No	No
work phone number	NUMBER(10)	NULL		No	No
person involved ind	VARCHAR2(1)	NULL		No	No
age uom ind	VARCHAR2(1)	NULL		No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cdr people involved	Yes
IF3 cdr people involved	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique

PK cdr people involved	Yes
IF3 cdr people involved	No

Validation(s) of "child fatality app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child fatality app seq" Column	
Name	Unique
PK cdr people involved	Yes
IF3 cdr people involved	No

Validation(s) of "person involved app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person involved app seq" Column	
Name	Unique
PK cdr people involved	Yes

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "age" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "gender ind" Column			
Constraint Name	Min	Max	Rule
ck peopleinvld gnd 2042332596			gender ind IN ('F', 'M')

Valid Value(s) of "ck peopleinvld gnd 2042332596" Validation		
Data Value	Display Value	Definition
F	F	Female
M	M	Male

Validation(s) of "address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique

IF2 cdr people involved	No
-------------------------	----

Validation(s) of "zip code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "home phone number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "work phone number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person involved ind" Column			
Constraint Name	Min	Max	Rule
ck_peopleinvlvd_prsn_734457588			person_involved_ind IN ('C', 'W')

Valid Value(s) of "ck_peopleinvlvd_prsn_734457588" Validation		
Data Value	Display Value	Definition
C	C	In (C)are
W	W	(W)itness

Validation(s) of "age uom ind" Column			
Constraint Name	Min	Max	Rule
ck_peopleinvlvd_age_1977342115			age_uom_ind IN ('Y', 'M')

Valid Value(s) of "ck_peopleinvlvd_age_1977342115" Validation		
Data Value	Display Value	Definition
Y	Y	Age is in (Y)ears
M	M	Age is in (M)onths

Table(s) of "worker" Picture Object	
Name	worker
Comment	Identifies FIA workers by a SWSS generated WORKER_ID along with their name, social security number, active indicator, and email address.

Column(s) of "worker" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
worker_id	NUMBER	NOT NULL	System generated number that uniquely identifies each worker.	Yes	No
first_name	VARCHAR2(30)	NULL	First name of the worker.	No	No
middle_name	VARCHAR2(30)	NULL	Middle name or initial of the worker.	No	No
last_name	VARCHAR2(30)	NULL	Last name of the worker.	No	No
name_suffix	VARCHAR2(5)	NULL	Name suffix of the worker.	No	Yes
worker_name	VARCHAR2(100)	NULL	Free-form text for the worker's entire name.	No	No
ssn	VARCHAR2(10)	NULL	Worker's social security number.	No	No
active_ind	VARCHAR2(1)	NULL	Indicates that a worker is (A) active or (I) inactive.	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the worker.	No	No

Validation(s) of "worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker_id" Column	
Name	Unique
PK_worker	Yes

Validation(s) of "first_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name_suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "name_suffix" Column	
Name	Unique
IF1598_worker	No

Validation(s) of "worker_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "active ind" Column			
Constraint Name	Min	Max	Rule
ck wr actind			active ind IN ('A', 'I')

Valid Value(s) of "ck wr actind" Validation		
Data Value	Display Value	Definition
A		Active
I		Inactive

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "relation to victim codes" Picture Object	
Name	relation to victim codes
Comment	Contains codes descriptions for the perpetrator's relationship to the victim.

Column(s) of "relation to victim codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
relation_to_victim_code	VARCHAR2(2)	NOT NULL	Contains codes for the perpetrator's relationship to the victim.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of RELATION_TO - VICTIM_CODE.	No	No

Validation(s) of "relation to victim code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "relation to victim code" Column	
Name	Unique
PK relation to victim codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr official death codes" Picture Object	
Name	cdr official death codes
Comment	

Column(s) of "cdr official death codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
official death code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "official death code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "official death code" Column	
Name	Unique
PK_cdr official death codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps info" Picture Object	
Name	cps_info
Comment	This table has a one-to-one relationship with SWSS_CASE and contains information unique to Children's Protective Services cases (analogous to CFC_INFO, JJ_INFO, AND AD_INFO tables).

Column(s) of "cps_info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
priority_code	VARCHAR2(1)	NULL	Contains codes for the different levels of priority that a complaint may receive.	No	Yes
rejection_reason_code	VARCHAR2(2)	NULL	Contains codes for the reasons why the complaint was rejected.	No	Yes
complaint_date	DATE	NULL	Date on which the CPS complaint or case was created.	No	No
service_reason_code	VARCHAR2(1)	NULL	Codes for why services are being provided for a case/complaint.	No	Yes
complaint_action_code	VARCHAR2(1)	NULL	Contains codes for types of actions to be taken on a CPS complaint.	No	Yes
complaint_action_date	DATE	NULL	Date of the complaint action.	No	No
action_override_code	VARCHAR2(1)	NULL	Contains codes for types of actions to be taken on a CPS complaint.	No	Yes
action_override_date	DATE	NULL	Date on which the action override occurred.	No	No
action_override_text	VARCHAR2(4000)	NULL	Free-form text associated with the action override.	No	No
action_override_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
agency_code	VARCHAR2(2)	NULL	Contains codes for the agencies to which CPS complaints are referred.	No	Yes
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) this case or referral was converted from the Mapper system to the new CANS system; or (N/Null) not.	No	No

system_category_code	VARCHAR2(1)	NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V. Renamed to SYSTEM_CATEGORY_CODE to distinguish it as being what the system generates through the CMS scoring of risks.	No	Yes
override_category_code	VARCHAR2(1)	NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V. Renamed to OVERRIDE_CATEGORY_CODE for the category code that was overridden by the supervisor.	No	Yes
override_category_date	DATE	NULL	Date on which the category code was overridden.	No	No
override_category_text	VARCHAR2(4000)	NULL	Free-form text for comments associated with the overridden category code.	No	No
override_category_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
disposition_date	DATE	NULL	Date on which the disposition of the case was decided.	No	No
close_code_ind	VARCHAR2(1)	NULL	Indicates that the case was closed for either (I) Investigation only; or (S) Services were provided.	No	No
goal_status_code	NUMBER(2)	NULL	Codes for the status of the goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	No	Yes

court_involv_disp_code	VARCHAR2(1)	NULL	Contains codes that describe the court's involvement in the disposition of the CPS case; e.g. (Code: Description): 1: No court 2: Accept PS recommendation - adjudication and disposition 3: Accept PS recommendation - adjudication only, etc.	No	Yes
non_court_disp_code	VARCHAR2(1)	NULL	Contains codes for disposition reasons when the court is not involved; (e.g. Code: Description): 1: Satisfactory - no referrals 2: Satisfactory - refer to FIA 3: Satisfactory - refer to community agency, etc.	No	Yes
fc_21days_ind	VARCHAR2(1)	NULL	Indicates reasons why the child(ren) was in Foster Care for more than 21 days prior to being removed as (P) Pending; or (O) Other.	No	No
close_after_without-ps_code	VARCHAR2(2)	NULL	Contains codes for reasons why a CPS case was closed; and if it was closed after Protective Services involvement or without Protective Services involvement.	No	Yes
temp_fc_days	NUMBER(3)	NULL	Number of days that child(ren) was in temporary Foster Care.	No	No
prvs_crt_hst_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
escalated_category_code	VARCHAR2(1)	NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V.	No	Yes
escalated_category_date	DATE	NULL	Date on which the category code was escalated.	No	No
escalated_category_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
supv_approved_ind	VARCHAR2(1)	NULL	Indicates that (Y) the supervisor approved the workers disposition of the case; or (N) not; or NULL.	No	No

supv_approved_date	DATE	NULL	Date on which the supervisor approved the workers disposition on the case.	No	No
supv_approved_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
ninety_day_monitor_ind	VARCHAR2(1)	NULL	Indicates that (C) only CPS case monitoring is to be done for ninety days; or (R) CPS case monitoring is to be done along with referral to Community Services for ninety days.	No	No
priority_code_override_ind	VARCHAR2(1)	NULL	Indicates that (Y) the PRIORITY_CODE was overridden; or (N) not; or NULL.	No	No
priority_cd_ovrrd_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
dictated_findings_ind	VARCHAR2(1)	NULL	Indicates that (Y) the worker has dictated their investigative findings; or (N) not; or NULL.	No	No
dictation_date	DATE	NULL	Date dictation was done.	No	No
program_early_on_ind	VARCHAR2(1)	NULL	Indicates if the Early On program was involved or not.	No	No
program_fam_to_fam_ind	VARCHAR2(1)	NULL	Indicates if the Family to Family (TDM: Team Decision Making) program was involved or not.	No	No
reviewed_history_ind	VARCHAR2(1)	NULL	Indicates if the history for the PS case was reviewed or not.	No	No
child_fatality_ind	VARCHAR2(1)	NULL	Indicates if the PS case involved a child fatality or not.	No	No
number_prior_complaints	NUMBER(3)	NULL	The number of prior complaints for the family.	No	No
converted_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
open_close_ind	VARCHAR2(1)	NULL	Indicates that (Y) the worker wants the opened, Category III case to be closed after the supervisor approves the investigation disposition; or (N) not; or NULL.	No	No

complaint_action_ worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
initial_risk_level_code	VARCHAR2(2)	NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description): AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.	No	Yes
current_risk_level_code	VARCHAR2(2)	NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description): AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.	No	Yes
birth_match_id	NUMBER	NULL	Database sequence number that uniquely identifies each CPS_BIRTH_ MATCH record	No	Yes
disposition_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
disposition_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes

ongoing_worker_lo- ad_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
-----------------------------	------------	------	---	----	-----

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cps_info	Yes
IF1279_cps_info	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cps_info	Yes
IF1279_cps_info	No

Validation(s) of "priority_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "priority_code" Column	
Name	Unique
IF1296_cps_info	No

Validation(s) of "rejection_reason_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rejection_reason_code" Column	
Name	Unique
IF1292_cps_info	No

Validation(s) of "complaint_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service_reason_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service_reason_code" Column	
Name	Unique
IF1280_cps_info	No

Validation(s) of "complaint_action_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint_action_code" Column	
Name	Unique
IF1297_cps_info	No

Validation(s) of "complaint_action_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "action override code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "action override code" Column	
Name	Unique
IF1727 cps info	No

Validation(s) of "action override date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action override text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action override worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "action override worker id" Column	
Name	Unique
IF1729 cps info	No

Validation(s) of "agency code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "agency code" Column	
Name	Unique
IF1298 cps info	No

Validation(s) of "converted ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo cnvrttdind			converted ind IN ('Y', 'N')

Valid Value(s) of "ck cpsinfo cnvrttdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "system category code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "system category code" Column	
Name	Unique
IF1488 cps info	No

Validation(s) of "override category code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override category code" Column	
Name	Unique
IF1621 cps info	No

Validation(s) of "override category date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "override category text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "override category worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override category worker id" Column	
Name	Unique
IF1728 cps info	No

Validation(s) of "disposition date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close code ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo closecind			close code ind IN ('I', 'S')

Valid Value(s) of "ck cpsinfo closecind" Validation		
Data Value	Display Value	Definition
I		Investigate only
S		Services provided

Validation(s) of "goal status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal status code" Column	
Name	Unique
IF1628 cps info	No

Validation(s) of "court involv disp code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court involv disp code" Column	
Name	Unique
IF1626 cps info	No

Validation(s) of "non court disp code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "non court disp code" Column	
Name	Unique
IF1627 cps info	No

Validation(s) of "fc 21days ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo fc21daysind			fc 21days ind IN ('P', 'O')

Valid Value(s) of "ck cpsinfo fc21daysind" Validation		
Data Value	Display Value	Definition
P		Pending
O		Other

Validation(s) of "close after without ps code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "close after without ps code" Column	
Name	Unique
IF1625 cps info	No

Validation(s) of "temp fc days" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prvs crt hst comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prvs crt hst comment id" Column	
Name	Unique
IF1636 cps info	No

Validation(s) of "escalated category code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "escalated category code" Column	
Name	Unique
IF1634 cps info	No

Validation(s) of "escalated category date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "escalated category comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "escalated category comment id" Column	
Name	Unique
IF1629 cps info	No

Validation(s) of "supv approved ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo supapprvdind			supv approved ind IN ('Y', 'N')

Valid Value(s) of "ck cpsinfo supapprvdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "supv approved date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supv approved comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supv approved comment id" Column	
Name	Unique
IF1643 cps info	No

Validation(s) of "ninety day monitor ind" Column			
Constraint Name	Min	Max	Rule

ck_cpsinfo_nintydymntrind			ninety_day_monitor_ind IN ('C', 'R')
---------------------------	--	--	--------------------------------------

Valid Value(s) of "ck_cpsinfo_nintydymntrind" Validation		
Data Value	Display Value	Definition
C		Ninety Day CPS Only Case Monitoring.
R		Ninety Day CPS Monitoring with Referral to Community Services.

Validation(s) of "priority_code_override_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_prioritycdovrrdind			priority_code_override_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_prioritycdovrrdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "priority_cd_ovrrd_comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "priority_cd_ovrrd_comment_id" Column	
Name	Unique
IF1661_cps_info	No

Validation(s) of "dictated_findings_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_dictfndngsind			dictated_findings_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_dictfndngsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "dictation_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program_early_on_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_prgmearlyonind			program_early_on_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_prgmearlyonind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "program_fam_to_fam_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_prgm_famtofamind			program_fam_to_fam_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_prgm_famtofamind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "reviewed_history_ind" Column			
Constraint Name	Min	Max	Rule

ck_cpsinfo_rvwdhstryind			reviewed_history_ind IN ('Y', 'N')
-------------------------	--	--	------------------------------------

Valid Value(s) of "ck_cpsinfo_rvwdhstryind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "child fatality ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_chldfityind			child fatality ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_chldfityind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "number prior complaints" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "converted case state" Column	
Name	Unique
IF1740 cps info	No

Validation(s) of "open close ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_opnclsind			open close ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_opnclsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint action worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint action worker id" Column	
Name	Unique
IF1760 cps info	No

Validation(s) of "initial risk level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "initial risk level code" Column	
Name	Unique
IF1803 cps info	No

Validation(s) of "current risk level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "current risk level code" Column	
Name	Unique
IF1804 cps info	No

Validation(s) of "birth match id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "birth match id" Column	
Name	Unique
IF1839 cps info	No

Validation(s) of "disposition worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "disposition worker id" Column	
Name	Unique
IF1843 cps info	No

Validation(s) of "disposition county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "disposition county no" Column	
Name	Unique
IF1874 cps info	No

Validation(s) of "ongoing worker load no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ongoing worker load no" Column	
Name	Unique
IF1875 cps info	No

Table(s) of "cdr_question_codes" Picture Object	
Name	cdr_question_codes
Comment	

Column(s) of "cdr_question_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cdr_question_code	VARCHAR2(20)	NOT NULL		Yes	No
description	VARCHAR2(300)	NULL		No	No
end_date	DATE	NULL		No	No


Validation(s) of "cdr_question_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cdr_question_code" Column	
Name	Unique
PK_cdr_question_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

contacts / Display1



Table(s) of "contact method" Picture Object	
Name	contact_method
Comment	Contains codes and descriptions for types of contacts.

Column(s) of "contact_method" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
contact_method_cd	VARCHAR2(2)	NOT NULL	Codes for the method of contact used; e.g. (Code: Description) EM: EMAIL HC: Home Call LM: Left Message LT: Letter OV: Office Visit, etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of CONTACT_METHOD_CD.	No	No
sort_by	NUMBER(2)	NULL	Identifies the order that the CONTACT_METHOD_CD is displayed for lists of values.	No	No
program_ind	VARCHAR2(1)	NULL	Indicates if the contact method code is used for CWCMS, CPS, or both.	No	No

Validation(s) of "contact_method_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact_method_cd" Column	
Name	Unique
PK_contact_method	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sort_by" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program_ind" Column			
Constraint Name	Min	Max	Rule
ck_contmet_prgrmind			program_ind IN ('C', 'P', 'B')

Valid Value(s) of "ck_contmet_prgrmind" Validation		
Data Value	Display Value	Definition
C		CWCMS (formerly SDM)
P		Protective Services (CPS)
B		Both CWCMS (SDM) and CPS

Table(s) of "contact type codes" Picture Object	
Name	contact type codes
Comment	Contains codes and descriptions for the types of contacts that are made (i.e. code/description: W/ Worker; P/Parenting time; A/AWOL).

Column(s) of "contact type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
contact_type_code	VARCHAR2(2)	NOT NULL	Contains codes for the types of contacts (or what part of the SWSS application these contacts relate to) that are made (i.e. code/description: 1/AWOL (or missing kids); 2/ Parenting time; and 3/Worker.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of CONTACT_TYPE_CODE.	No	No

Validation(s) of "contact type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact type code" Column	
Name	Unique
PK contact type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case person" Picture Object	
Name	case_person
Comment	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck cp emergcont			emergency contact IN ('Y', 'N')

Valid Value(s) of "ck cp emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp legpar			legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp prevlegpar			prev legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck cp phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck cp phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck cp payeeind			payee ind IN ('Y', 'N')

Valid Value(s) of "ck cp payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck cp qualsibind			qualified sib ind IN ('Y', 'N')

Valid Value(s) of "ck cp qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettip			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

Table(s) of "comments" Picture Object	
Name	comments
Comment	Stores the actual comment along with the case to which it belongs, the worker who entered and/or modified it and appropriate dates.

Column(s) of "comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
comment_type	VARCHAR2(10)	NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	No	Yes
date_entered	DATE	NULL	Date on which the comment is entered.	No	No
text_clob	CLOB	NULL	Text which can accomodate longer narratives with formatting.	No	No
text	VARCHAR2(4000)	NULL	The comment text entered by the user.	No	No
entered_by_login_name	VARCHAR2(20)	NULL	Login name of the person entering the comment.	No	No
modified_by_login_name	VARCHAR2(20)	NULL	Login name of the person modifying the comment.	No	No

modified_date	DATE	NULL	The date on which the comment was modified.	No	No
---------------	------	------	---	----	----

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_comments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_comments	Yes
IF779_comments	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF779_comments	No

Validation(s) of "comment_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_type" Column	
Name	Unique
IF163_comments	No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text_clob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "entered by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "group person" Picture Object	
Name	group_person
Comment	Identifies the SIB_GROUP_ID and PERSON_ID which treats all members of one or more children's cases as one group to avoid duplication, triplication, etc. of data; along with numerous other attributes of a person.

Column(s) of "group_person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
citizenship_type	VARCHAR2(2)	NULL	Codes for types of citizenship; e.g. (Codes: Description) 1: Lawfully admitted for permanent residence 2: Granted asylum 3: Refugee 4: Paroled into the US etc.	No	Yes
edu_level_code	VARCHAR2(2)	NULL	Codes specifying person's level of education; e.g. (Code: Description) SH: Some High School HG: High School Grad TC: Tech Training SC: Some College Courses CG: College Graduate etc.	No	Yes
death_cause_code	VARCHAR2(1)	NULL	Codes specifying the cause of death; i. e. (Code: Description) A: Accident C: Caretaker Abuse H: Homicide N: Natural S: Suicide	No	Yes
last_name	VARCHAR2(30)	NULL	The person's last name.	No	No
last_name_soundex	VARCHAR2(30)	NULL	Soundex code for last name.	No	No
first_name	VARCHAR2(30)	NULL	The person's first name.	No	No
first_name_soundex	VARCHAR2(30)	NULL	Soundex code for first name.	No	No
middle_name	VARCHAR2(30)	NULL	The person's middle name.	No	No
sex	VARCHAR2(1)	NULL	Indicates a person's gender as (M) male; or (F) female.	No	No

name_suffix	VARCHAR2(5)	NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	No	Yes
date_of_birth	DATE	NULL	Date on which the person was born.	No	No
dob_estimated	VARCHAR2(1)	NULL	Indicates that (Y) the person's date of birth is estimated; or (N) not.	No	No
ssn	VARCHAR2(10)	NULL	Person's social security number.	No	No
ss_apply_date	DATE	NULL	Date on which a social security number was applied for or the date on which a copy of the social security card was requested.	No	No
occupation	VARCHAR2(50)	NULL	Person's occupation.	No	No
religion_code	VARCHAR2(2)	NULL	Codes for types of religions; e.g. (Code: Description) BA: Baptist CA: Catholic EP: Episcopalian JE: Jewish LU: Lutheran etc.	No	Yes
language_code	VARCHAR2(2)	NULL	Codes for languages; e.g. (Code: Description) A: Arabic B: Chaldean C: Chinese D: Amer Sign Language E: English etc.	No	Yes
other_language_text	VARCHAR2(50)	NULL	Free-form text for entering the person's language when LANGUAGE_CODE is 'N' for 'Other (Non-Eng)'.	No	No
migrant	VARCHAR2(1)	NULL	Indicates that (Y) the person is a migrant; or (N) not.	No	No
tribal_documentation	VARCHAR2(1)	NULL	Indicates if the person has documentation verifying he/she belongs to a Native American tribe; i.e. (V) Verified, (N) None, or (P) Pending.	No	No
date_of_death	DATE	NULL	Date on which the person died.	No	No
date_of_retirement	DATE	NULL	Date on which the person retired.	No	No
veteran	VARCHAR2(1)	NULL	Indicates that (Y) the person is a veteran; or (N) not.	No	No

service_begin_date	DATE	NULL	Date on which the person began serving in the Armed Forces.	No	No
service_end_date	DATE	NULL	Date on which the person stopped serving in the Armed Forces.	No	No
hispanic_ethnicity	VARCHAR2(1)	NULL	Indicates if the person is of hispanic ethnicity as (Y) yes, (N) no, or (U) unknown.	No	No
recipient_id	NUMBER(12)	NULL	Person's CIS recipient ID number or ASSIST client ID number.	No	No
retired	VARCHAR2(1)	NULL	Indicates that (Y) the person is retired; or (N) not.	No	No
disabled	VARCHAR2(1)	NULL	Indicates that (Y) the person is disabled; or (N) not.	No	No
disabled_date	DATE	NULL	If disabled, date on which the person became disabled.	No	No
unknown_address	VARCHAR2(1)	NULL	Indicates that (Y) the person's address is unknown; or (N) not.	No	No
cross_racial_cert	VARCHAR2(1)	NULL	Indicates that (Y) the person is certified to accept children of multiple races into their home; or (N) not.	No	No
household_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the person is a household member (used for Protective Services); or (N) not; or NULL.	No	No
attending_emp_training	VARCHAR2(1)	NULL	Indicates that (Y) the child is attending the employment and training program (for the foster child only); or (N) not.	No	No
done_by_19	VARCHAR2(1)	NULL	Indicates that (Y) the child will complete school by age 19 (for the foster child only); or (N) not.	No	No
marital_status	VARCHAR2(1)	NULL	Indicates the person's marital status as (M) married; (S) single; (D) divorced; (W) widowed; (L) legally separated; or (U) unknown.	No	No

other_names	VARCHAR2(1)	NULL	Indicates that (Y) there are other names in either the AKA_PERSON_NAME and/or PERSON_NAME - HIST tables; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
handicap_ind	VARCHAR2(1)	NULL	Indicates that (Y) the person has a handicap, (N) does not, or (U) unknown. If the indicator is "Y", the specific handicap(s) will be stored in the GROUP_PERSON-HANDICAP table.	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the person identified.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
height	VARCHAR2(15)	NULL	The person's height as free-form text.	No	No
weight	VARCHAR2(15)	NULL	The person's weight as free-form text.	No	No
hair_color	VARCHAR2(50)	NULL	The person's hair color as free-form text.	No	No
eye_color	VARCHAR2(15)	NULL	The person's eye color as free-form text.	No	No
non_web_reason	VARCHAR2(50)	NULL	Free form text to explain the reason why the child is not on the Missing Children website.	No	No
b_cert_rqstd_dt	DATE	NULL	Date on which copy of the child's birth certificate was requested.	No	No
worker_has_b_cert	VARCHAR2(1)	NULL	Indicates that (Y) the worker has a copy of child's birth certificate; or (N) not.	No	No
ssn_copy_rqstd_dt	DATE	NULL	Date on which copy of the child's social security card was requested.	No	No
worker_has_ssn_copy	VARCHAR2(1)	NULL	Indicates that (Y) the worker has a copy of the child's social security card; or (N) not.	No	No

rec_num_parents	NUMBER(1)	NULL	Recommended number of foster parents for the child (1 or 2).	No	No
rec_home_type	VARCHAR2(1)	NULL	Recommended type of foster home in which to place the child; i.e. (F) family, (G) group, and (O) other.	No	No
rec_coed_home	VARCHAR2(1)	NULL	Indicates that (Y) the child can be placed in coed foster home; or (N) not.	No	No
previously_adopted	VARCHAR2(1)	NULL	Indicates that (Y) the child was previously adopted; or (N) not.	No	No
age_at_prev_adop	NUMBER(2)	NULL	Child's age when previously adopted. This is a numerical field; months or years are designated in AGE_AT_ADO-P_UNIT.	No	No
age_at_adop_unit	VARCHAR2(1)	NULL	Indicates if age at previous adoption was in (M) months or (Y) years.	No	No
school_attend_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is attending school; or (N) not.	No	No
full_time_school	VARCHAR2(1)	NULL	Indicates that (Y) the child is in school full-time; or (N) not.	No	No
tribe	VARCHAR2(30)	NULL	The name of the North American Indian tribe to which the child is affiliated.	No	No
heritage_question_asked	VARCHAR2(1)	NULL	Indicates that (Y) the question about North American Indian heritage has been asked; or (N) not.	No	No
current_military_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person is currently serving in the military; or (N) not; or NULL.	No	No
caretaker_ind	VARCHAR2(1)	NULL	If the person is a caretaker of the case (child(ren)), this indicates that the person is either (P) a primary caretaker; or (S) a secondary caretaker	No	No

awol_ind	VARCHAR2(1)	NULL	Indicates that that (Y) the child is away from his/her placement without official leave (i.e. they are missing); or (N) not; or NULL.	No	No
vpo_code	VARCHAR2(1)	NULL	Contains codes for the roles a person may be identified as in a CPS complaint/ case	No	Yes
age	VARCHAR2(3)	NULL	The age of the person when the record was entered in the system.	No	No
age_uom_ind	VARCHAR2(1)	NULL	Indicates if the AGE value is expressed in (Y) years or (M) months.	No	No
wellbeing_date	DATE	NULL	Date on which a well-being check was made on the child by the social worker	No	No
living_arrangement_code	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
wellbeing_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
how_verified_code	VARCHAR2(1)	NULL	Contains codes for how the child's well being is verified.	No	Yes
location_code	VARCHAR2(3)	NULL	Contains codes for the location, where a child's well being was verified.	No	Yes
location_other	VARCHAR2(50)	NULL	Free-form text for specifying the location where a child's well being was verified; when LOCATION_CODE is "OTH" for Other.	No	No
interviewed_ind	VARCHAR2(1)	NULL	Indicates that (Y) this member was interviewed during the CPS Investigation; or (N/ NULL) not.	No	No
interviewed_date	DATE	NULL	Date on which the member was interviewed during the CPS investigation	No	No
interviewed_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
prev_adpt_plcmnt_date	DATE	NULL	Date on which the previous adoptive placement occurred.	No	No

prev_adpt_dt_est_ind	VARCHAR2(1)	NULL	Indicates that (Y) the date in the PREV_ADPT_PLCMNT_DATE column was estimated; or (N) not; or NULL.	No	No
prev_adpt_type	VARCHAR2(1)	NULL	Identifies the previous adoption as (D) domestic or (F) foreign.	No	No
out_state_agency_name	VARCHAR2(50)	NULL	Free-form text for the name of the out-of-state agency.	No	No
out_state_agency_loc	VARCHAR2(50)	NULL	Location of the out-of-state agency (i.e. city, state).	No	No
adpt_disrupted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the adoption was disrupted; or (N) not or null.	No	No
adpt_disrupted_date	DATE	NULL	The date on which the adoption was disrupted; if applicable.	No	No
adpt_disrupted_dt_est_ind	VARCHAR2(1)	NULL	Indicates that (Y) the date in the ADPT_DISRUPTED_DATE column was estimated; or (N) not; or NULL.	No	No
adpt_finalize_date	DATE	NULL	Date on which the adoption was finalized (if applicable)	No	No
adpt_finalize_dt_est_ind	VARCHAR2(1)	NULL	Indicates that (Y) the date in the ADPT_FINALIZE_DATE column was estimated; or (N) not; or NULL.	No	No
adpt_dissolution_date	DATE	NULL	Date on which the dissolution of the adoption occurred (if applicable).	No	No
adpt_dissolution_dt_est_ind	VARCHAR2(1)	NULL	Indicates that (Y) the date in the ADPT DISSOLUTION_DATE column was estimated; or (N) not; or NULL.	No	No
disrupt_dissltn_cd	VARCHAR2(2)	NULL	Contains codes for the reasons why there was either a disruption or dissolution of the adoption.	No	Yes
disrupt_dissltn_other	VARCHAR2(200)	NULL	Free form text for reasons why there was either a disruption or dissolution of the adoption, when the DISRUPT DISSLTN_CD is "J" for Other.	No	No
ad_agency_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise	No	Yes

			it is obtained from other systems. It is also used to identify the licensee.		
ad_agency_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
plcmnt_at_closing_code	VARCHAR2(1)	NULL	Contains codes for the child(ren)'s placement after, and related to, a hearing.	No	Yes
native_american_ind	VARCHAR2(1)	NULL	Indicates if the person is a Native American as (Y) yes, (N) no, or (D) don't know.	No	No
place_of_birth	VARCHAR2(100)	NULL	The person's birth place.	No	No
place_of_death	VARCHAR2(100)	NULL	The person's place of death.	No	No
ntv_am_hrng_reason_code	VARCHAR2(1)	NULL	Contains codes for reasons why a hearing is being held for a Native American youth.	No	Yes
ntv_am_hrng_date	DATE	NULL	Date on which the CPS hearing for the Native American youth is being held.	No	No
ntv_am_hrng_notice_sent_date	DATE	NULL	Date on which the notice of the CPS hearing for the Native American youth was sent to the tribe.	No	No
ntv_am_hrng_reason_other	VARCHAR2(200)	NULL	Free form text for the reason that a hearing is being held for a Native American youth, when the NTV_AM_HRNG - REASON_CODE = 3 (for other).	No	No
pregnant_ind	VARCHAR2(1)	NULL	Indicates that (Y) the woman is pregnant.	No	No
divorce_county	VARCHAR2(30)	NULL	County where the person was divorced.	No	No
divorce_state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
yit_supervision_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "county no" Column	
Name	Unique
PK_group person	Yes
IF722_group person	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
PK_group person	Yes
NU_group person	No
NU_group person 1	No
IF1103_group person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK_group person	Yes
NU_group person	No
NU_group person 1	No
IF486_group person	No

Validation(s) of "citizenship_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "citizenship_type" Column	
Name	Unique
IF1109_group person	No

Validation(s) of "edu_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "edu_level_code" Column	
Name	Unique
IF516_group person	No

Validation(s) of "death_cause_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "death_cause_code" Column	
Name	Unique
IF502_group person	No

Validation(s) of "last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_name_soundex" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "last_name_soundex" Column	
Name	Unique

NU_group_person	No
-----------------	----

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sex" Column			
Constraint Name	Min	Max	Rule
ck_gp_sex			sex IN ('M', 'F')

Valid Value(s) of "ck_gp_sex" Validation		
Data Value	Display Value	Definition
M		Male
F		Female

Validation(s) of "name suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "name suffix" Column	
Name	Unique
IF1589_group_person	No

Validation(s) of "date of birth" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dob_estimated" Column			
Constraint Name	Min	Max	Rule
ck_gp_dobest			dob_estimated IN ('Y', 'N')

Valid Value(s) of "ck_gp_dobest" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ss_apply_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "occupation" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "religion_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "religion_code" Column	
Name	Unique

IF510_group_person	No
--------------------	----

Validation(s) of "language_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "language_code" Column	
Name	Unique
IF511_group_person	No

Validation(s) of "other_language_text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "migrant" Column			
Constraint Name	Min	Max	Rule
ck_gp_migrant			migrant IN ('Y', 'N')

Valid Value(s) of "ck_gp_migrant" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "tribal_documentation" Column			
Constraint Name	Min	Max	Rule
ck_gp_tribdoc			tribal_documentation IN ('P', 'V', 'N')

Valid Value(s) of "ck_gp_tribdoc" Validation		
Data Value	Display Value	Definition
P		Pending
V		Verified
N		None

Validation(s) of "date_of_death" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "date_of_retirement" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "veteran" Column			
Constraint Name	Min	Max	Rule
ck_gp_vet			veteran IN ('Y', 'N')

Valid Value(s) of "ck_gp_vet" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "service_begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service_end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hispanic_ethnicity" Column			
Constraint Name	Min	Max	Rule
ck_gp_hispanic			hispanic_ethnicity IN ('Y', 'N', 'U')

Valid Value(s) of "ck_gp_hispethnic" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
U		Unknown

Validation(s) of "recipient_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recipient_id" Column	
Name	Unique
NU_group_person_2	No

Validation(s) of "retired" Column			
Constraint Name	Min	Max	Rule
ck_gp_retired			retired IN ('N', 'Y')

Valid Value(s) of "ck_gp_retired" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "disabled" Column			
Constraint Name	Min	Max	Rule
ck_gp_disab			disabled IN ('Y', 'N')

Valid Value(s) of "ck_gp_disab" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "disabled_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "unknown_address" Column			
Constraint Name	Min	Max	Rule
ck_gp_unkaddr			unknown_address IN ('Y', 'N')

Valid Value(s) of "ck_gp_unkaddr" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cross_racial_cert" Column			
Constraint Name	Min	Max	Rule
ck_gp_crraccert			cross_racial_cert IN ('Y', 'N')

Valid Value(s) of "ck_gp_crraccert" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "household_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_houshldmem			household_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_houshldmem" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "attending_emp_training" Column			
Constraint Name	Min	Max	Rule

ck_gp_attemptrng			attending_emp_training IN ('Y', 'N')
------------------	--	--	--------------------------------------

Valid Value(s) of "ck_gp_attemptrng" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "done by 19" Column			
Constraint Name	Min	Max	Rule
ck_gp_done19			done_by_19 IN ('Y', 'N')

Valid Value(s) of "ck_gp_done19" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "marital status" Column			
Constraint Name	Min	Max	Rule
ck_gp_maritstat			marital_status IN ('M', 'S', 'D', 'W', 'L', 'U')

Valid Value(s) of "ck_gp_maritstat" Validation		
Data Value	Display Value	Definition
M		Married
S		Single
D		Divorced
W		Widowed
L		Legally Separated
U		Unknown

Validation(s) of "other_names" Column			
Constraint Name	Min	Max	Rule
ck_gp_othname			other_names IN ('Y', 'N')

Valid Value(s) of "ck_gp_othname" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "handicap_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_hndcapind			handicap_ind IN ('U', 'Y', 'N')

Valid Value(s) of "ck_gp_hndcapind" Validation		
Data Value	Display Value	Definition
U		Unable to determine
Y		Yes
N		No

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "physical_delete" Column			
Constraint Name	Min	Max	Rule
ck_gp_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_gp_phydel" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "height" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "weight" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hair_color" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eye_color" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "non_web_reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "b_cert_rqstd_dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "worker has b_cert" Column			
Constraint Name	Min	Max	Rule
ck_gp_wkrbcert			worker has b_cert IN ('Y', 'N')

Valid Value(s) of "ck_gp_wkrbcert" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ssn_copy_rqstd_dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "worker has ssn copy" Column			
Constraint Name	Min	Max	Rule
ck_gp_wkrssncpy			worker_has_ssn_copy IN ('Y', 'N')

Valid Value(s) of "ck_gp_wkrssncpy" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "rec_num_parents" Column			
Constraint Name	Min	Max	Rule
ck_gp_recnumprnt			rec_num_parents IN (2, 1)

Valid Value(s) of "ck_gp_recnumprnt" Validation		
Data Value	Display Value	Definition
2		Two parents
1		One parent

Validation(s) of "rec_home_type" Column			
Constraint Name	Min	Max	Rule
ck_gp_rechmtyp			rec_home_type IN ('F', 'G', 'O')

Valid Value(s) of "ck_gp_rechmtyp" Validation		
Data Value	Display Value	Definition
F		Family
G		Group
O		Other

Validation(s) of "rec_coed_home" Column			
Constraint Name	Min	Max	Rule
ck_gp_reccoedhm			rec_coed_home IN ('Y', 'N')

Valid Value(s) of "ck_gp_reccoedhm" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "previously_adopted" Column			
Constraint Name	Min	Max	Rule
ck_gp_prevad			previously_adopted IN ('Y', 'N')

Valid Value(s) of "ck_gp_prevad" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "age_at_prev_adop" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "age_at_adop_unit" Column			
Constraint Name	Min	Max	Rule
ck_gp_ageadun			age_at_adop_unit IN ('Y', 'M')

Valid Value(s) of "ck_gp_ageadun" Validation		
Data Value	Display Value	Definition
Y		Years
M		Months

Validation(s) of "school_attend_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_schattind			school_attend_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_schattind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "full_time_school" Column			
Constraint Name	Min	Max	Rule
ck_gp_fultimsch			full_time_school IN ('Y', 'N')

Valid Value(s) of "ck_gp_fultimsch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "tribe" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "heritage_question_asked" Column			
Constraint Name	Min	Max	Rule
ck_gp_herquesask			heritage_question_asked IN ('Y', 'N')

Valid Value(s) of "ck_gp_herquesask" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "current military ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_currmilitaryind			current military ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_currmilitaryind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "caretaker ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_crtkr_ind			caretaker ind IN ('P', 'S')

Valid Value(s) of "ck_gp_crtkr_ind" Validation		
Data Value	Display Value	Definition
P		Primary caretaker
S		Secondary caretaker

Validation(s) of "awol ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_awolind			awol ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_awolind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "vpo code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "vpo code" Column	
Name	Unique
IF1295_group_person	No

Validation(s) of "age" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "age uom ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_ageuomind			age uom ind IN ('Y', 'M')

Valid Value(s) of "ck_gp_ageuomind" Validation		
Data Value	Display Value	Definition
Y		Years
M		Months

Validation(s) of "wellbeing date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "living arrangement code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "living arrangement code" Column	
Name	Unique
IF1543_group_person	No

Validation(s) of "wellbeing comment id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "wellbeing comment id" Column	
Name	Unique
IF1542_group person	No

Validation(s) of "how verified code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "how verified code" Column	
Name	Unique
IF1540_group person	No

Validation(s) of "location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "location code" Column	
Name	Unique
IF1541_group person	No

Validation(s) of "location other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "interviewed ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_intrvwdind			interviewed_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_intrvwdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "interviewed date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "interviewed comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "interviewed comment id" Column	
Name	Unique
IF1551_group person	No

Validation(s) of "prev_adpt_plcmnt date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev_adpt_dt_est_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_prvaddtestind			prev_adpt_dt_est_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_prvaddtestind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "prev_adpt type" Column			
Constraint Name	Min	Max	Rule

ck_gp_prevadtyp			prev_adpt_type IN ('F', 'D')
-----------------	--	--	------------------------------

Valid Value(s) of "ck_gp_prevadtyp" Validation		
Data Value	Display Value	Definition
F		Foreign
D		Domestic

Validation(s) of "out_state_agency_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "out_state_agency_loc" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adpt_disrupted_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_addisrptdind			adpt_disrupted_ind IN ('Y', 'N', 'S')

Valid Value(s) of "ck_gp_addisrptdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
S		Still Intact

Validation(s) of "adpt_disrupted_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adpt_disrupted_dt_est_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_addsrptddtestind			adpt_disrupted_dt_est_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_addsrptddtestind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adpt_finalize_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adpt_finalize_dt_est_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_adfnlzdtestind			adpt_finalize_dt_est_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_adfnlzdtestind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adpt_dissolution_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adpt_dissolution_dt_est_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_addsslndtestind			adpt_dissolution_dt_est_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_addsslndtestind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "disrupt dissln cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "disrupt dissln cd" Column	
Name	Unique
IF1649_group_person	No

Validation(s) of "disrupt dissln other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ad_agency_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad_agency_id" Column	
Name	Unique
IF1650_group_person	No

Validation(s) of "ad_agency_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp16			ad_agency_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp16" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "ad_agency_type" Column	
Name	Unique
IF1650_group_person	No

Validation(s) of "plcmnt at closing code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "plcmnt at closing code" Column	
Name	Unique
IF1659_group_person	No

Validation(s) of "native_american_ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_ntvamind			native_american_ind IN ('Y', 'N', 'D')

Valid Value(s) of "ck_gp_ntvamind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
D		Don't know

Validation(s) of "place of birth" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "place of death" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ntv am hrng reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ntv am hrng reason code" Column	
Name	Unique
IF1697_group person	No

Validation(s) of "ntv am hrng date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ntv am hrng notice sent date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ntv am hrng reason other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pregnant ind" Column			
Constraint Name	Min	Max	Rule
ck_gp_pregind			pregnant_ind IN ('Y', 'N')

Valid Value(s) of "ck_gp_pregind" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "divorce county" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "divorce state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "divorce state code" Column	
Name	Unique
IF1769_group person	No

Validation(s) of "yit supervision county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "yit supervision county no" Column	
Name	Unique
IF1770_group person	No

Table(s) of "contacts" Picture Object	
Name	contacts
Comment	Contains information about worker and parent contacts.

Column(s) of "contacts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
contact_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each CONTACTS record.	Yes	No
contact_type_code	VARCHAR2(2)	NULL	Contains codes for the types of contacts (or what part of the SWSS application these contacts relate to) that are made (i. e. code/description: 1/AWOL (or missing kids); 2/ Parenting time; and 3/Worker.	No	Yes
contact_date	DATE	NULL	Date on which a contact was made.	No	No
contact_method_cd	VARCHAR2(2)	NULL	Codes for the method of contact used; e.g. (Code: Description) EM: EMAIL HC: Home Call LM: Left Message LT: Letter OV: Office Visit, etc.	No	Yes
other_contact_method	VARCHAR2(200)	NULL	Free-form text for how a contact was made, when CONTACT_METHOD_CD is "OT" for Other.	No	No
location_code	VARCHAR2(3)	NULL	Contains codes for places where the contact occurred.	No	Yes
other_location	VARCHAR2(200)	NULL	Free-form text for the location of a contact, when LOCATION_CODE is "OTH" for Other.	No	No
scheduled_ind	VARCHAR2(1)	NULL	Indicates that (Y) this contact was scheduled; or (N) not scheduled or impromptu.	No	No
kept_ind	VARCHAR2(1)	NULL	Indicates that (K) the contact was Kept; (U) Unkept; or (A) Agency cancelled; or NULL.	No	No
contact_notes_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
summary_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes

required_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact was required by policy; or (N) not; or NULL.	No	No
print_on_service_plan_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact should be printed on the service plan; or (N) not; or NULL.	No	No
successful_ind	VARCHAR2(1)	NULL	Indicates that (Y) the attempted contact was successful; or (N) not; or NULL.	No	No
commenced_24_hour_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact is the start of the 24-hour commencement of CPS investigation; or (N) not; or NULL.	No	No
collateral_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact is a collateral contact; or (N) not; or NULL.	No	No
services_engagement_ind	VARCHAR2(1)	NULL	Indicates if the contact is for a services engagement or not.	No	No
logical_delete_ind	VARCHAR2(1)	NULL	Indicates that (Y) the record does not show up in the application as a saved record, but does remain on the database; or (N) it continues to show up in the application; or NULL.	No	No
mandated_reporter_ind	VARCHAR2(1)	NULL		No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_contacts	Yes
IF1335_contacts	No

Validation(s) of "contact id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "contact id" Column

Name	Unique
PK_contacts	Yes

Validation(s) of "contact type code" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "contact type code" Column

Name	Unique
IF1329_contacts	No

Validation(s) of "contact date" Column

Constraint Name	Min	Max	Rule

Validation(s) of "contact method cd" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "contact method cd" Column	
Name	Unique
IF1252 contacts	No

Validation(s) of "other contact method" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "location code" Column	
Name	Unique
IF1262 contacts	No

Validation(s) of "other location" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "scheduled ind" Column			
Constraint Name	Min	Max	Rule
ck contacts schedind			scheduled ind IN ('Y', 'N')

Valid Value(s) of "ck contacts schedind" Validation		
Data Value	Display Value	Definition
Y		Yes, the contact was scheduled.
N		No, the contact was not scheduled.

Validation(s) of "kept ind" Column			
Constraint Name	Min	Max	Rule
ck contacts keptind			kept ind IN ('K', 'U', 'A')

Valid Value(s) of "ck contacts keptind" Validation		
Data Value	Display Value	Definition
K		Kept contact
U		Unkept contact
A		Agency cancelled contact

Validation(s) of "contact notes id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact notes id" Column	
Name	Unique
IF1255 contacts	No

Validation(s) of "summary comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "summary comment id" Column	
Name	Unique
IF1256 contacts	No

Validation(s) of "required ind" Column			
Constraint Name	Min	Max	Rule
ck contacts reqdind			required ind IN ('Y', 'N')

Valid Value(s) of "ck contacts reqdind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "print on service plan ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_prntrsrvplnind			print_on_service_plan_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts prntrsrvplnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "successful ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_successfulind			successful_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts successfulind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "commenced 24 hour ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_cmncd24hrind			commenced_24_hour_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts cmncd24hrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "collateral ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_collateralind			collateral_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts collateralind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "services engagement ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_srvcsengmntind			services_engagement_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts srvcsengmntind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "logical delete ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_logdelind			logical_delete_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts logdelind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mandated reporter ind" Column			
Constraint Name	Min	Max	Rule

ck_contacts_mndtdrp_1686457651			mandated_reporter_ind IN ('Y', 'N')
--------------------------------	--	--	-------------------------------------

Valid Value(s) of "ck_contacts_mndtdrp_1686457651" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "contact members" Picture Object	
Name	contact members
Comment	Contains information about the people contacted in regards to a child.

Column(s) of "contact members" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
contact_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each CONTACTS record.	Yes	Yes
contact_memb_seq_no	NUMBER	NOT NULL	Application generated sequence number that allows for multiple members for each CONTACTS record.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
other_contact_name	VARCHAR2(100)	NULL	Free-form text for a person's name when they do not have a PERSON_ID as noted in a GROUP_PERSON record.	No	No
contact_relation_code	VARCHAR2(2)	NULL	Contains codes for the relationship of the person contacted regarding the whereabouts, etc. for the missing (AWOL) children.	No	Yes
other_contact_relationship	VARCHAR2(100)	NULL	Free-form text for the relationship to the missing child when the relationship is "Other".	No	No
worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
contact_address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes

active_contact_ind	VARCHAR2(1)	NULL	Indicates that (A) this contact is still an "A"ctive contact for the sib group; or (I) the contact is an "I"nactive contact for the sib group; or NULL.	No	No
email address	VARCHAR2(100)	NULL		No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK contact members	Yes
IF1253 contact members	No

Validation(s) of "contact id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact id" Column	
Name	Unique
PK contact members	Yes
IF1253 contact members	No

Validation(s) of "contact memb seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact memb seq no" Column	
Name	Unique
PK contact members	Yes

Validation(s) of "sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib grp id" Column	
Name	Unique
IF1257 contact members	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
IF1257 contact members	No

Validation(s) of "other contact name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact relation code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact relation code" Column	
Name	Unique
IF1331 contact members	No

Validation(s) of "other contact relationship" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker id" Column	
Name	Unique
IF1259 contact_members	No

Validation(s) of "contact address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact address id" Column	
Name	Unique
IF1714 contact_members	No

Validation(s) of "active contact ind" Column			
Constraint Name	Min	Max	Rule
ck_contactmemb_actvntctind			active contact ind IN ('A', 'I')

Valid Value(s) of "ck_contactmemb_actvntctind" Validation		
Data Value	Display Value	Definition
A		Active
I		Inactive

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "location codes" Picture Object	
Name	location_codes
Comment	Contains codes and descriptions for places where the contact took place for use in CONTACTS; and for where the verification of a child's well being took place for use in GROUP_PERSON.

Column(s) of "location_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
location_code	VARCHAR2(3)	NOT NULL	Contains codes for places where the contact took place for use in CONTACTS; and for where the verification of a child's well being took place for use in GROUP_PERSON.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of LOCATION_CODE.	No	No

Validation(s) of "location_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "location_code" Column	
Name	Unique
PK location_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "contact relation codes" Picture Object	
Name	contact relation codes
Comment	Contains codes and descriptions for the relationship of the person contacted regarding the whereabouts, etc. for the missing (AWOL) children.

Column(s) of "contact relation codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
contact_relation_code	VARCHAR2(2)	NOT NULL	Contains codes for the relationship of the person contacted regarding the whereabouts, etc. for the missing (AWOL) children.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of CONTACT_RELATION_CD.	No	No
display_ind	VARCHAR2(1)	NULL	Indicator that is set to show whether the contact_relation_code is to be displayed. Current value is set to 'N' (do not display).	No	No
end_date	DATE	NULL	Date the contact_relation_code is no longer valid.	No	No

Validation(s) of "contact relation code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact relation code" Column	
Name	Unique
PK contact relation codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "display ind" Column			
Constraint Name	Min	Max	Rule
ck entctrlneds dspl 839529673			display_ind IN ('N')

Valid Value(s) of "ck entctrlneds dspl 839529673" Validation		
Data Value	Display Value	Definition
N	N	No

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case contacts" Picture Object	
Name	case_contacts
Comment	Resolves the many-to-many relationship between CONTACTS and CASE_PERSON. Contains only the links to the above two tables and it is used for identifying case and person information specific for a contact.

Column(s) of "case_contacts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
contact_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each CONTACTS record	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_case_contacts	Yes
IF1332_case_contacts	No

Validation(s) of "contact_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact_id" Column	
Name	Unique
PK_case_contacts	Yes
IF1332_case_contacts	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_case_contacts	Yes
IF1334_case_contacts	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique